Daniela N Männel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6018693/publications.pdf

Version: 2024-02-01

623734 940533 1,413 18 14 16 citations g-index h-index papers 19 19 19 1867 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Stimulation of TNF receptor type 2 expands regulatory T cells and ameliorates established collagen-induced arthritis in mice. Cellular and Molecular Immunology, 2019, 16, 65-74.	10.5	35
2	Chronic Inflammation Increases the Sensitivity of Mouse Treg for TNFR2 Costimulation. Frontiers in Immunology, 2017, 8, 1471.	4.8	17
3	Induction of Suppressor Cells and Increased Tumor Growth following Chronic Psychosocial Stress in Male Mice. PLoS ONE, 2016, 11, e0159059.	2.5	47
4	Exogenous TNFR2 activation protects from acute GvHD via host T reg cell expansion. Journal of Experimental Medicine, 2016, 213, 1881-1900.	8.5	143
5	Immune Humanization of Immunodeficient Mice Using Diagnostic Bone Marrow Aspirates from Carcinoma Patients. PLoS ONE, 2014, 9, e97860.	2.5	21
6	TNFR2 maintains adequate IL-12 production by dendritic cells in inflammatory responses by regulating endogenous TNF levels. Innate Immunity, 2014, 20, 712-720.	2.4	13
7	LTÎ ² R expression on hematopoietic cells regulates acute inflammation and influences maturation of myeloid subpopulations. Innate Immunity, 2014, 20, 461-470.	2.4	7
8	Myeloid suppressor cells require membrane TNFR2 expression for suppressive activity. Immunity, Inflammation and Disease, 2014, 2, 121-130.	2.7	79
9	Cutting Edge: Expression of TNFR2 Defines a Maximally Suppressive Subset of Mouse CD4+CD25+FoxP3+ T Regulatory Cells: Applicability to Tumor-Infiltrating T Regulatory Cells. Journal of Immunology, 2008, 180, 6467-6471.	0.8	280
10	Macrophage migration inhibitory factor in the immune response. Journal of Organ Dysfunction, 2008, 4, 71-76.	0.3	0
11	Interaction of TNF with TNF Receptor Type 2 Promotes Expansion and Function of Mouse CD4+CD25+ T Regulatory Cells. Journal of Immunology, 2007, 179, 154-161.	0.8	464
12	Advances in sepsis research derived from animal models. International Journal of Medical Microbiology, 2007, 297, 393-400.	3.6	16
13	Hypoxic Upregulation of TNF Receptor Type 2 Expression Involves NF-IL-6 and Is Independent of HIF-1 or HIF-2. Journal of Interferon and Cytokine Research, 2001, 21, 757-762.	1.2	18
14	Recombinant, Soluble LIGHT (HVEM Ligand) Induces Increased IL-8 Secretion and Growth Arrest in A375 Melanoma Cells. Journal of Interferon and Cytokine Research, 2001, 21, 333-338.	1.2	18
15	A bacteriaâ€induced switch of sympathetic effector mechanisms augments local inhibition of TNFâ€Î± and ILâ€6 secretion in the spleen. FASEB Journal, 2000, 14, 1380-1388.	0.5	25
16	Tumor necrosis factor (TNF) receptor type 2 mediates thymocyte proliferation independently of TNF receptor type 1. European Journal of Immunology, 1998, 28, 257-263.	2.9	142
17	TNF promotes metastasis by impairing natural killer cell activity., 1996, 66, 388-392.		27
18	Promotion of experimental liver metastasis by tumor necrosis factor. International Journal of Cancer, 1995, 60, 867-871.	5.1	61