Fatemeh Saberi Hosnijeh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6019430/publications.pdf

Version: 2024-02-01

471509 477307 32 880 17 citations h-index papers

g-index 32 32 32 2064 docs citations times ranked citing authors all docs

29

#	Article	IF	CITATIONS
1	High-risk subtypes of chronic lymphocytic leukemia are detectable as early as 16 years prior to diagnosis. Blood, 2022, 139, 1557-1563.	1.4	20
2	Association between anthropometry and lifestyle factors and risk of Bâ€cell lymphoma: An exposomeâ€wide analysis. International Journal of Cancer, 2021, 148, 2115-2128.	5.1	9
3	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. European Journal of Nutrition, 2020, 59, 813-823.	3.9	8
4	Proteomic markers with prognostic impact on outcome of chronic lymphocytic leukemia patients under chemo-immunotherapy: results from the HOVON 109 study. Experimental Hematology, 2020, 89, 55-60.e6.	0.4	2
5	Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. Scientific Reports, 2020, 10, 13814.	3.3	4
6	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1649-1656.	5.1	4
7	Serum levels of <i>hsaâ€miRâ€16â€5p</i> , <i>hsaâ€miRâ€29aâ€3p</i> , <i>hsaâ€miRâ€150â€5p</i> , <i>hsaâ€ <i>hsaâ€miR</i>â€<i>223â€3p</i> and subsequent risk of chronic lymphocytic leukemia in the EPIC study. International Journal of Cancer, 2020, 147, 1315-1324.</i>	ēmiRâ€155 5.1	5â€ 5 p and 25
8	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 122-131.	5.1	9
9	Development of a prediction model for future risk of radiographic hip osteoarthritis. Osteoarthritis and Cartilage, 2018, 26, 540-546.	1.3	33
10	Preâ€diagnostic blood immune markers, incidence and progression of Bâ€cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. International Journal of Cancer, 2018, 143, 1335-1347.	5.1	13
11	Association between low-grade inflammation and Breast cancer and B-cell Myeloma and Non-Hodgkin Lymphoma: findings from two prospective cohorts. Scientific Reports, 2018, 8, 10805.	3.3	13
12	Cam Deformity and Acetabular Dysplasia as Risk Factors for Hip Osteoarthritis. Arthritis and Rheumatology, 2017, 69, 86-93.	5.6	105
13	Soluble Bâ€cell activation marker of sCD27 and sCD30 and future risk of Bâ€cell lymphomas: A nested caseâ€control study and metaâ€analyses. International Journal of Cancer, 2016, 138, 2357-2367.	5.1	23
14	A life course approach to explore the biological embedding of socioeconomic position and social mobility through circulating inflammatory markers. Scientific Reports, 2016, 6, 25170.	3.3	47
15	Association between biomarkers of tissue inflammation and progression of osteoarthritis: evidence from the Rotterdam study cohort. Arthritis Research and Therapy, 2016, 18, 81.	3.5	85
16	Biomarkers for osteoarthritis: Can they be used for risk assessment? A systematic review. Maturitas, 2015, 82, 36-49.	2.4	55
17	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. International Journal of Cancer, 2014, 135, 2910-2917.	5.1	26
18	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2014, 66, 14-28.	2.0	24

#	Article	IF	CITATIONS
19	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. Blood, 2014, 124, 530-535.	1.4	46
20	Serum metabolomic pertubations among workers exposed to 2,3,7,8â€tetrachlorodibenzoâ€ <i>p</i> a€dioxin (TCDD). Environmental and Molecular Mutagenesis, 2013, 54, 558-565.	2.2	26
21	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2013, 24, 427-438.	1.8	20
22	Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Occupational and Environmental Medicine, 2013, 70, 464-470.	2.8	16
23	Circulating Soluble CD27 and CD30 in Workers Exposed to 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD). Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2420-2424.	2.5	7
24	Changes in lymphocyte subsets in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Occupational and Environmental Medicine, 2012, 69, 781-786.	2.8	9
25	A review of the role of lymphoma markers and occupational and environmental exposures. Veterinary Quarterly, 2012, 32, 61-73.	6.7	8
26	Plasma Cytokine Concentrations in Workers Exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Frontiers in Oncology, 2012, 2, 37.	2.8	7
27	Immunologic profile of excessive body weight. Biomarkers, 2011, 16, 243-251.	1.9	49
28	The intake of grain fibers modulates cytokine levels in blood. Biomarkers, 2011, 16, 504-510.	1.9	48
29	Long-term effects on humoral immunity among workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). Occupational and Environmental Medicine, 2011, 68, 419-424.	2.8	8
30	Circulating Soluble CD30 and Future Risk of Lymphoma; Evidence from Two Prospective Studies in the General Population. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1925-1927.	2.5	25
31	Plasma Cytokines and Future Risk of Non-Hodgkin Lymphoma (NHL): A Case-Control Study Nested in the Italian European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1577-1584.	2.5	66
32	Stability and reproducibility of simultaneously detected plasma and serum cytokine levels in asymptomatic subjects. Biomarkers, 2010, 15, 140-148.	1.9	40