Salvatore Ulisse

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6019484/salvatore-ulisse-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116 3,159 51 32 h-index g-index citations papers 3,635 4.67 121 4.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
116	Thyroid Diseases and Breast Cancer Journal of Personalized Medicine, 2022, 12,	3.6	2
115	Advances in pharmacotherapy for advanced thyroid cancer of follicular origin (PTC, FTC). New approved drugs and future therapies <i>Expert Opinion on Pharmacotherapy</i> , 2022 ,	4	1
114	Combination Strategies Involving Immune Checkpoint Inhibitors and Tyrosine Kinase or BRAF Inhibitors in Aggressive Thyroid Cancer. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5731	6.3	1
113	Papillary Thyroid Cancer Prognosis: An Evolving Field. <i>Cancers</i> , 2021 , 13,	6.6	8
112	Expression and Clinical Utility of Transcription Factors Involved in Epithelial-Mesenchymal Transition during Thyroid Cancer Progression. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
111	Iodine: Its Role in Thyroid Hormone Biosynthesis and Beyond <i>Nutrients</i> , 2021 , 13,	6.7	3
110	Evaluation of Clinicopathological and Molecular Parameters on Disease Recurrence of Papillary Thyroid Cancer Patient: A Retrospective Observational Study. <i>Cancers</i> , 2020 , 12,	6.6	7
109	Minimally invasive video-assisted thyroidectomy and transoral video-assisted thyroidectomy: A comparison of two systematic reviews. <i>Journal of Minimal Access Surgery</i> , 2020 , 16, 315-322	1.2	0
108	Dysregulation of microRNA expression in diabetic skin. <i>Journal of Dermatological Science</i> , 2020 , 98, 186	-14934	4
107	The iodine nutritional status in the Italian population: data from the Italian National Observatory for Monitoring Iodine Prophylaxis (OSNAMI) (period 2015-2019). <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1265-1266	7	9
106	Recent advances in precision medicine for the treatment of anaplastic thyroid cancer. <i>Expert Review of Precision Medicine and Drug Development</i> , 2019 , 4, 37-49	1.6	3
105	Selective embolization of the thyroid arteries (SETA): Ten yearsTexperience. <i>Asian Journal of Surgery</i> , 2019 , 42, 847-848	1.6	0
104	Autoimmune Endocrine Dysfunctions Associated with Cancer Immunotherapies. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	46
103	PD-1 Ligand Expression in Epithelial Thyroid Cancers: Potential Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	22
102	Iodine Status in Schoolchildren and Pregnant Women of Lazio, a Central Region of Italy. <i>Nutrients</i> , 2019 , 11,	6.7	6
101	Decorin counteracts disease progression in mice with recessive dystrophic epidermolysis bullosa. <i>Matrix Biology</i> , 2019 , 81, 3-16	11.4	25
100	Iodine deficiency in pregnancy: Still a health issue for the women of Cassino city, Italy. <i>Nutrition</i> , 2018 , 50, 60-65	4.8	14

(2016-2018)

99	Thyroid hormone regulates protease expression and activation of Notch signaling in implantation and embryo development. <i>Journal of Endocrinology</i> , 2018 , 236, 1-12	4.7	11	
98	CTLA-4 and PD-1 Ligand Gene Expression in Epithelial Thyroid Cancers. <i>International Journal of Endocrinology</i> , 2018 , 2018, 1742951	2.7	13	
97	CCL2 is Modulated by Cytokines and PPAR-lin Anaplastic Thyroid Cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018 , 18, 458-466	2.2	9	
96	Antineoplastic Effect of Lenvatinib and Vandetanib in Primary Anaplastic Thyroid Cancer Cells Obtained From Biopsy or Fine Needle Aspiration. <i>Frontiers in Endocrinology</i> , 2018 , 9, 764	5.7	12	
95	Vandetanib has antineoplastic activity in anaplastic thyroid cancer, in vitro and in vivo. <i>Oncology Reports</i> , 2018 , 39, 2306-2314	3.5	16	
94	Lenvatinib exhibits antineoplastic activity in anaplastic thyroid cancer in vitro and in vivo. <i>Oncology Reports</i> , 2018 , 39, 2225-2234	3.5	29	
93	Molecular testing in the diagnosis of differentiated thyroid carcinomas. <i>Gland Surgery</i> , 2018 , 7, S19-S29	2.2	22	
92	Thyroid diseases and skin autoimmunity. Reviews in Endocrine and Metabolic Disorders, 2018, 19, 311-32	3 10.5	13	
91	Deregulated expression of VHL mRNA variants in papillary thyroid cancer. <i>Molecular and Cellular Endocrinology</i> , 2017 , 443, 121-127	4.4	5	
90	New perspectives in the diagnosis of thyroid follicular lesions. <i>International Journal of Surgery</i> , 2017 , 41 Suppl 1, S7-S12	7.5	6	
89	Novel treatment options for anaplastic thyroid cancer. <i>Expert Review of Endocrinology and Metabolism</i> , 2017 , 12, 279-288	4.1	10	
88	Expression and prognostic value of the cell polarity PAR complex members in thyroid cancer. <i>International Journal of Oncology</i> , 2017 , 50, 1413-1422	4.4	4	
87	Solid Cancer Treatment With Aurora Kinase Inhibitors: Towards a Personalized Medicine. <i>EBioMedicine</i> , 2017 , 25, 18-19	8.8	2	
86	Nodular thyroid disease in the elderly: novel molecular approaches for the diagnosis of malignancy. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 7-13	4.8	5	
85	Vitiligo and Autoimmune Thyroid Disorders. Frontiers in Endocrinology, 2017, 8, 290	5.7	19	
84	Thyroid Imaging Reporting and Data System Score Combined with the New Italian Classification for Thyroid Cytology Improves the Clinical Management of Indeterminate Nodules. <i>International Journal of Endocrinology</i> , 2017 , 2017, 9692304	2.7	32	
83	Aggressive thyroid cancer: targeted therapy with sorafenib. <i>Minerva Endocrinology</i> , 2017 , 42, 64-76	2.5	14	
82	Preclinical testing of selective Aurora kinase inhibitors on a medullary thyroid carcinoma-derived cell line. <i>Endocrine</i> , 2016 , 52, 287-95	4	5	

81	Pyrazolopyrimidine Derivatives as Antineoplastic Agents: with a Special Focus on Thyroid Cancer. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016 , 16, 86-93	3.2	15
80	Early discharge after total thyroidectomy: a retrospective feasibility study. <i>Giornale Di Chirurgia</i> , 2016 , 37, 250-256	2.2	3
79	Antineoplastic Effects of PPAR[Agonists, with a Special Focus on Thyroid Cancer. <i>Current Medicinal Chemistry</i> , 2016 , 23, 636-49	4.3	15
78	Aurora Kinases: New Molecular Targets for the Therapy of Aggressive Thyroid Cancers 2016 ,		2
77	Consumption of iodized salt may not represent a reliable indicator of iodine adequacy: Evidence from a cross-sectional study on schoolchildren living in an urban area of central Italy. <i>Nutrition</i> , 2016 , 32, 662-6	4.8	9
76	The aurora kinase inhibitor VX-680 shows anti-cancer effects in primary metastatic cells and the SW13 cell line. <i>Investigational New Drugs</i> , 2016 , 34, 531-40	4.3	12
75	The safety and efficacy of vandetanib in the treatment of progressive medullary thyroid cancer. <i>Expert Review of Anticancer Therapy</i> , 2016 , 16, 1109-1118	3.5	16
74	Sorafenib in the treatment of thyroid cancer. Expert Review of Anticancer Therapy, 2015 , 15, 863-74	3.5	13
73	Tyrosine kinase inhibitors for the therapy of anaplastic thyroid cancer. <i>International Journal of Endocrine Oncology</i> , 2015 , 2, 135-142	0.3	5
7 ²	Molecular Targeted Therapies of Aggressive Thyroid Cancer. <i>Frontiers in Endocrinology</i> , 2015 , 6, 176	5.7	39
71	Deregulated expression of Aurora kinases is not a prognostic biomarker in papillary thyroid cancer patients. <i>PLoS ONE</i> , 2015 , 10, e0121514	3.7	14
70	Association of thyroid diseases with primary extra-thyroidal malignancies in women: results of a cross-sectional study of 6,386 patients. <i>PLoS ONE</i> , 2015 , 10, e0122958	3.7	18
69	Effects of selective inhibitors of Aurora kinases on anaplastic thyroid carcinoma cell lines. Endocrine-Related Cancer, 2014 , 21, 797-811	5.7	14
68	Molecular basis of thyrotropin and thyroid hormone action during implantation and early development. <i>Human Reproduction Update</i> , 2014 , 20, 884-904	15.8	103
67	Prevalence of breast cancer in thyroid diseases: results of a cross-sectional study of 3,921 patients. Breast Cancer Research and Treatment, 2014 , 144, 683-8	4.4	33
66	The combination of RAF265, SB590885, ZSTK474 on thyroid cancer cell lines deeply impact on proliferation and MAPK and PI3K/Akt signaling pathways. <i>Investigational New Drugs</i> , 2014 , 32, 626-35	4.3	19
65	Emerging molecular markers for the prognosis of differentiated thyroid cancer patients. <i>International Journal of Surgery</i> , 2014 , 12 Suppl 1, S52-6	7.5	14
64	A new aurora in anaplastic thyroid cancer therapy. <i>International Journal of Endocrinology</i> , 2014 , 2014, 816430	2.7	11

(2011-2014)

63	CLM29, a multi-target pyrazolopyrimidine derivative, has anti-neoplastic activity in medullary thyroid cancer in vitro and in vivo. <i>Molecular and Cellular Endocrinology</i> , 2014 , 393, 56-64	4.4	19
62	Thyroid autoantibodies and breast cancer. Asian Pacific Journal of Cancer Prevention, 2014, 15, 10999	1.7	1
61	Effects of ultraviolet radiation on FRTL-5 cell growth and thyroid-specific gene expression. <i>Astrobiology</i> , 2013 , 13, 536-42	3.7	2
60	Cervical lymph node metastases from thyroid cancer: does thyroglobulin and calcitonin measurement in fine needle aspirates improve the diagnostic value of cytology?. <i>BMC Clinical Pathology</i> , 2013 , 13, 7	3	33
59	Sorafenib and thyroid cancer. <i>BioDrugs</i> , 2013 , 27, 615-28	7.9	33
58	Leptin modification in chronic myeloid leukemia patients treated with imatinib: An emerging effect of targeted therapy. <i>Leukemia Research Reports</i> , 2013 , 2, 58-60	0.6	2
57	Association of epicardial fat thickness with the severity of obstructive sleep apnea in obese patients. <i>International Journal of Cardiology</i> , 2013 , 167, 2244-9	3.2	43
56	Sella turcica atypical teratoid/rhabdoid tumor complicated with lung metastasis in an adult female. <i>Clinical Medicine Insights: Case Reports</i> , 2013 , 6, 177-82	0.8	30
55	Prevalence, mass, and glucose-uptake activity of IE-FDG-detected brown adipose tissue in humans living in a temperate zone of Italy. <i>PLoS ONE</i> , 2013 , 8, e63391	3.7	44
54	In papillary thyroid carcinoma BRAFV600E is associated with increased expression of the urokinase plasminogen activator and its cognate receptor, but not with disease-free interval. <i>Clinical Endocrinology</i> , 2012 , 77, 780-6	3.4	28
53	Q-elastography in the presurgical diagnosis of thyroid nodules with indeterminate cytology. <i>PLoS ONE</i> , 2012 , 7, e50725	3.7	46
52	New targeted therapies for anaplastic thyroid cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012 , 12, 87-93	2.2	23
51	High levels of circulating chemokine (C-X-C motif) ligand 11 are associated with euthyroid or subclinically hypothyroid autoimmune thyroiditis and with chemokine (C-X-C motif) ligand 10. <i>Journal of Interferon and Cytokine Research</i> , 2012 , 32, 74-80	3.5	7
50	Virilizing leydig-sertoli cell ovarian tumor associated with endometrioid carcinoma of the endometrium in a postmenopausal patient: case report and general considerations. <i>Clinical Medicine Insights: Case Reports</i> , 2012 , 5, 149-53	0.8	6
49	Lack of Influence of the Androgen Receptor Gene CAG-Repeat Polymorphism on Clinical and Electrocardiographic Manifestations of the Brugada Syndrome in Man. <i>Clinical Medicine Insights: Cardiology</i> , 2012 , 6, 145-52	3.2	3
48	Severe oligozoospermia in a young man with chronic myeloid leukemia on long-term treatment with imatinib started before puberty. <i>Fertility and Sterility</i> , 2011 , 95, 1120.e15-7	4.8	28
47	Aurora-C interacts with and phosphorylates the transforming acidic coiled-coil 1 protein. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 408, 647-53	3.4	19
46	Aurora kinases are expressed in medullary thyroid carcinoma (MTC) and their inhibition suppresses in vitro growth and tumorigenicity of the MTC derived cell line TT. <i>BMC Cancer</i> , 2011 , 11, 411	4.8	16

45	High expression of the urokinase plasminogen activator and its cognate receptor associates with advanced stages and reduced disease-free interval in papillary thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 504-8	5.6	32
44	TSH receptor and thyroid-specific gene expression in human skin. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 93-101	4.3	75
43	Deregulation of Aurora kinase gene expression in human testicular germ cell tumours. <i>Andrologia</i> , 2010 , 42, 260-7	2.4	13
42	Inhibition of the aurora kinases suppresses in vitro NT2-D1 cell growth and tumorigenicity. <i>Journal of Endocrinology</i> , 2010 , 204, 135-42	4.7	9
41	Increased expression of urokinase plasminogen activator and its cognate receptor in human seminomas. <i>BMC Cancer</i> , 2010 , 10, 151	4.8	12
40	Overexpression of the Components of the Plasminogen Activating System as Prognostic Factors in Human Thyroid Carcinoma 2010 , 445-458		
39	Comparison of malignancy rate in thyroid nodules with cytology of indeterminate follicular or indeterminate HEthle cell neoplasm. <i>Thyroid</i> , 2009 , 19, 355-60	6.2	41
38	The urokinase plasminogen activator system: a target for anti-cancer therapy. <i>Current Cancer Drug Targets</i> , 2009 , 9, 32-71	2.8	213
37	Expression of Fas and Fas ligand in human testicular germ cell tumours. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 123-30		5
36	Analysis of clinical, ultrasound and colour flow-Doppler characteristics in predicting malignancy in follicular thyroid neoplasms. <i>Clinical Endocrinology</i> , 2008 , 69, 342-4	3.4	19
35	lodine deficiency in pregnant women residing in an area with adequate iodine intake. <i>Nutrition</i> , 2008 , 24, 458-61	4.8	38
34	A mathematical formula to estimate in vivo thyroid volume from two-dimensional ultrasonography. <i>Thyroid</i> , 2008 , 18, 879-82	6.2	14
33	Effects of the Aurora kinase inhibitor VX-680 on anaplastic thyroid cancer-derived cell lines. Endocrine-Related Cancer, 2008 , 15, 559-68	5.7	51
32	Transforming acidic coiled-coil 3 and Aurora-A interact in human thyrocytes and their expression is deregulated in thyroid cancer tissues. <i>Endocrine-Related Cancer</i> , 2007 , 14, 827-37	5.7	40
31	Expression of Aurora kinases in human thyroid carcinoma cell lines and tissues. <i>International Journal of Cancer</i> , 2006 , 119, 275-82	7.5	85
30	Trend in thyroid carcinoma size, age at diagnosis, and histology in a retrospective study of 500 cases diagnosed over 20 years. <i>Thyroid</i> , 2006 , 16, 1151-5	6.2	69
29	Differential expression of the components of the plasminogen activating system in human thyroid tumour derived cell lines and papillary carcinomas. <i>European Journal of Cancer</i> , 2006 , 42, 2631-8	7.5	32
28	Ontogenesis and cell specific localization of Fas ligand expression in the rat testis. <i>Journal of Developmental and Physical Disabilities</i> , 2004 , 27, 304-10		18

27	Induction of apoptosis by 1,4-benzothiazine analogs in mouse thymocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002 , 300, 1053-62	4.7	10
26	Fas expression correlates with human germ cell degeneration in meiotic and post-meiotic arrest of spermatogenesis. <i>Molecular Human Reproduction</i> , 2002 , 8, 213-20	4.4	48
25	Expression of platelet-derived growth factor-A (PDGF-A), PDGF-B, and PDGF receptor-alpha and -beta during human testicular development and disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 2310-9	5.6	83
24	Expression of Platelet-Derived Growth Factor-A (PDGF-A), PDGF-B, and PDGF Receptor-🛭 and - 🖺 during Human Testicular Development and Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 2310-2319	5.6	70
23	Reduction of oxaluria after an oral course of lactic acid bacteria at high concentration. <i>Kidney International</i> , 2001 , 60, 1097-105	9.9	170
22	Apoptotic effects of selected strains of lactic acid bacteria on a human T leukemia cell line are associated with bacterial arginine deiminase and/or sphingomyelinase activities. <i>Nutrition and Cancer</i> , 2001 , 40, 185-96	2.8	51
21	Alternative strategies other than growth hormone for the treatment of immune diseases. <i>Trends in Immunology</i> , 2001 , 22, 14-6	14.4	
20	Natural killer cells and nitric oxide. <i>International Immunopharmacology</i> , 2001 , 1, 1513-24	5.8	38
19	Erk-dependent cytosolic phospholipase A2 activity is induced by CD95 ligand cross-linking in the mouse derived Sertoli cell line TM4 and is required to trigger apoptosis in CD95 bearing cells. <i>Cell Death and Differentiation</i> , 2000 , 7, 916-24	12.7	31
18	Pituitary adenylate cyclase-activating polypeptide (PACAP) and PACAP-receptor type 1 expression in rat and human placenta. <i>Endocrinology</i> , 2000 , 141, 1158-67	4.8	23
17	Fas and Fas ligand expression in fetal and adult human testis with normal or deranged spermatogenesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 2692-700	5.6	77
16	Regulation by thyroid hormone of the expression of basement membrane components in rat prepubertal Sertoli cells. <i>Endocrinology</i> , 1998 , 139, 741-7	4.8	28
15	Ciona intestinalis nuclear receptor 1: a member of steroid/thyroid hormone receptor family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 11152-7	11.5	37
14	Differential responses to ligands of overexpressed thyroid hormone and retinoid X receptors in a Xenopus cell line and in vivo. <i>Molecular and Cellular Endocrinology</i> , 1997 , 126, 17-24	4.4	10
13	Dominant-negative mutant thyroid hormone receptors prevent transcription from Xenopus thyroid hormone receptor beta gene promoter in response to thyroid hormone in Xenopus tadpoles in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 1205-9	11.5	31
12	Testicular development involves the spatiotemporal control of PDGFs and PDGF receptors gene expression and action. <i>Journal of Cell Biology</i> , 1995 , 131, 1105-21	7.3	69
11	Thyroid hormone and male gonadal function. <i>Endocrine Reviews</i> , 1995 , 16, 443-59	27.2	183
10	Follicle-stimulating hormone-induced phospholipase A2 activity and eicosanoid generation in rat Sertoli cells. <i>Biology of Reproduction</i> , 1994 , 51, 140-5	3.9	27

9	Thyroid hormone and glucocorticoid independently regulate the expression of estrogen receptor in male Xenopus liver cells. <i>Molecular and Cellular Endocrinology</i> , 1994 , 105, 45-53	4.4	34	
8	Developmental regulation of the thyroid hormone receptor alpha 1 mRNA expression in the rat testis. <i>Molecular Endocrinology</i> , 1994 , 8, 89-96		51	
7	Thyroid hormone stimulates glucose transport and GLUT1 mRNA in rat Sertoli cells. <i>Molecular and Cellular Endocrinology</i> , 1992 , 87, 131-7	4.4	54	
6	Identification of immunoreactive gastrin-releasing peptide related substances in adult rat Leydig cells. <i>Endocrinology</i> , 1989 , 124, 558-60	4.8	15	
5	LH action in the Leydig cell: modulation by angiotensin II and corticotropin releasing hormone, and regulation of P450(17) alpha mRNA. <i>The Journal of Steroid Biochemistry</i> , 1989 , 34, 205-17		15	
4	Endorphins in male impotence: evidence for naltrexone stimulation of erectile activity in patient therapy. <i>Psychoneuroendocrinology</i> , 1989 , 14, 103-11	5	76	
3	Immunoreactive beta-endorphin levels in cerebrospinal fluid of children with acute lymphoblastic leukemia: relationship with glucocorticoid therapy and neurological complications. <i>Journal of Endocrinological Investigation</i> , 1989 , 12, 623-9	5.2		
2	Low serum bioactive luteinizing hormone in nonorganic male impotence: possible relationship with altered gonadotropin-releasing hormone pulsatility. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988 , 67, 867-75	5.6	34	
1	Early thyroid hormone treatment in rats increases testis size and germ cell number		9	