

Cameron D Siler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6019496/publications.pdf>

Version: 2024-02-01

106
papers

2,362
citations

218662

26
h-index

289230

40
g-index

112
all docs

112
docs citations

112
times ranked

1389
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolutionary Processes of Diversification in a Model Island Archipelago. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2013, 44, 411-435.	8.3	173
2	Phylogeny and biogeography of Philippine bent-toed geckos (Gekkonidae: <i>Cyrtodactylus</i>) contradict a prevailing model of Pleistocene diversification. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 699-710.	2.7	108
3	Review of morphometric measurements used in anuran species descriptions and recommendations for a standardized approach. <i>Zootaxa</i> , 2016, 4072, 477-95.	0.5	95
4	AN ADAPTIVE RADIATION OF FROGS IN A SOUTHEAST ASIAN ISLAND ARCHIPELAGO. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2631-2646.	2.3	73
5	Phylogeny of Philippine slender skinks (Scincidae: <i>Brachymeles</i>) reveals underestimated species diversity, complex biogeographical relationships, and cryptic patterns of lineage diversification. <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 53-65.	2.7	72
6	Did geckos ride the Palawan raft to the Philippines?. <i>Journal of Biogeography</i> , 2012, 39, 1217-1234.	3.0	69
7	Phylogeography and historical demography of <i>Polypedates leucomystax</i> in the islands of Indonesia and the Philippines: Evidence for recent human-mediated range expansion?. <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 598-619.	2.7	64
8	EVIDENCE FOR CLIMATE-DRIVEN DIVERSIFICATION? A CAUTION FOR INTERPRETING ABC INFERENCES OF SIMULTANEOUS HISTORICAL EVENTS. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 991-1010.	2.3	61
9	Philippine Frogs of the Genus <i>Leptobrachium</i> (Anura; Megophryidae): Phylogeny-based Species Delimitation, Taxonomic Review, and Descriptions of Three New Species. <i>Herpetological Monographs</i> , 2009, 23, 1-44.	0.8	60
10	A spectacular new Philippine monitor lizard reveals a hidden biogeographic boundary and a novel flagship species for conservation. <i>Biology Letters</i> , 2010, 6, 654-658.	2.3	56
11	Philippine Bent-Toed Geckos of the <i>Cyrtodactylus agusanensis</i> Complex: Multilocus Phylogeny, Morphological Diversity, and Descriptions of Three New Species. <i>Herpetological Monographs</i> , 2010, 24, 55-85.	0.8	52
12	EVIDENCE FOR REPEATED ACQUISITION AND LOSS OF COMPLEX BODY-FORM CHARACTERS IN AN INSULAR CLADE OF SOUTHEAST ASIAN SEMI-FOSSORIAL SKINKS. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 2641-2663.	2.3	51
13	Phylogeny-based species delimitation of southern Philippines bent-toed geckos and a new species of <i>Cyrtodactylus</i> (Squamata: Gekkonidae) from western Mindanao and the Sulu Archipelago. <i>Zootaxa</i> , 2010, 2390, .	0.5	46
14	Multilocus phylogeny and a new classification for Southeast Asian and Melanesian forest frogs (family <i>Ceratobatrachidae</i>). <i>Zoological Journal of the Linnean Society</i> , 2015, 174, 130-168.	2.3	41
15	A New Bent-Toed Gecko (Genus <i>Cyrtodactylus</i>) from Southern Palawan Island, Philippines and Clarification of the Taxonomic Status of <i>C. annulatus</i> . <i>Herpetologica</i> , 2009, 65, 328-343.	0.4	40
16	Spotted stream frog diversification at the Australasian faunal zone interface, mainland versus island comparisons, and a test of the Philippine "umbilicus" hypothesis. <i>Journal of Biogeography</i> , 2014, 41, 182-195.	3.0	38
17	Lizards of the lost arcs: mid-Cenozoic diversification, persistence and ecological marginalization in the West Pacific. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20171760.	2.6	37
18	The amphibians and reptiles of Luzon Island, Philippines, VIII: the herpetofauna of Cagayan and Isabela Provinces, northern Sierra Madre Mountain Range. <i>ZooKeys</i> , 2013, 266, 1-120.	1.1	36

#	ARTICLE	IF	CITATIONS
19	Phylogeography, geographic structure, genetic variation, and potential species boundaries in Philippine slender toads. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 333-350.	2.7	35
20	Stochastic faunal exchanges drive diversification in widespread Wallacean and Pacific island lizards (Squamata: Scincidae: <i>Lamprolepis smaragdina</i>). <i>Journal of Biogeography</i> , 2013, 40, 507-520.	3.0	35
21	Phylogeny and cryptic diversification in Southeast Asian flying geckos. <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 351-361.	2.7	33
22	Phylogeny of the island archipelago frog genus <i>Sanguirana</i> : Another endemic Philippine radiation that diversified "Out-of-Palawan". <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 531-536.	2.7	32
23	Phylogeny of <i>Gekko</i> from the Northern Philippines, and Description of a New Species from Calayan Island. <i>Journal of Herpetology</i> , 2009, 43, 620-635.	0.5	31
24	Parachute geckos free fall into synonymy: <i>Gekko</i> phylogeny, and a new subgeneric classification, inferred from thousands of ultraconserved elements. <i>Molecular Phylogenetics and Evolution</i> , 2020, 146, 106731.	2.7	31
25	Amphibians and Reptiles, Luzon Island, Aurora Province and Aurora Memorial National Park, northern Philippines: new island distribution records. <i>Check List</i> , 2011, 7, 182.	0.4	30
26	Phylogeny-based Species Delimitation in Philippine Slender Skinks (Reptilia: Squamata: Scincidae: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 00 Species</i> . <i>Herpetological Monographs</i> , 2010, 24, 1-54.	0.8	28
27	Dragons in our midst: Phyloforensics of illegally traded Southeast Asian monitor lizards. <i>Biological Conservation</i> , 2013, 159, 7-15.	4.1	28
28	Multilocus phylogeny reveals unexpected diversification patterns in <i>Aspion</i> wolf snakes (genus <i>Aspion</i>). <i>Zoologica Scripta</i> , 2013, 42, 262-277.	1.7	27
29	Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (<i>Varanus salvator</i> Complex) with descriptions of two new cryptic species. <i>Zootaxa</i> , 2014, 3881, 201-27.	0.5	27
30	A New <i>Gekko</i> from the Babuyan Islands, Northern Philippines. <i>Herpetologica</i> , 2008, 64, 305-320.	0.4	26
31	Testing the phylogenetic affinities of Southeast Asia's rarest geckos: Flap-legged geckos (<i>Luperosaurus</i>), Flying geckos (<i>Ptychozoon</i>) and their relationship to the pan-Asian genus <i>Gekko</i> . <i>Molecular Phylogenetics and Evolution</i> , 2012, 63, 915-921.	2.7	26
32	The amphibians and reptiles of Mindanao Island, southern Philippines, II: the herpetofauna of northeast Mindanao and adjacent islands. <i>ZooKeys</i> , 2016, 624, 1-132.	1.1	26
33	Amphibians and Reptiles of Luzon Island (Philippines), VII: Herpetofauna of Ilocos Norte Province, Northern Cordillera Mountain Range. <i>Check List</i> , 2012, 8, 469.	0.4	25
34	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 0, 71, 101-154.	2.0	25
35	Conservation Genetics of the Philippine Tarsier: Cryptic Genetic Variation Restructures Conservation Priorities for an Island Archipelago Primate. <i>PLoS ONE</i> , 2014, 9, e104340.	2.5	24
36	A New Legless Loam-swimming Lizard (Reptilia: Squamata: Scincidae: Genus <i>Brachymeles</i>) from the Bicol Peninsula, Luzon Island, Philippines. <i>Copeia</i> , 2010, 2010, 114-122.	1.3	23

#	ARTICLE	IF	CITATIONS
37	New Loam-Swimming Skink, Genus <i>Brachymeles</i> (Reptilia: Squamata: Scincidae) from Luzon and Catanduanes Islands, Philippines. <i>Journal of Herpetology</i> , 2010, 44, 49-60.	0.5	23
38	The comparative biogeography of Philippine geckos challenges predictions from a paradigm of climate-driven vicariant diversification across an island archipelago. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1151-1167.	2.3	23
39	A new species of <i>Gekko</i> (Squamata: Gekkonidae) from central Luzon Island, Philippines. <i>Zootaxa</i> , 2010, 2396, 37.	0.5	22
40	Critically endangered island endemic or peripheral population of a widespread species? Conservation genetics of <i>Kikuchi's</i> gecko and the global challenge of protecting peripheral oceanic island endemic vertebrates. <i>Diversity and Distributions</i> , 2014, 20, 756-772.	4.1	22
41	A New Species of Limestone-Forest Frog, Genus <i>Platymantis</i> (Amphibia: Anura: Ceratobatrachidae) from Eastern Samar Island, Philippines. <i>Herpetologica</i> , 2009, 65, 92-104.	0.4	21
42	Multilocus phylogeny and revised classification for mountain dragons of the genus <i>Japalura</i> s.l. (Reptilia: Agamidae: Draconinae) from Asia. <i>Zoological Journal of the Linnean Society</i> , 2019, 185, 246-267.	2.3	21
43	Cryptic diversity and population genetic structure in the rare, endemic, forest-obligate, slender geckos of the Philippines. <i>Molecular Phylogenetics and Evolution</i> , 2014, 70, 204-209.	2.7	19
44	Phylogeny-Based Species Delimitation in Philippine Slender Skinks (Reptilia: Squamata: Scincidae) II: Taxonomic Revision of <i>Brachymeles samarensis</i> and Description of Five New Species. <i>Herpetological Monographs</i> , 2011, 25, 76-112.	0.8	18
45	Phylogeny-Based Species Delimitation In Philippine Slender Skinks (Reptilia: Squamata: Scincidae) III: Taxonomic Revision of the <i>Brachymeles gracilis</i> Complex, With Descriptions of Three New Species. <i>Herpetological Monographs</i> , 2012, 26, 135-172.	0.8	18
46	Fossil-calibrated phylogeny and historical biogeography of Southeast Asian water monitors (<i>Varanus</i>) <small>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 2.7</small>	2.7	18
47	A New Limb-Reduced, Loam-Swimming Skink (Squamata: Scincidae: <i>Brachymeles</i>) from Central Luzon Island, Philippines. <i>Herpetologica</i> , 2009, 65, 449-459.	0.4	17
48	A New Species of Fanged Frog, Genus <i>Limnonectes</i> (Amphibia: Anura: Dicroglossidae) from Southeast Mindanao Island, Philippines. <i>Herpetologica</i> , 2009, 65, 105-114.	0.4	17
49	Amphibians and reptiles, Romblon Island group, central Philippines: comprehensive herpetofaunal inventory. <i>Check List</i> , 2012, 8, 443.	0.4	17
50	Are there general laws for digit evolution in squamates? The loss and re-evolution of digits in a clade of fossorial lizards (<i>Brachymeles</i> , Scincinae). <i>Journal of Morphology</i> , 2018, 279, 1104-1119.	1.2	17
51	A new species of limestone-forest frog, genus <i>Platymantis</i> (Amphibia: Anura: Ceratobatrachidae) from central Luzon Island, Philippines. <i>Zootaxa</i> , 2010, 2482, 49.	0.5	16
52	Concurrent Infection of <i>Batrachochytrium dendrobatidis</i> and Ranavirus among Native Amphibians from Northeastern Oklahoma, USA. <i>Journal of Aquatic Animal Health</i> , 2018, 30, 291-301.	1.4	16
53	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia: Squamata: Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 0, 71, 101-154.	2.0	16
54	Multilocus phylogeny and a new classification for African, Asian and Indian supple and writhing skinks (Scincidae: Lygosominae). <i>Zoological Journal of the Linnean Society</i> , 2019, 186, 1067-1096.	2.3	15

#	ARTICLE	IF	CITATIONS
55	Taxonomic Revision of the <i>Pseudogekko compresicorpus</i> Complex (Reptilia: Squamata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.8	14
56	A New Gekko from Sibuyan Island, Central Philippines. <i>Herpetologica</i> , 2011, 67, 460-476.	0.4	13
57	Conservation genetics of Australasian sailfin lizards: Flagship species threatened by coastal development and insufficient protected area coverage. <i>Biological Conservation</i> , 2014, 169, 100-108.	4.1	13
58	Phylogenetic and morphological investigation of the <i>Mochlus afer-sundevallii</i> species complex (Squamata: Scincidae) across the arid corridor of sub-Saharan Africa. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 280-287.	2.7	13
59	Convergent Evolution of Elongate Forms in Craniates and of Locomotion in Elongate Squamate Reptiles. <i>Integrative and Comparative Biology</i> , 2020, 60, 190-201.	2.0	13
60	Venomous Snakes Reveal Ecological and Phylogenetic Factors Influencing Variation in Gut and Oral Microbiomes. <i>Frontiers in Microbiology</i> , 2021, 12, 657754.	3.5	13
61	Archipelago colonization by ecologically dissimilar amphibians: Evaluating the expectation of common evolutionary history of geographical diffusion in co-distributed rainforest tree frogs in islands of Southeast Asia. <i>Molecular Phylogenetics and Evolution</i> , 2014, 72, 35-41.	2.7	12
62	Gut microbial ecology of the Critically Endangered Fijian crested iguana (<i>Brachylophus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td Ecology and Evolution, 2021, 11, 4731-4743.	1.9	12
63	Evaluating the Diversity of Philippine Slender Skinks of the <i>Brachymeles bonitae</i> Complex (Reptilia: Squamata: Scincidae): Redescription of <i>B. tridactylus</i> and Descriptions of Two New Species. <i>Journal of Herpetology</i> , 2014, 48, 480-494.	0.5	11
64	Phylogenetic relationships and biogeographic range evolution in cat-eyed snakes, <i>Boiga</i> (Serpentes: Colubridae). <i>Zoological Journal of the Linnean Society</i> , 2021, 192, 169-184.	2.3	10
65	Redescriptions of Two Poorly Known Slender Skinks, <i>Brachymeles bicolor</i> and <i>Brachymeles pathfinderi</i> (Reptilia: Squamata: Scincidae), from the Philippines. <i>Journal of Herpetology</i> , 2011, 45, 355-369.	0.5	9
66	Redescription of Tetradactyl Philippine Slender Skinks (Genus <i>Brachymeles</i>). <i>Herpetologica</i> , 2011, 67, 300-317.	0.4	9
67	A new species of Dwarf Japalura sensu lato (Reptilia: Squamata: Agamidae) from the upper Mekong River in Eastern Tibet, China, with notes on morphological variation, distribution, and conservation of two congeners along the same river. <i>Zootaxa</i> , 2019, 4544, 505.	0.5	9
68	Locomotion and palaeoclimate explain the re-evolution of quadrupedal body form in <i>Brachymeles</i> lizards. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20201994.	2.6	9
69	Taxonomic revision of the semi-aquatic skink <i>Parvoscincus leucospilos</i> (Reptilia: Squamata: Scincidae), with description of three new species. <i>Zootaxa</i> , 2014, 3847, 388-412.	0.5	8
70	Reptilia, Squamata, Scincidae, <i>Brachymeles elerae</i> (Taylor, 1917): rediscovery in Old Balbalan, Cordillera Mountain Range, Luzon Island, Philippines, and natural history. <i>Check List</i> , 2010, 6, 616.	0.4	8
71	Cryptic extinction risk in a western Pacific lizard radiation. <i>Biodiversity and Conservation</i> , 2022, 31, 2045-2062.	2.6	8
72	Redescription of the rare Philippine false gecko <i>Pseudogekko brevipes</i> (Reptilia: Squamata: Gekkonidae) and description of a new species. <i>Zootaxa</i> , 2015, 4020, 357-74.	0.5	7

#	ARTICLE	IF	CITATIONS
73	Rediscovery of the enigmatic Mountain Dragon, <i>Japalura yulongensis</i> (Reptilia: Sauria: Agamidae), with notes on its natural history and conservation. <i>Zootaxa</i> , 2017, 4318, 351.	0.5	7
74	Unexpected Discovery of Another New Species of Philippine False Gecko (Gekkonidae; Pseudogekko) from the Bicol Peninsula of Luzon Island. <i>Herpetologica</i> , 2020, 76, 315.	0.4	7
75	Systematic revision of mountain dragons (Reptilia: Agamidae: Diploderma) in China, with descriptions of six new species and discussion on their conservation. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 222-263.	1.4	7
76	A New Supple Skink, Genus <i>Lygosoma</i> (Reptilia: Squamata: Scincidae), from the Western Philippines. <i>Herpetologica</i> , 2016, 72, 352-361.	0.4	6
77	Additions to Philippine Slender Skinks of the <i>Brachymeles bonitae</i> Complex (Reptilia: Squamata: Scincidae) II: a new species from the northern Philippines. <i>Zootaxa</i> , 2016, 4132, 15.	0.5	6
78	Additions to Philippine Slender Skinks of the <i>Brachymeles bonitae</i> Complex (Reptilia: Squamata: Scincidae) III: a new species from Tablas Island. <i>Zootaxa</i> , 2016, 4132, 30.	0.5	6
79	Taxonomic Reappraisal of the Northeast Mindanao Stream Frog, <i>Sanguirana albotuberculata</i> (Inger 1954), Validation of <i>Rana mearnsi</i> , Stejneger 1905, and Description of a New Species from the Central Philippines. <i>Herpetological Monographs</i> , 2017, 31, 210-231.	0.8	6
80	A new species of Mountain Dragon (Reptilia: Agamidae: <i>Diploderma</i>) from the <i>D. dymondi</i> complex in southern Sichuan Province, China. <i>Zoological Research</i> , 2019, 40, 456-465.	2.1	6
81	Personality assessment of headstart Texas horned lizards (<i>Phrynosoma cornutum</i>) in human care prior to release. <i>Applied Animal Behaviour Science</i> , 2022, 254, 105690.	1.9	6
82	Archipelago-wide survey of Philippine forest dragons (Agamidae: <i>Gonocephalus</i>): multilocus phylogeny uncovers unprecedented levels of genetic diversity in a biodiversity hotspot. <i>Biological Journal of the Linnean Society</i> , 2016, , .	1.6	5
83	Pre-existing biases for swords in mollies (<i>Poecilia</i>). <i>Behavioral Ecology</i> , 2016, 27, 175-184.	2.2	5
84	First Record of the <i>Pseudogekko brevipes</i> Complex from the Northern Philippines, with Description of a New Species. <i>Herpetologica</i> , 2017, 73, 162-175.	0.4	5
85	Endoparasites in <i>Limnonectes magnus</i> (Anura, Dicroglossidae) from Samar Island, Philippines with description of a new species of Aplectana (Nematoda, Cosmocercidae). <i>Acta Parasitologica</i> , 2018, 63, 474-478.	1.1	5
86	SEASONALITY IN <i>BATRACHOCHYTRIUM DENDROBATIDIS</i> DETECTION IN AMPHIBIANS IN CENTRAL OKLAHOMA, USA. <i>Journal of Zoo and Wildlife Medicine</i> , 2019, 50, 492.	0.6	5
87	Taxonomic Revision of Philippine Sun Skinks (Reptilia: Squamata: Scincidae: <i>Eutropis</i>), and Descriptions of Eight New Species. <i>Herpetological Monographs</i> , 2020, 34, 39.	0.8	5
88	A New, Miniaturized Genus and Species of Snake (Cyclocoridae) from the Philippines. <i>Copeia</i> , 2020, 108, .	1.3	5
89	A new species of <i>Pseudogekko</i> (Squamata: Gekkonidae) from the Romblon Island Group, Central Philippines. <i>Zootaxa</i> , 2016, 4139, 248.	0.5	4
90	Additions to Philippine Slender Skinks of the <i>Brachymeles bonitae</i> Complex (Reptilia: Squamata: Scincidae) I: a new species from Lubang Island. <i>Zootaxa</i> , 2016, 4132, 1.	0.5	4

#	ARTICLE	IF	CITATIONS
91	Development and validation of an environmental DNA protocol to detect an invasive Caribbean freshwater fish, the guppy (<i>Poecilia reticulata</i>). <i>Environmental DNA</i> , 2022, 4, 304-310.	5.8	4
92	æ²™â´æ”€èœ¥â†â¸çŽ°––è®°ä,â¸1/2æ–°çœâ¸1/2•. <i>Zoological Research</i> , 2018, 39, 105-113.	2.1	4
93	Generalizing Bayesian phylogenetics to infer shared evolutionary events. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	4
94	Gastrointestinal Helminths of Two Gekkonid Species, <i>Cyrtodactylus philippinus</i> and <i>Gekko mindorensis</i> (Squamata: Gekkonidae) from the Philippines. <i>Comparative Parasitology</i> , 2016, 83, 130-133.	0.4	3
95	On the Occurrences of <i>Japalura kumaonensis</i> and <i>Japalura tricarinata</i> (Reptilia: Sauria: Tj ETQq1 1 0.784314 rgBT ₃ /Overlock 0.4	0.4	3
96	Using 3D digital photogrammetry to examine scaling of the body axis in burrowing skinks. <i>Journal of Morphology</i> , 2020, 281, 1382-1390.	1.2	3
97	Resurrection of <i>Amolops nepalicus</i> Yang, 1991 (Amphibia: Anura: Ranidae), with Comments on the Record of <i>A.</i> cf. <i>afghanus</i> in Nepal and China and the Validity of Two Other Junior Synonyms of <i>A. marmoratus</i> (Blyth, 1855). <i>Zootaxa</i> , 2020, 4819, 143-158.	0.5	3
98	Survivorship and Spatial Patterns of an Urban Population of Texas Horned Lizards. <i>Journal of Wildlife Management</i> , 2021, 85, 1267-1279.	1.8	3
99	Revisiting Linnaean and Wallacean Shortfalls in Mindanao Fanged Frogs: The <i>Limnonectes magnus</i> Complex Consists of Only Two Species. <i>Herpetological Monographs</i> , 2021, 35, .	0.8	3
100	Taxonomic Revision of Scaly-toed Geckos (Reptilia: Gekkonidae: <i>Lepidodactylus</i>) in the Northern Philippines, with Descriptions of Four New Species. <i>Herpetological Monographs</i> , 2021, 35, .	0.8	3
101	Use of diet and body condition assessments as intermediate indicators of translocation success in the Critically Endangered Philippine crocodile (<i>Crocodylus mindorensis</i>). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 2817-2829.	2.0	3
102	New Species of <i>Falcaustra</i> (Nematoda: Kathlaniidae) and Other Helminths in <i>Megophrys stejnegeri</i> (Anura: Megophryidae) from Samar Island, Philippines. <i>Comparative Parasitology</i> , 2019, 87, 4.	0.4	3
103	Two new species of <i>Japalura</i> (Squamata: Agamidae) from the Hengduan Mountain Range, China. <i>Zoological Research</i> , 2016, 37, 41-56.	0.6	3
104	A taxonomic conundrum: Characterizing a cryptic radiation of Asian gracile skinks (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	2.7	2
105	Development and validation of four environmental DNA assays for species of conservation concern in the South-Central United States. <i>Conservation Genetics Resources</i> , 2021, 13, 35-40.	0.8	2
106	Hidden limbs in the limbless skink <i>Brachymeles lukbani</i> : Developmental observations. <i>Journal of Anatomy</i> , 2021, 239, 693-703.	1.5	2