Pat A Tookey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/602026/publications.pdf

Version: 2024-02-01

101 papers 4,119 citations

34 h-index 62 g-index

104 all docs

104 docs citations

104 times ranked

3210 citing authors

#	Article	IF	CITATIONS
1	Low rates of mother-to-child transmission of HIV following effective pregnancy interventions in the United Kingdom and Ireland, 2000–2006. Aids, 2008, 22, 973-981.	2.2	479
2	Earlier initiation of ART and further decline in mother-to-child HIV transmission rates, 2000–2011. Aids, 2014, 28, 1049-1057.	2.2	331
3	Antiretroviral therapy and premature delivery in diagnosed HIV-infected women in the United Kingdom and Ireland. Aids, 2007, 21, 1019-1026.	2.2	199
4	Morbidity, Mortality, and Response to Treatment by Children in the United Kingdom and Ireland with Perinatally Acquired HIV Infection during 1996-2006: Planning for Teenage and Adult Care. Clinical Infectious Diseases, 2007, 45, 918-924.	5.8	194
5	Long-term Outcomes of Congenital Cytomegalovirus Infection in Sweden and the United Kingdom. Clinical Infectious Diseases, 2013, 56, 1232-1239.	5.8	168
6	Epilepsy in young people: 23 year follow up of the british national child development study. BMJ: British Medical Journal, 1998, 316, 339-342.	2.3	102
7	Risk of triple-class virological failure in children with HIV: a retrospective cohort study. Lancet, The, 2011, 377, 1580-1587.	13.7	101
8	Neonatal herpes simplex virus infection in the British Isles. Paediatric and Perinatal Epidemiology, 1996, 10, 432-442.	1.7	100
9	Cytomegalovirus prevalence in pregnant women: the influence of parity Archives of Disease in Childhood, 1992, 67, 779-783.	1.9	90
10	Antiretroviral therapy and preterm deliveryâ€"a pooled analysis of data from the United States and Europe. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1399-1410.	2.3	90
11	Trends in management and outcome of pregnancies in HIVâ€infected women in the UK and Ireland, 1990–2006. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1078-1086.	2.3	84
12	Perinatal mortality and morbidity among babies delivered in water: surveillance study and postal survey. BMJ: British Medical Journal, 1999, 319, 483-487.	2.3	79
13	Young People in the United Kingdom and Ireland with Perinatally Acquired HIV: The Pediatric Legacy For Adult Services. AIDS Patient Care and STDs, 2009, 23, 159-166.	2.5	76
14	Antiretroviral therapy and congenital abnormalities in infants born to HIV-infected women in the UK and Ireland, 1990–2007. Aids, 2009, 23, 519-524.	2.2	75
15	Epidemiology and detection of HIV-1 among pregnant women in the United Kingdom: results from national surveillance 1988-96. BMJ: British Medical Journal, 1998, 316, 253-258.	2.3	73
16	Vertical transmission rates for HIV in the British Isles: estimates based on surveillance data. BMJ: British Medical Journal, 1999, 319, 1227-1229.	2.3	73
17	Use of Zidovudine-Sparing HAART in Pregnant HIV-Infected Women in Europe: 2000–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, 326-333.	2.1	71
18	Surveillance of congenital rubella in Great Britain, 1971-96. BMJ: British Medical Journal, 1999, 318, 769-770.	2.3	70

#	Article	IF	CITATIONS
19	Outcomes for Human Immunodeficiency Virus-1-Infected Infants in the United Kingdom and Republic of Ireland in the Era of Effective Antiretroviral Therapy. Pediatric Infectious Disease Journal, 2006, 25, 420-426.	2.0	60
20	Congenital cytomegalovirus infection: predisposing maternal factors Journal of Epidemiology and Community Health, 1986, 40, 205-209.	3.7	54
21	Pneumocystis carinii pneumonia and cytomegalovirus infection in children with vertically acquired HIV infection. Aids, 2001, 15, 335-339.	2.2	54
22	Use of stored dried blood spots for retrospective diagnosis of congenital CMV. Journal of Medical Virology, 2009, 81, 1394-1398.	5.0	54
23	Surveillance of congenital cytomegalovirus in the UK and Ireland. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F398-F403.	2.8	51
24	Malignancies in UK children with HIV infection acquired from mother to child transmission. Archives of Disease in Childhood, 1997, 76, 330-333.	1.9	50
25	Factors affecting uptake of antenatal HIV testing in London: results of a multicentre study. BMJ: British Medical Journal, 1998, 316, 259-261.	2.3	50
26	UK Mother-to-Child HIV Transmission Rates Continue to Decline: 2012–2014. Clinical Infectious Diseases, 2016, 64, ciw791.	5.8	48
27	"lt pains me because as a woman you have to breastfeed your baby†decision-making about infant feeding among African women living with HIV in the UK. Sexually Transmitted Infections, 2016, 92, 331-336.	1.9	46
28	Rubella susceptibility among pregnant women in North London, 1996-1999. Journal of Public Health, 2002, 24, 211-216.	1.8	39
29	Pregnancy outcomes in adolescents in the <scp>UK</scp> and <scp>I</scp> reland growing up with <scp>HIV</scp> . HIV Medicine, 2012, 13, 304-308.	2.2	39
30	<scp>B</scp> ritish <scp>HIV</scp> Association guidelines for the management of <scp>HIV</scp> infection in pregnant women 2012 (2014 interim review). HIV Medicine, 2014, 15, 1-77.	2.2	39
31	Protease inhibitors and preterm delivery. Aids, 2018, 32, 243-252.	2.2	39
32	Uptake of interventions to reduce mother-to-child transmission of HIV in the United Kingdom and Ireland. Aids, 1997, 11, F53-F58.	2.2	38
33	Incidence, Patterns, and Predictors of Repeat Pregnancies Among HIV-Infected Women in the United Kingdom and Ireland, 1990–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 287-293.	2.1	35
34	Use of combination neonatal prophylaxis for the prevention of mother-to-child transmission of HIV infection in European high-risk infants. Aids, 2013, 27, 991-1000.	2.2	35
35	Clinical Status of Adolescents with Perinatal HIV at Transfer to Adult Care in the UK/Ireland. Clinical Infectious Diseases, 2017, 64, 1105-1112.	5.8	35
36	Antiretroviral therapy in pregnancy: balancing the risk of preterm delivery with prevention of mother-to-child HIV transmission. Antiviral Therapy, 2010, 15, 775-783.	1.0	33

#	Article	IF	Citations
37	Prevalence of toxoplasma IgG among pregnant women in west London according to country of birth and ethnic group BMJ: British Medical Journal, 1993, 306, 185-185.	2.3	31
38	Screening options for prevention of congenital cytomegalovirus infection. Journal of Medical Screening, 2001, 8, 119-124.	2.3	31
39	Long-term virological outcome in children on antiretroviral therapy in the UK and Ireland. Aids, 2014, 28, 2395-2405.	2.2	31
40	British HIV Association guidelines for the management of HIV in pregnancy and postpartum 2018. HIV Medicine, 2019, 20, s2-s85.	2.2	31
41	Antiretroviral Therapy and Congenital Abnormalities in Infants Born to HIV-1-Infected Women in the United Kingdom and Ireland, 1990 to 2003. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 91-94.	2.1	30
42	HIV-1 DRUG RESISTANCE IN HIV-1-INFECTED CHILDREN IN THE UNITED KINGDOM FROM 1998 TO 2004. Pediatric Infectious Disease Journal, 2008, 27, 457-459.	2.0	29
43	Lopinavir Dosing in HIV-infected Children in the United Kingdom and Ireland. Pediatric Infectious Disease Journal, 2013, 32, 45-50.	2.0	27
44	Vertically acquired HIV diagnosed in adolescence and early adulthood in the United Kingdom and Ireland: findings from national surveillance. HIV Medicine, 2009, 10, 253-256.	2.2	26
45	The association between ethnicity and late presentation to antenatal care among pregnant women living with HIV in the UK and Ireland. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 978-985.	1.2	26
46	Antenatal detection of HIV: national surveillance and unlinked anonymous survey. BMJ: British Medical Journal, 2001, 323, 376-377.	2.3	25
47	Agreement of rubella IgG antibody measured in serum and dried blood spots using two commercial enzymeâ€linked immunosorbent assays. Journal of Medical Virology, 2008, 80, 360-364.	5.0	25
48	Analysis of rubella antibody distribution from newborn dried blood spots using finite mixture models. Epidemiology and Infection, 2008, 136, 1698-1706.	2.1	24
49	The risk of viral rebound in the year after delivery in women remaining on antiretroviral therapy. Aids, 2015, 29, 2269-2278.	2.2	24
50	Maternal prevalence of toxoplasma antibody based on anonymous neonatal serosurvey: a geographical analysis. Epidemiology and Infection, 1993, 110, 127-133.	2.1	23
51	Duration of ruptured membranes and motherâ€toâ€child <scp>HIV</scp> transmission: a prospective populationâ€based surveillance study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 975-981.	2.3	23
52	Monitoring death and cancer in children born to HIV-infected women in England and Wales: use of HIV surveillance and national routine data. Aids, 2007, 21, 867-869.	2.2	23
53	Pregnancy is contraindication for rubella vaccination still. BMJ: British Medical Journal, 2001, 322, 1489-1489.	2.3	23
54	Performance of antenatal HIV screening strategies in the United Kingdom. Journal of Medical Screening, 1998, 5, 133-136.	2.3	22

#	Article	IF	CITATIONS
55	Maternal and foetal outcomes among 4118 women with HIV infection treated with lopinavir/ritonavir during pregnancy: analysis of population-based surveillance data from the national study of HIV in pregnancy and childhood in the United Kingdom and Ireland. BMC Infectious Diseases, 2015, 16, 65.	2.9	22
56	Descriptive survey of antenatal HIV testing in London: policy, uptake, and detection. BMJ: British Medical Journal, 1996, 313, 532-533.	2.3	22
57	Uptake of antenatal HIV testing in the United Kingdom: 2000–2003. Journal of Public Health, 2006, 28, 248-252.	1.8	21
58	Pregnancy incidence and outcomes in women with perinatal HIV infection. Aids, 2017, 31, 1745-1754.	2.2	21
59	Predictors of pregnancy and changes in pregnancy incidence among HIV-positive women accessing HIV clinical care. Aids, 2013, 27, 95-103.	2.2	20
60	Pregnancies in young women with vertically acquired HIV infection in Europe. Aids, 2007, 21, 2552-2556.	2.2	19
61	Use of neonatal post-exposure prophylaxis for prevention of mother-to-child HIV transmission in the UK and Ireland, 2001-2008. HIV Medicine, 2011, 12, 422-427.	2.2	16
62	Does cytomegalovirus present an occupational risk?. Archives of Disease in Childhood, 1991, 66, 1009-1010.	1.9	15
63	Rubella infection in pregnancy and congenital rubella in United Kingdom, 2003 to 2016. Eurosurveillance, 2018, 23, .	7.0	15
64	HIV prevalence in pregnant women in an ethnically diverse population in the UK. Aids, 2004, 18, 535-540.	2.2	14
65	Rubella seroprevalence in pregnant women in North Thames: estimates based on newborn screening samples. Journal of Medical Screening, 2009, 16, 1-6.	2.3	14
66	Stillbirth in Women Living With HIV Delivering in the United Kingdom and Ireland: 2007–2015. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 9-16.	2.1	14
67	Autism, inflammatory bowel disease, and MMR vaccine. Lancet, The, 1998, 351, 907.	13.7	12
68	Treatment switches during pregnancy among HIV-positive women on antiretroviral therapy at conception. Aids, 2011, 25, 1647-1655.	2.2	11
69	Why are antenatal HIV testing policies in London failing?. British Journal of Midwifery, 1996, 4, 466-470.	0.4	10
70	Immunologic status and virologic outcomes in repeat pregnancies to HIV-positive women not on antiretroviral therapy at conception. Aids, 2014, 28, 1369-1372.	2.2	10
71	The impact of African ethnicity and migration on pregnancy in women living with HIV in the UK: design and methods. BMC Public Health, 2012, 12, 596.	2.9	9
72	Strategies for Monitoring Outcomes in HIV-Exposed Uninfected Children in the United Kingdom. Frontiers in Immunology, 2016, 7, 185.	4.8	9

#	Article	IF	Citations
73	Operative vaginal delivery and invasive procedures in pregnancy among women living with HIV. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 210, 295-299.	1.1	9
74	UK case of congenital rubella can be linked to Greek cases. BMJ: British Medical Journal, 2000, 321, 766-766.	2.3	9
75	Long-term follow-up of uninfected children born to HIV-infected women and exposed to antiretroviral therapy: survey of parents' and health professionals' views. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2007, 19, 482-486.	1.2	8
76	Pregnancy is associated with elevation of liver enzymes in HIV-positive women on antiretroviral therapy. Aids, 2015, 29, 801-809.	2,2	8
77	Loss to Follow-Up After Pregnancy Among Sub-Saharan Africa-Born Women Living With Human Immunodeficiency Virus in England, Wales and Northern Ireland. Sexually Transmitted Diseases, 2016, 43, 283-289.	1.7	8
78	<i>In utero</i> exposure to antiretroviral therapy: feasibility of long-term follow-up. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 809-816.	1.2	7
79	Using two on-going HIV studies to obtain clinical data from before, during and after pregnancy for HIV-positive women. BMC Medical Research Methodology, 2012, 12, 110.	3.1	7
80	Time to first positive HIV-1 DNA PCR may differ with antiretroviral regimen in infants infected with non-B subtype HIV-1. Aids, 2017, 31, 2465-2474.	2.2	7
81	Safety of Darunavir and Atazanavir in HIV-Infected Children in Europe and Thailand. Antiviral Therapy, 2016, 21, 353-358.	1.0	6
82	Racial differences in rubella immunity among pregnant women. Public Health, 1988, 102, 57-62.	2.9	5
83	Congenital rubella: down but not out. Lancet, The, 2002, 360, 803.	13.7	5
84	Does pregnancy increase the risk of ARTâ€induced hepatotoxicity among HIVâ€positive women?. Journal of the International AIDS Society, 2014, 17, 19486.	3.0	5
85	The impact of HIV infection and antiretroviral therapy on the predicted risk of Down syndrome. Prenatal Diagnosis, 2014, 34, 121-127.	2.3	5
86	Pregnancy outcomes in women growing up with perinatally acquired HIV in the United Kingdom and Ireland. Journal of the International AIDS Society, 2014, 17, 19693.	3.0	5
87	Long-term stability of HIV-1 antibody in dried blood spot samples and eluates. Aids, 2014, 28, 1850-1851.	2.2	5
88	Chapter 5 Rubella Epidemiology: Surveillance to Monitor and Evaluate Congenital Rubella Prevention Strategies. Perspectives in Medical Virology, 2006, , 95-114.	0.1	3
89	Influence of short-course antenatal antiretroviral therapy on viral load and mother-to-child transmission in subsequent pregnancies among HIV-infected women. Antiviral Therapy, 2012, 18, 183-192.	1.0	3
90	Surveillance of neonatal herpes in the British Isles 2004-2006. F1000Research, 0, 9, 163.	1.6	3

#	Article	IF	CITATIONS
91	HIV-1 subtypes in pregnant women in the UK. International Journal of STD and AIDS, 2007, 18, 160-162.	1.1	2
92	Act now to prevent re-emergence of congenital rubella. BMJ, The, 2013, 347, f4498-f4498.	6.0	2
93	Response to antiretroviral therapy (ART): comparing women with previous use of zidovudine monotherapy (ZDVm) in pregnancy with ART naÃve women. BMC Infectious Diseases, 2014, 14, 127.	2.9	2
94	Epidemiological surveillance of rubella must continue. BMJ: British Medical Journal, 2001, 323, 112-112.	2.3	2
95	Response to Kourtis et al. â€~Use of antiretroviral therapy in pregnant HIV-infected women and the risk of premature delivery: a meta-analysis'. Aids, 2007, 21, 1831-1832.	2.2	1
96	Controversy breeds ignorance BMJ: British Medical Journal, 1991, 302, 1272-1272.	2.3	0
97	Does Cytomegalovirus Present an Occupational Risk?. Obstetrical and Gynecological Survey, 1992, 47, 237.	0.4	0
98	Occupational risk of cytomegalovirus. Reviews in Medical Microbiology, 1994, 5, 33-38.	0.9	0
99	Cognitive development in schizophrenia: Some heuristic offerings from the study of abnormal cognitive development in epilepsy. Schizophrenia Research, 1998, 29, 201.	2.0	О
100	P85â€Congenital syphilis in the UK: results from enhanced surveillance, 2010/11. Sexually Transmitted Infections, 2012, 88, A38.2-A38.	1.9	0
101	Outcomes related to 4864 pregnancies with exposure to lopinavir/ritonavir (LPV/r). Journal of the International AIDS Society, 2014, 17, 19613.	3.0	0