Pat A Tookey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/602026/publications.pdf

Version: 2024-02-01

101 papers

4,119 citations

34 h-index 62 g-index

104 all docs

104 docs citations

104 times ranked 3210 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Low rates of mother-to-child transmission of HIV following effective pregnancy interventions in the United Kingdom and Ireland, 2000–2006. Aids, 2008, 22, 973-981. | 2.2 | 479 |
| 2 | Earlier initiation of ART and further decline in mother-to-child HIV transmission rates, 2000–2011. Aids, 2014, 28, 1049-1057. | 2.2 | 331 |
| 3 | Antiretroviral therapy and premature delivery in diagnosed HIV-infected women in the United Kingdom and Ireland. Aids, 2007, 21, 1019-1026. | 2.2 | 199 |
| 4 | Morbidity, Mortality, and Response to Treatment by Children in the United Kingdom and Ireland with Perinatally Acquired HIV Infection during 1996-2006: Planning for Teenage and Adult Care. Clinical Infectious Diseases, 2007, 45, 918-924. | 5.8 | 194 |
| 5 | Long-term Outcomes of Congenital Cytomegalovirus Infection in Sweden and the United Kingdom. Clinical Infectious Diseases, 2013, 56, 1232-1239. | 5.8 | 168 |
| 6 | Epilepsy in young people: 23 year follow up of the british national child development study. BMJ: British Medical Journal, 1998, 316, 339-342. | 2.3 | 102 |
| 7 | Risk of triple-class virological failure in children with HIV: a retrospective cohort study. Lancet, The, 2011, 377, 1580-1587. | 13.7 | 101 |
| 8 | Neonatal herpes simplex virus infection in the British Isles. Paediatric and Perinatal Epidemiology, 1996, 10, 432-442. | 1.7 | 100 |
| 9 | Cytomegalovirus prevalence in pregnant women: the influence of parity Archives of Disease in Childhood, 1992, 67, 779-783. | 1.9 | 90 |
| 10 | Antiretroviral therapy and preterm deliveryâ€"a pooled analysis of data from the United States and Europe. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1399-1410. | 2.3 | 90 |
| 11 | Trends in management and outcome of pregnancies in HIVâ€infected women in the UK and Ireland, 1990–2006. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1078-1086. | 2.3 | 84 |
| 12 | Perinatal mortality and morbidity among babies delivered in water: surveillance study and postal survey. BMJ: British Medical Journal, 1999, 319, 483-487. | 2.3 | 79 |
| 13 | Young People in the United Kingdom and Ireland with Perinatally Acquired HIV: The Pediatric Legacy For Adult Services. AIDS Patient Care and STDs, 2009, 23, 159-166. | 2.5 | 76 |
| 14 | Antiretroviral therapy and congenital abnormalities in infants born to HIV-infected women in the UK and Ireland, 1990–2007. Aids, 2009, 23, 519-524. | 2.2 | 75 |
| 15 | Epidemiology and detection of HIV-1 among pregnant women in the United Kingdom: results from national surveillance 1988-96. BMJ: British Medical Journal, 1998, 316, 253-258. | 2.3 | 73 |
| 16 | Vertical transmission rates for HIV in the British Isles: estimates based on surveillance data. BMJ: British Medical Journal, 1999, 319, 1227-1229. | 2.3 | 73 |
| 17 | Use of Zidovudine-Sparing HAART in Pregnant HIV-Infected Women in Europe: 2000–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, 326-333. | 2.1 | 71 |
| 18 | Surveillance of congenital rubella in Great Britain, 1971-96. BMJ: British Medical Journal, 1999, 318, 769-770. | 2.3 | 70 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Outcomes for Human Immunodeficiency Virus-1-Infected Infants in the United Kingdom and Republic of Ireland in the Era of Effective Antiretroviral Therapy. Pediatric Infectious Disease Journal, 2006, 25, 420-426. | 2.0 | 60 |
| 20 | Congenital cytomegalovirus infection: predisposing maternal factors Journal of Epidemiology and Community Health, 1986, 40, 205-209. | 3.7 | 54 |
| 21 | Pneumocystis carinii pneumonia and cytomegalovirus infection in children with vertically acquired HIV infection. Aids, 2001, 15, 335-339. | 2.2 | 54 |
| 22 | Use of stored dried blood spots for retrospective diagnosis of congenital CMV. Journal of Medical Virology, 2009, 81, 1394-1398. | 5.0 | 54 |
| 23 | Surveillance of congenital cytomegalovirus in the UK and Ireland. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F398-F403. | 2.8 | 51 |
| 24 | Malignancies in UK children with HIV infection acquired from mother to child transmission. Archives of Disease in Childhood, 1997, 76, 330-333. | 1.9 | 50 |
| 25 | Factors affecting uptake of antenatal HIV testing in London: results of a multicentre study. BMJ: British Medical Journal, 1998, 316, 259-261. | 2.3 | 50 |
| 26 | UK Mother-to-Child HIV Transmission Rates Continue to Decline: 2012–2014. Clinical Infectious Diseases, 2016, 64, ciw791. | 5.8 | 48 |
| 27 | "lt pains me because as a woman you have to breastfeed your baby†decision-making about infant feeding among African women living with HIV in the UK. Sexually Transmitted Infections, 2016, 92, 331-336. | 1.9 | 46 |
| 28 | Rubella susceptibility among pregnant women in North London, 1996-1999. Journal of Public Health, 2002, 24, 211-216. | 1.8 | 39 |
| 29 | Pregnancy outcomes in adolescents in the <scp>UK</scp> and <scp>I</scp> reland growing up with <scp>HIV</scp> . HIV Medicine, 2012, 13, 304-308. | 2.2 | 39 |
| 30 | <scp>B</scp> ritish <scp>HIV</scp> Association guidelines for the management of <scp>HIV</scp> infection in pregnant women 2012 (2014 interim review). HIV Medicine, 2014, 15, 1-77. | 2.2 | 39 |
| 31 | Protease inhibitors and preterm delivery. Aids, 2018, 32, 243-252. | 2.2 | 39 |
| 32 | Uptake of interventions to reduce mother-to-child transmission of HIV in the United Kingdom and Ireland. Aids, 1997, 11, F53-F58. | 2.2 | 38 |
| 33 | Incidence, Patterns, and Predictors of Repeat Pregnancies Among HIV-Infected Women in the United Kingdom and Ireland, 1990–2009. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 287-293. | 2.1 | 35 |
| 34 | Use of combination neonatal prophylaxis for the prevention of mother-to-child transmission of HIV infection in European high-risk infants. Aids, 2013, 27, 991-1000. | 2.2 | 35 |
| 35 | Clinical Status of Adolescents with Perinatal HIV at Transfer to Adult Care in the UK/Ireland. Clinical Infectious Diseases, 2017, 64, 1105-1112. | 5.8 | 35 |
| 36 | Antiretroviral therapy in pregnancy: balancing the risk of preterm delivery with prevention of mother-to-child HIV transmission. Antiviral Therapy, 2010, 15, 775-783. | 1.0 | 33 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Prevalence of toxoplasma IgG among pregnant women in west London according to country of birth and ethnic group BMJ: British Medical Journal, 1993, 306, 185-185. | 2.3 | 31 |
| 38 | Screening options for prevention of congenital cytomegalovirus infection. Journal of Medical Screening, 2001, 8, 119-124. | 2.3 | 31 |
| 39 | Long-term virological outcome in children on antiretroviral therapy in the UK and Ireland. Aids, 2014, 28, 2395-2405. | 2.2 | 31 |
| 40 | British HIV Association guidelines for the management of HIV in pregnancy and postpartum 2018. HIV Medicine, 2019, 20, s2-s85. | 2.2 | 31 |
| 41 | Antiretroviral Therapy and Congenital Abnormalities in Infants Born to HIV-1-Infected Women in the United Kingdom and Ireland, 1990 to 2003. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 91-94. | 2.1 | 30 |
| 42 | HIV-1 DRUG RESISTANCE IN HIV-1-INFECTED CHILDREN IN THE UNITED KINGDOM FROM 1998 TO 2004. Pediatric Infectious Disease Journal, 2008, 27, 457-459. | 2.0 | 29 |
| 43 | Lopinavir Dosing in HIV-infected Children in the United Kingdom and Ireland. Pediatric Infectious Disease Journal, 2013, 32, 45-50. | 2.0 | 27 |
| 44 | Vertically acquired HIV diagnosed in adolescence and early adulthood in the United Kingdom and Ireland: findings from national surveillance. HIV Medicine, 2009, 10, 253-256. | 2.2 | 26 |
| 45 | The association between ethnicity and late presentation to antenatal care among pregnant women living with HIV in the UK and Ireland. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 978-985. | 1.2 | 26 |
| 46 | Antenatal detection of HIV: national surveillance and unlinked anonymous survey. BMJ: British Medical Journal, 2001, 323, 376-377. | 2.3 | 25 |
| 47 | Agreement of rubella IgG antibody measured in serum and dried blood spots using two commercial enzymeâ€linked immunosorbent assays. Journal of Medical Virology, 2008, 80, 360-364. | 5.0 | 25 |
| 48 | Analysis of rubella antibody distribution from newborn dried blood spots using finite mixture models. Epidemiology and Infection, 2008, 136, 1698-1706. | 2.1 | 24 |
| 49 | The risk of viral rebound in the year after delivery in women remaining on antiretroviral therapy. Aids, 2015, 29, 2269-2278. | 2.2 | 24 |
| 50 | Maternal prevalence of toxoplasma antibody based on anonymous neonatal serosurvey: a geographical analysis. Epidemiology and Infection, 1993, 110, 127-133. | 2.1 | 23 |
| 51 | Duration of ruptured membranes and motherâ€toâ€child <scp>HIV</scp> transmission: a prospective populationâ€based surveillance study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 975-981. | 2.3 | 23 |
| 52 | Monitoring death and cancer in children born to HIV-infected women in England and Wales: use of HIV surveillance and national routine data. Aids, 2007, 21, 867-869. | 2.2 | 23 |
| 53 | Pregnancy is contraindication for rubella vaccination still. BMJ: British Medical Journal, 2001, 322, 1489-1489. | 2.3 | 23 |
| 54 | Performance of antenatal HIV screening strategies in the United Kingdom. Journal of Medical Screening, 1998, 5, 133-136. | 2.3 | 22 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Maternal and foetal outcomes among 4118 women with HIV infection treated with lopinavir/ritonavir during pregnancy: analysis of population-based surveillance data from the national study of HIV in pregnancy and childhood in the United Kingdom and Ireland. BMC Infectious Diseases, 2015, 16, 65. | 2.9 | 22 |
| 56 | Descriptive survey of antenatal HIV testing in London: policy, uptake, and detection. BMJ: British Medical Journal, 1996, 313, 532-533. | 2.3 | 22 |
| 57 | Uptake of antenatal HIV testing in the United Kingdom: 2000–2003. Journal of Public Health, 2006, 28, 248-252. | 1.8 | 21 |
| 58 | Pregnancy incidence and outcomes in women with perinatal HIV infection. Aids, 2017, 31, 1745-1754. | 2,2 | 21 |
| 59 | Predictors of pregnancy and changes in pregnancy incidence among HIV-positive women accessing HIV clinical care. Aids, 2013, 27, 95-103. | 2.2 | 20 |
| 60 | Pregnancies in young women with vertically acquired HIV infection in Europe. Aids, 2007, 21, 2552-2556. | 2.2 | 19 |
| 61 | Use of neonatal post-exposure prophylaxis for prevention of mother-to-child HIV transmission in the UK and Ireland, 2001-2008. HIV Medicine, 2011, 12, 422-427. | 2.2 | 16 |
| 62 | Does cytomegalovirus present an occupational risk?. Archives of Disease in Childhood, 1991, 66, 1009-1010. | 1.9 | 15 |
| 63 | Rubella infection in pregnancy and congenital rubella in United Kingdom, 2003 to 2016. Eurosurveillance, 2018, 23, . | 7.0 | 15 |
| 64 | HIV prevalence in pregnant women in an ethnically diverse population in the UK. Aids, 2004, 18, 535-540. | 2.2 | 14 |
| 65 | Rubella seroprevalence in pregnant women in North Thames: estimates based on newborn screening samples. Journal of Medical Screening, 2009, 16, 1-6. | 2.3 | 14 |
| 66 | Stillbirth in Women Living With HIV Delivering in the United Kingdom and Ireland: 2007–2015. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 9-16. | 2.1 | 14 |
| 67 | Autism, inflammatory bowel disease, and MMR vaccine. Lancet, The, 1998, 351, 907. | 13.7 | 12 |
| 68 | Treatment switches during pregnancy among HIV-positive women on antiretroviral therapy at conception. Aids, 2011, 25, 1647-1655. | 2.2 | 11 |
| 69 | Why are antenatal HIV testing policies in London failing?. British Journal of Midwifery, 1996, 4, 466-470. | 0.4 | 10 |
| 70 | Immunologic status and virologic outcomes in repeat pregnancies to HIV-positive women not on antiretroviral therapy at conception. Aids, 2014, 28, 1369-1372. | 2.2 | 10 |
| 71 | The impact of African ethnicity and migration on pregnancy in women living with HIV in the UK: design and methods. BMC Public Health, 2012, 12, 596. | 2.9 | 9 |
| 72 | Strategies for Monitoring Outcomes in HIV-Exposed Uninfected Children in the United Kingdom. Frontiers in Immunology, 2016, 7, 185. | 4.8 | 9 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Operative vaginal delivery and invasive procedures in pregnancy among women living with HIV. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 210, 295-299. | 1.1 | 9 |
| 74 | UK case of congenital rubella can be linked to Greek cases. BMJ: British Medical Journal, 2000, 321, 766-766. | 2.3 | 9 |
| 75 | Long-term follow-up of uninfected children born to HIV-infected women and exposed to antiretroviral therapy: survey of parents' and health professionals' views. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2007, 19, 482-486. | 1.2 | 8 |
| 76 | Pregnancy is associated with elevation of liver enzymes in HIV-positive women on antiretroviral therapy. Aids, 2015, 29, 801-809. | 2,2 | 8 |
| 77 | Loss to Follow-Up After Pregnancy Among Sub-Saharan Africa-Born Women Living With Human Immunodeficiency Virus in England, Wales and Northern Ireland. Sexually Transmitted Diseases, 2016, 43, 283-289. | 1.7 | 8 |
| 78 | <i>In utero</i> exposure to antiretroviral therapy: feasibility of long-term follow-up. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 809-816. | 1.2 | 7 |
| 79 | Using two on-going HIV studies to obtain clinical data from before, during and after pregnancy for HIV-positive women. BMC Medical Research Methodology, 2012, 12, 110. | 3.1 | 7 |
| 80 | Time to first positive HIV-1 DNA PCR may differ with antiretroviral regimen in infants infected with non-B subtype HIV-1. Aids, 2017, 31, 2465-2474. | 2.2 | 7 |
| 81 | Safety of Darunavir and Atazanavir in HIV-Infected Children in Europe and Thailand. Antiviral Therapy, 2016, 21, 353-358. | 1.0 | 6 |
| 82 | Racial differences in rubella immunity among pregnant women. Public Health, 1988, 102, 57-62. | 2.9 | 5 |
| 83 | Congenital rubella: down but not out. Lancet, The, 2002, 360, 803. | 13.7 | 5 |
| 84 | Does pregnancy increase the risk of ARTâ€induced hepatotoxicity among HIVâ€positive women?. Journal of the International AIDS Society, 2014, 17, 19486. | 3.0 | 5 |
| 85 | The impact of HIV infection and antiretroviral therapy on the predicted risk of Down syndrome. Prenatal Diagnosis, 2014, 34, 121-127. | 2.3 | 5 |
| 86 | Pregnancy outcomes in women growing up with perinatally acquired HIV in the United Kingdom and Ireland. Journal of the International AIDS Society, 2014, 17, 19693. | 3.0 | 5 |
| 87 | Long-term stability of HIV-1 antibody in dried blood spot samples and eluates. Aids, 2014, 28, 1850-1851. | 2.2 | 5 |
| 88 | Chapter 5 Rubella Epidemiology: Surveillance to Monitor and Evaluate Congenital Rubella Prevention Strategies. Perspectives in Medical Virology, 2006, , 95-114. | 0.1 | 3 |
| 89 | Influence of short-course antenatal antiretroviral therapy on viral load and mother-to-child transmission in subsequent pregnancies among HIV-infected women. Antiviral Therapy, 2012, 18, 183-192. | 1.0 | 3 |
| 90 | Surveillance of neonatal herpes in the British Isles 2004-2006. F1000Research, 0, 9, 163. | 1.6 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | HIV-1 subtypes in pregnant women in the UK. International Journal of STD and AIDS, 2007, 18, 160-162. | 1.1 | 2 |
| 92 | Act now to prevent re-emergence of congenital rubella. BMJ, The, 2013, 347, f4498-f4498. | 6.0 | 2 |
| 93 | Response to antiretroviral therapy (ART): comparing women with previous use of zidovudine monotherapy (ZDVm) in pregnancy with ART naÃve women. BMC Infectious Diseases, 2014, 14, 127. | 2.9 | 2 |
| 94 | Epidemiological surveillance of rubella must continue. BMJ: British Medical Journal, 2001, 323, 112-112. | 2.3 | 2 |
| 95 | Response to Kourtis et al. â€~Use of antiretroviral therapy in pregnant HIV-infected women and the risk of premature delivery: a meta-analysis'. Aids, 2007, 21, 1831-1832. | 2.2 | 1 |
| 96 | Controversy breeds ignorance BMJ: British Medical Journal, 1991, 302, 1272-1272. | 2.3 | 0 |
| 97 | Does Cytomegalovirus Present an Occupational Risk?. Obstetrical and Gynecological Survey, 1992, 47, 237. | 0.4 | 0 |
| 98 | Occupational risk of cytomegalovirus. Reviews in Medical Microbiology, 1994, 5, 33-38. | 0.9 | 0 |
| 99 | Cognitive development in schizophrenia: Some heuristic offerings from the study of abnormal cognitive development in epilepsy. Schizophrenia Research, 1998, 29, 201. | 2.0 | O |
| 100 | P85â€Congenital syphilis in the UK: results from enhanced surveillance, 2010/11. Sexually Transmitted Infections, 2012, 88, A38.2-A38. | 1.9 | 0 |
| 101 | Outcomes related to 4864 pregnancies with exposure to lopinavir/ritonavir (LPV/r). Journal of the International AIDS Society, 2014, 17, 19613. | 3.0 | 0 |