

# Nikolay A Poyarkov Jr

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6020973/publications.pdf>

Version: 2024-02-01

89  
papers

1,907  
citations

411340

20  
h-index

371746

37  
g-index

91  
all docs

91  
docs citations

91  
times ranked

1723  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multilocus phylogeny, natural history traits and classification of natricine snakes (Serpentes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 2022) PeerJ, 2022, 10, e12713.	1.6	16
2	An integrative taxonomic revision of slug-eating snakes (Squamata: Pareidae: Pareineae) reveals unprecedented diversity in Indochina. PeerJ, 2022, 10, e12713.	0.9	8
3	A new ancient lineage of ablepharine skinks (Sauria: Scincidae) from eastern Himalayas with notes on origin and systematics of the group. PeerJ, 2022, 10, e12800.	0.9	3
4	The biogeography of bent-toed geckos, <i>Cyrtodactylus</i> (Squamata: Gekkonidae). PeerJ, 2022, 10, e13153.	0.9	11
5	Consequences of parallel miniaturisation in Microhylinae (Anura, Microhylidae), with the description of a new genus of diminutive South East Asian frogs. Zoosystematics and Evolution, 2021, 97, 21-54.	0.4	10
6	A new species of the genus <i>Micryletta</i> (Anura, Microhylidae) from Hainan Island, China. Zoological Research, 2021, 42, 234-240.	0.9	5
7	Phylogenetic analyses of distantly related clades of bent-toed geckos (genus <i>Cyrtodactylus</i> ) reveal an unprecedented amount of cryptic diversity in northern and western Thailand. Scientific Reports, 2021, 11, 2328.	1.6	9
8	Molecular phylogenetics, PCA, and MFA recover a new species of <i>Cyrtodactylus</i> (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 2022) zootaxa.4949.2.3.	0.2	5
9	Karstic Landscapes Are Foci of Species Diversity in the World's Third-Largest Vertebrate Genus <i>Cyrtodactylus</i> Gray, 1827 (Reptilia: Squamata; Gekkonidae). Diversity, 2021, 13, 183.	0.7	29
10	Recent Progress in Taxonomic Studies, Biogeographic Analysis, and Revised Checklist of Amphibians in Indochina. Russian Journal of Herpetology, 2021, 28, 1-110.	0.2	29
11	First records of the fanged frogs <i>Limnonectes bannaensis</i> Ye, Fei & Jiang, 2007 and <i>L. utara</i> Matsui, Belabut & Ahmad, 2014 (Amphibia: Anura: Dicroglossidae) in Thailand. Biodiversity Data Journal, 2021, 9, e67253.	0.4	5
12	Photographic Records of Reptiles from Yala and Narathiwat Provinces Reveal Seven New Species for Thailand. Russian Journal of Herpetology, 2021, 28, 152-162.	0.2	0
13	First national record of <i>Quasipaa verrucospinosa</i> (Bourret, 1937) (Amphibia: Anura: Dicroglossidae) from Thailand with further comment on its taxonomic status. Biodiversity Data Journal, 2021, 9, e70473.	0.4	1
14	Integrative taxonomic analysis reveals a new species of <i>Leptobrachium</i> Tschudi, 1838 (Anura,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 2022)	0.2	9
15	A new species of <i>Micryletta</i> (Amphibia: Anura: Microhylidae) from the Langbian Plateau in southern Vietnam. Zoological Research, 2021, 42, 726-733.	0.9	5
16	Integrative taxonomy reveals a new species of <i>Leptobrachella</i> (Anura: Megophryidae) from the mountains of northern Thailand. Zootaxa, 2021, 5052, 41-64.	0.2	4
17	A new species of <i>Hemiphyllodactylus</i> Bleeker (Squamata; Gekkonidae) from Peninsular Thailand that converges in morphology and color pattern on <i>Pseudogekko smaragdinus</i> (Taylor) from the Philippines. Zootaxa, 2020, 4816, zootaxa.4816.2.2.	0.2	9
18	A new species of <i>Cnemaspis</i> Strauch (Squamata: Gekkonidae) of the <i>C. siamensis</i> group from Tenasserim Mountains, Thailand. Zootaxa, 2020, 4852, zootaxa.4852.5.3.	0.2	5

#	ARTICLE	IF	CITATIONS
19	<p>&lt;p&gt;&lt;strong&gt;A new species &lt;em&gt;Cyrtodactylus&lt;/em&gt; Gray (Squamata: Gekkonidae) from western Thailand and the phylogenetic placement of &lt;em&gt;C. inthanon&lt;/em&gt; and &lt;em&gt;C. doisuthep&lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2020, 4838, 179-209.</p>	0.2	9
20	<p>&lt;p&gt;&lt;strong&gt;On the taxonomic status of three enigmatic Indochinese frog species (Amphibia: Anura) described by L. G. Andersson&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2020, 4834, 502-522.</p>	0.2	5
21	<p>A new species of miniaturised narrow-mouth frog of the genus&lt;i&gt;Microhyla&lt;/i&gt;Tschudi, 1838 (Amphibia: Anura: Microhylidae) from northern Tenasserim, Thailand. Journal of Natural History, 2020, 54, 1525-1558.</p>	0.2	5
22	<p>Alborz Heritage: geographic distribution and genetic differentiation of the Iranian Paradactylodon (Amphibia: Hynobiidae). Amphibia - Reptilia, 2020, 41, 519-534.</p>	0.1	13
23	<p>A new species of Sphenomorphus (Squamata: Scincidae) from Phu Quoc Island, Vietnam with a discussion of biogeography and character state evolution in the S. stellatus group. Zootaxa, 2020, 4801, zootaxa.4801.3.3.</p>	0.2	3
24	<p>A new species of Kurixalus (Anura: Rhacophoridae) from northern Vietnam with comments on the biogeography of the genus. Journal of Natural History, 2020, 54, 195-223.</p>	0.2	12
25	<p>A new species of the &lt;i&gt;Pareas monticola&lt;/i&gt; complex (Squamata: Serpentes: Pareidae) from Chin Mountains with additions to the &lt;i&gt;Pareas&lt;/i&gt; fauna of Myanmar. Journal of Natural History, 2020, 54, 2577-2612.</p>	0.2	8
26	<p>How little is known about “the little brown frogs” – description of three new species of the genus &amp;lt;i&gt;Leptobranchella&lt;/i&gt;; (Anura: Megophryidae) from Yunnan Province, China. Zoological Research, 2020, 41, 292-313.</p>	0.9	17
27	<p>A new species of &amp;lt;i&gt;Micryletta&lt;/i&gt;; (Amphibia: Microhylidae) from southern Thailand. Zoological Research, 2020, 41, 581-588.</p>	0.9	6
28	<p>A NEW SPECIES OF THE <i>Pareas hamptoni</i> COMPLEX (SQUAMATA, SERPENTES, PAREIDAE) FROM THE GOLDEN TRIANGLE. Taprobanica, 2020, , 174-193.</p>	0.3	9
29	<p>A new species of &lt;i&gt;Oligodon&lt;/i&gt; Fitzinger, 1826 from the Langbian Plateau, southern Vietnam, with additional information on &lt;i&gt;Oligodon annamensis&lt;/i&gt; Leviton, 1953 (Squamata: Colubridae). PeerJ, 2020, 8, e8332.</p>	0.9	10
30	<p>Additions to the phylogeny of colubrine snakes in Southwestern Asia, with description of a new genus and species (Serpentes: Colubridae: Colubrinae). PeerJ, 2020, 8, e9016.</p>	0.9	5
31	<p>A little frog leaps a long way: compounded colonizations of the Indian Subcontinent discovered in the tiny Oriental frog genus&lt;i&gt;Microhyla&lt;/i&gt; (Amphibia: Microhylidae). PeerJ, 2020, 8, e9411.</p>	0.9	29
32	<p>The phylogeny of Hemiphyllodactylus Bleeker, 1860 (Squamata: Gekkonidae) with a description of a new species from the Mangin Range, Sagaing Region, northern Myanmar. Journal of Natural History, 2020, 54, 1913-1931.</p>	0.2	2
33	<p>Taxonomy, Phylogeny and Distribution of Phrynocephalus (superspecies guttatus) (Reptilia: Agamidae). Current Studies in Herpetology, 2020, 20, 16-34.</p>	0.2	3
34	<p>Integrative taxonomy of the Asian skinks Sphenomorphus stellatus (Boulenger, 1900) and S. praesignis (Boulenger, 1900) with the resurrection of S. annamiticus (Boettger, 1901) and the description of a new species from Cambodia. Zootaxa, 2019, 4683, zootaxa.4683.3.4.</p>	0.2	14
35	<p>On the road to Mandalay: contribution to the Microhyla Tschudi, 1838 (Amphibia: Anura: Microhylidae) fauna of Myanmar with description of two new species. Zoological Research, 2019, 40, 244-276.</p>	0.9	17
36	<p>A new species of the genus&lt;i&gt;Liopeltis&lt;/i&gt;Fitzinger, 1843 from Vietnam (Squamata: Colubridae). Journal of Natural History, 2019, 53, 1647-1672.</p>	0.2	5

#	ARTICLE	IF	CITATIONS
37	Six new species of the <i>Cyrtodactylus intermedius</i> complex (Squamata: Gekkonidae) from the Cardamom Mountains and associated highlands of Southeast Asia. <i>Zootaxa</i> , 2019, 4554, 1-62.	0.2	31
38	A new species of the genus <i>Xenophrys</i> (Anura: Megophryidae) from northern Thailand. <i>Zoological Research</i> , 2019, 40, 564-574.	0.9	14
39	Counting stripes: revision of the <i>Lipinia vittigera</i> complex (Reptilia, Squamata). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50,222 Td (A</i>	0.9	14
40	A new species of Crocodile Newt, genus <i>Tylototriton</i> (Amphibia, Caudata, Salamandridae) from the mountains of Kachin State, northern Myanmar. <i>Zoological Research</i> , 2019, 40, 151-174.	0.9	9
41	Large-scale phylogenetic analyses provide insights into unrecognized diversity and historical biogeography of Asian leaf-litter frogs, genus <i>Leptolalax</i> (Anura: Megophryidae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 124, 162-171.	1.2	68
42	Phylogenetic structure and ancestry of Korean clawed salamander, <i>Onychodactylus koreanus</i> (Caudata: Hynobiidae). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018, 29, 650-658.	0.7	6
43	<i>ä,ä-äå²,äçŽ°äš-è,™çš'ä,€æ-°ä±žäå,‰ä,æ-°çš'¼^ä,æ-ç²¼¼šæ-ä°¾ç,®¼¼‰. Zoological Research, 2018, 39, 130-157.</i>		
44	<i>æŸ-äŸ"ä-äçŽ°æ»'èœŸä±žä,€æ-°çš'¼^ç-è;CEç²¼¼šçŸ³é¾¼™âçš'¼¼‰. Zoological Research, 2018, 39, 220-240.</i>	0.9	5
45	<i>èŸšä-ä,éf"äçŽ°æŸ±çš®æ'è,™â±žä,€æ-°çš'¼^ä,æ-ç²¼¼šæ'è,™çš'¼¼‰. Zoological Research, 2018, 39, 158-184.</i>	0.9	12
46	<i>èŸšä-ä-éf"äçŽ°æŽCEç³èŸ¾ä±žä,€æ-°çš'¼^ä,æ-ç²¼¼šèš'èŸ¾çš'¼¼‰. Zoological Research, 2018, 39, 185-201.</i>	0.9	18
47	Taxonomic status of two populations of Bent-toed Geckos of the <i>Cyrtodactylus irregularis</i> complex (Squamata: Gekkonidae) with description of a new species from Nui Chua National Park, southern Vietnam. <i>Zootaxa</i> , 2018, 4403, 307-335.	0.2	15
48	A new species of short-fingered geckos <i>Stenodactylus</i> (Squamata, Geckonidae) from South Iran with taxonomic notes on validity of the genus <i>Trigonodactylus</i> Hass, 1957. <i>Zootaxa</i> , 2018, 4457, 93-113.	0.2	5
49	<i>è€æCEä,œäCE-éf"ä-€æ-°ç‰¼æ°è²CEäçŽ°ä¼¼-èŸ¾¼è™Žä±žä,€æ-°çš'¼^ç-è;CEç²¼¼šäè™Žçš'¼¼‰. Zoological Research, 2018, 39, 185-201.</i>		
50	A striking new genus and species of cave-dwelling frog (Amphibia: Anura: Microhylidae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,222 Td (A</i>	0.9	29
51	Cenozoic aridization in Central Eurasia shaped diversification of toad-headed agamas ( <i>Phrynocephalus</i> ; Agamidae, Reptilia). <i>PeerJ</i> , 2018, 6, e4543.	0.9	26
52	An integrative taxonomic analysis reveals a new species of lotic <i>Hynobius</i> salamander from Japan. <i>PeerJ</i> , 2018, 6, e5084.	0.9	13
53	A new species of <i>Leptobrachium</i> (Anura, Megophryidae) from western Thailand. <i>PeerJ</i> , 2018, 6, e5584.	0.9	9
54	A new limestone-dwelling species of <i>Micryletta</i> (Amphibia: Anura: Microhylidae) from northern Vietnam. <i>PeerJ</i> , 2018, 6, e5771.	0.9	19

#	ARTICLE	IF	CITATIONS
55	MtDNA differentiation and taxonomy of Central Asian racerunners of <i>Eremias multiocellata</i> - <i>E. przewalskii</i> species complex (Squamata, Lacertidae). <i>Zootaxa</i> , 2017, 4282, .	0.2	19
56	Systematics of <i>Eutropis rugifera</i> (Stoliczka, 1870) (Squamata: Scincidae) including the redescription of the holotype. <i>Zootaxa</i> , 2017, 4272, 103-118.	0.2	6
57	The phytotelm tadpoles of <i>Microhyla arboricola</i> (Anura: Microhylidae) from Vietnam, with comments on reproductive biology and development. <i>Zootaxa</i> , 2017, 4247, 413.	0.2	9
58	A novel multilocus phylogenetic estimation reveals unrecognized diversity in Asian horned toads, genus <i>Megophrys</i> sensu lato (Anura: Megophryidae). <i>Molecular Phylogenetics and Evolution</i> , 2017, 106, 28-43.	1.2	78
59	A new species of <i>Eumeces</i> Wiegmann 1834 (Sauria: Scincidae) from Iran. <i>Zootaxa</i> , 2017, 4320, .	0.2	6
60	Molecular, morphological and acoustic assessment of the genus <i>Ophryophryne</i> (Anura,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (M 2017, 672, 49-120.	0.5	42
61	A new species of salamander of the genus <i>Hynobius</i> (Amphibia, Caudata, Hynobiidae) from South Korea. <i>Zootaxa</i> , 2016, 4169, 475-503.	0.2	15
62	Larval morphology and complex vocal repertoire of <i>Rhacophorus helenae</i> (Anura: Rhacophoridae), a rare flying frog from Vietnam. <i>Zootaxa</i> , 2016, 4127, 515.	0.2	9
63	Spatiotemporal Diversification of the True Frogs (Genus <i>Rana</i> ): A Historical Framework for a Widely Studied Group of Model Organisms. <i>Systematic Biology</i> , 2016, 65, 824-842.	2.7	125
64	Red River barrier and Pleistocene climatic fluctuations shaped the genetic structure of <i>Microhyla fissipes</i> complex (Anura: Microhylidae) in southern China and Indochina. <i>Environmental Epigenetics</i> , 2016, 62, 531-543.	0.9	47
65	A new species of genus (Anura: Dicroglossidae) from northern Thailand. <i>Zoological Research</i> , 2016, 37, 327-337.	0.9	3
66	A new species of <i>Leptolalax</i> (Anura: Megophryidae) from the western Langbian Plateau, southern Vietnam. <i>Zootaxa</i> , 2015, 3931, 221.	0.2	47
67	Diversity of the snail-eating snakes ( <i>Pareas</i> ) (Serpentes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 547 Td (M 0.7 32	0.7	32
68	The Lower Mekong: an insurmountable barrier to amphibians in southern Indochina?. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 905-914.	0.7	24
69	New <i>Ichthyophis</i> species from Indochina (Gymnophiona, Ichthyophiidae): 1. The unstriped forms with descriptions of three new species and the redescription of <i>I. acuminatus</i> Taylor, 1960, <i>I. youngorum</i> Taylor, 1960 and <i>I. laosensis</i> Taylor, 1969. <i>Organisms Diversity and Evolution</i> , 2015, 15, 143-174.	0.7	9
70	The mitochondrial phylogeography and intraspecific taxonomy of the Steppe Racerunner, <i>Eremias arguta</i> (Pallas) (Lacertidae: Sauria, Reptilia), reflects biogeographic patterns in Middle Asia. <i>Zootaxa</i> , 2014, 3895, 208-24.	0.2	10
71	Molecular systematics and phylogeography of <i>Bufotes variabilis</i> (syn. <i>Pseudepidalea variabilis</i> ) (Pallas,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 547 Td (M 0.4 12	0.4	12
72	Two new species of <i>Kalophrynus</i> (Anura:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (M 0.2 15 2014, 3796, 401.	0.2	15

#	ARTICLE	IF	CITATIONS
73	<i>Rhacophorus vampyrus</i> (Anura: Rhacophoridae) Reproductive Biology: A New Type of Oophagous Tadpole in Asian Treefrogs. <i>Journal of Herpetology</i> , 2013, 47, 607-614.	0.2	13
74	Peculiarities of bony skeleton development in Asian clawed salamanders ( <i>Onychodactylus</i> , Hynobiidae) related to embryonization. <i>Biology Bulletin</i> , 2013, 40, 589-599.	0.1	11
75	Cold Code: the global initiative to <i>scpdna</i> barcode amphibians and nonavian reptiles. <i>Molecular Ecology Resources</i> , 2013, 13, 161-167.	2.2	72
76	<b>A new species of Kukri Snake (<i>Oligodon</i>; Fitzinger, 1826; Squamata: Tj ETQq0,0,0 rgBT /Overlock 1</b>	0,2	15
77	A new species of the genus <i>Calotes</i> Cuvier, 1817 (Squamata: Agamidae) from southern Vietnam. <i>Zootaxa</i> , 2013, 3599, 246-60.	0.2	30
78	Multilocus species tree analyses resolve the radiation of the widespread <i>Bufo bufo</i> species group (Anura, Bufonidae). <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 71-86.	1.2	84
79	Two new cryptic species of the <i>Cyrtodactylus irregularis</i> complex (Squamata: Gekkonidae) from southern Vietnam. <i>Zootaxa</i> , 2012, 3302, 1.	0.2	46
80	Review of the systematics, morphology and distribution of Asian Clawed Salamanders, genus <i>Onychodactylus</i> (Amphibia, Caudata: Hynobiidae), with the description of four new species. <i>Zootaxa</i> , 2012, 3465, 1.	0.2	36
81	Cryptic crested newt diversity at the Eurasian transition: The mitochondrial DNA phylogeography of Near Eastern <i>Triturus</i> newts. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 888-896.	1.2	67
82	DNA BARCODING: CO1 DNA barcoding amphibians: take the chance, meet the challenge. <i>Molecular Ecology Resources</i> , 2008, 8, 235-246.	2.2	145
83	Phylogeography of two European newt species - discordance between mtDNA and morphology. <i>Molecular Ecology</i> , 2005, 14, 2475-2491.	2.0	173
84	Rediscovery and distribution extension of the rare Kukri Snake, <i>Oligodon hamptoni</i> Boulenger, 1918 (Reptilia, Serpentes, Colubridae), with the first record of this species from China. <i>Herpetozoa</i> , 0, 34, 13-21.	1.0	1
85	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 0, 71, 101-154.	2.0	25
86	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 0, 71, 101-154.	2.0	16
87	A new granite cave-dwelling Bent-toed Gecko from Vietnam of the <i>Cyrtodactylus irregularis</i> group (Squamata; Gekkonidae) and a discussion on cave ecomorphology. <i>Vertebrate Zoology</i> , 0, 71, 155-174.	2.0	5
88	A new cryptic arboreal species of the <i>Cyrtodactylus brevipalmatus</i> group (Squamata: Gekkonidae) from the uplands of western Thailand. <i>Vertebrate Zoology</i> , 0, 71, 723-746.	2.0	9
89	Hidden tribe: A new species of Stream Toad of the genus <i>Ansonia</i> Stoliczka, 1870 (Anura: Bufonidae) from the poorly explored mountainous borderlands of western Thailand. <i>Vertebrate Zoology</i> , 0, 71, 763-779.	2.0	2