

# Dorota Pojda-Wilczek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6022413/publications.pdf>

Version: 2024-02-01

22  
papers

162  
citations

1162889

8  
h-index

1199470

12  
g-index

23  
all docs

23  
docs citations

23  
times ranked

238  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic traps in orbital diseases – analysis and comparison of two cases. <i>Annales Academiae Medicae Silesiensis</i> , 2022, 76, 1-4.	0.1	0
2	The effect of Maintenance Treatment with Twice-daily or Prolonged Once-daily Tacrolimus Formulation on Visual Evoked Potentials in Stable Kidney Transplant Recipients. <i>Journal of Clinical Medicine</i> , 2020, 9, 1827.	1.0	2
3	A Rare Mutation in The APOB Gene Associated with Neurological Manifestations in Familial Hypobetalipoproteinemia. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1439.	1.8	7
4	Flash visual evoked potentials (FVEP) in various stimulation conditions. <i>Documenta Ophthalmologica</i> , 2019, 138, 35-42.	1.0	8
5	The Effect of a Decrease in Intraocular Pressure on Optic Nerve Function in Patients with Optic Nerve Drusen. <i>Ophthalmic Research</i> , 2019, 61, 153-158.	1.0	8
6	Stereoacuity in preschool children – could the Randot stereotest be the screening test to prevent amblyopia?. <i>Annales Academiae Medicae Silesiensis</i> , 2019, 73, 194-198.	0.1	0
7	Autosomal recessive cone-rod dystrophy can be caused by mutations in the ATF6 gene. <i>European Journal of Human Genetics</i> , 2017, 25, 1210-1216.	1.4	29
8	Differences in serum oxidative status between glaucomatous and nonglaucomatous cataract patients. <i>BMC Ophthalmology</i> , 2017, 17, 13.	0.6	12
9	Visual evoked potentials in diagnostics of optic neuropathy associated with renal failure. <i>Postepy Higieny i Medycyny Doswiadczalnej</i> , 2017, 71, 32-39.	0.1	5
10	CONVERGENCE ABILITY IN PATIENTS AFTER CATARACT PHACOEMULSIFICATION AND PATIENTS WITH THEIR OWN LENS. <i>Annales Academiae Medicae Silesiensis</i> , 2017, 71, 19-24.	0.1	1
11	Oxidative stress in the red blood cells of patients with primary open-angle glaucoma. <i>Clinical Hemorheology and Microcirculation</i> , 2016, 62, 369-378.	0.9	16
12	Diagnostic methods in ocular argyrosis: case report. <i>Documenta Ophthalmologica</i> , 2016, 133, 129-138.	1.0	8
13	Determination of Serum Ceruloplasmin Concentration in Patients with Primary Open Angle Glaucoma with Cataract and Patients with Cataract Only: A Pilot Study. <i>Medical Science Monitor</i> , 2016, 22, 1384-1388.	0.5	7
14	Comparison of visual evoked potential parameters in acute optic neuritis. <i>Annales Academiae Medicae Silesiensis</i> , 2016, 70, 206-213.	0.1	0
15	Different Impacts of Luminosity on Contrast Vision in Eyes with Transparent Optic Media and with Cataract Simulation. <i>Medical Principles and Practice</i> , 2015, 24, 501-508.	1.1	2
16	Visual-evoked potentials in patients with brain circulatory problems. <i>International Journal of Neuroscience</i> , 2015, 125, 264-269.	0.8	4
17	State of prevention of eye diseases in selected group of children from Silesian Voivodeship – preliminary communication. <i>Annales Academiae Medicae Silesiensis</i> , 2015, 69, 172-176.	0.1	1
18	An automatic saccadic eye movement detection in an optokinetic nystagmus signal. <i>Biomedizinische Technik</i> , 2014, 59, 529-43.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Possibility of visual prognosis based on flash visual evoked potential in cases of early brain damage. Acta Ophthalmologica, 2013, 91, 0-0.	0.6	0
20	A new method of saccadic eye movement detection for optokinetic nystagmus analysis. , 2012, 2012, 3464-7.		10
21	Retrospective analysis of pattern VEP results in different ocular and systemic diseases. Klinika Oczna, 2010, 112, 205-9.	0.0	12
22	Neonatal co-lesion by DSP-4 and 5,7-DHT produces adulthood behavioral sensitization to dopamine D2 receptor agonists. Pharmacological Reports, 2009, 61, 311-318.	1.5	17