

Jean Farup

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6022612/publications.pdf>

Version: 2024-02-01

37
papers

1,173
citations

361045

20
h-index

395343

33
g-index

39
all docs

39
docs citations

39
times ranked

1628
citing authors

#	ARTICLE	IF	CITATIONS
1	Blood flow restricted and traditional resistance training performed to fatigue produce equal muscle hypertrophy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 754-763.	1.3	140
2	Differentiated mTOR but not AMPK signaling after strength vs endurance exercise in training accustomed individuals. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 355-366.	1.3	89
3	Whey protein hydrolysate augments tendon and muscle hypertrophy independent of resistance exercise contraction mode. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, 788-798.	1.3	84
4	Muscle Morphological and Strength Adaptations to Endurance Vs. Resistance Training. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 398-407.	1.0	68
5	Muscle strength and functional performance is markedly impaired at the recommended time point for sport return after anterior cruciate ligament reconstruction in recreational athletes. <i>Human Movement Science</i> , 2015, 39, 73-87.	0.6	60
6	Whey protein supplementation accelerates satellite cell proliferation during recovery from eccentric exercise. <i>Amino Acids</i> , 2014, 46, 2503-2516.	1.2	58
7	Influence of exercise contraction mode and protein supplementation on human skeletal muscle satellite cell content and muscle fiber growth. <i>Journal of Applied Physiology</i> , 2014, 117, 898-909.	1.2	55
8	Human skeletal muscle CD90+ fibro-adipogenic progenitors are associated with muscle degeneration in type 2 diabetic patients. <i>Cell Metabolism</i> , 2021, 33, 2201-2214.e10.	7.2	54
9	Alternative polyadenylation of Pax3 controls muscle stem cell fate and muscle function. <i>Science</i> , 2019, 366, 734-738.	6.0	53
10	Effects of divergent resistance exercise contraction mode and dietary supplementation type on anabolic signalling, muscle protein synthesis and muscle hypertrophy. <i>Amino Acids</i> , 2014, 46, 2377-2392.	1.2	39
11	Blood flow-restricted resistance exercise alters the surface profile, miRNA cargo and functional impact of circulating extracellular vesicles. <i>Scientific Reports</i> , 2020, 10, 5835.	1.6	35
12	Influence of divergent exercise contraction mode and whey protein supplementation on atrogin-1, MuRF1, and FOXO1/3A in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2014, 116, 1491-1502.	1.2	29
13	Molecular and cellular adaptations to exercise training in skeletal muscle from cancer patients treated with chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1449-1460.	1.2	28
14	Exercise dependent increases in protein synthesis are accompanied by chromatin modifications and increased MRTF-SRF signalling. <i>Acta Physiologica</i> , 2020, 230, e13496.	1.8	27
15	Nampt controls skeletal muscle development by maintaining Ca ²⁺ homeostasis and mitochondrial integrity. <i>Molecular Metabolism</i> , 2021, 53, 101271.	3.0	27
16	Pericyte response to contraction mode-specific resistance exercise training in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2015, 119, 1053-1063.	1.2	26
17	Role of Metabolic Stress and Exercise in Regulating Fibro/Adipogenic Progenitors. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 9.	1.8	24
18	Effect of resistance exercise contraction mode and protein supplementation on members of the STARS signalling pathway. <i>Journal of Physiology</i> , 2013, 591, 3749-3763.	1.3	22

#	ARTICLE	IF	CITATIONS
19	No differential effects of divergent isocaloric supplements on signaling for muscle protein turnover during recovery from muscle-damaging eccentric exercise. <i>Amino Acids</i> , 2015, 47, 767-778.	1.2	22
20	Satellite cell response to erythropoietin treatment and endurance training in healthy young men. <i>Journal of Physiology</i> , 2016, 594, 727-743.	1.3	21
21	Contraction mode and whey protein intake affect the synthesis rate of intramuscular connective tissue. <i>Muscle and Nerve</i> , 2017, 55, 128-130.	1.0	20
22	Postactivation Potentiation: Upper Body Force Development Changes after Maximal Force Intervention. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 1874-1879.	1.0	19
23	The acute response of pericytes to muscle-damaging eccentric contraction and protein supplementation in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2015, 119, 900-907.	1.2	19
24	Effect of degree of hydrolysis of whey protein on in vivo plasma amino acid appearance in humans. <i>SpringerPlus</i> , 2016, 5, 382.	1.2	17
25	Efficient correction of Duchenne muscular dystrophy mutations by SpCas9 and dual gRNAs. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 24, 403-415.	2.3	17
26	Similar changes in muscle fiber phenotype with differentiated consequences for rate of force development: Endurance versus resistance training. <i>Human Movement Science</i> , 2014, 34, 109-119.	0.6	16
27	Associated decrements in rate of force development and neural drive after maximal eccentric exercise. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 498-506.	1.3	16
28	Enhanced Glycogen Storage of a Subcellular Hot Spot in Human Skeletal Muscle during Early Recovery from Eccentric Contractions. <i>PLoS ONE</i> , 2015, 10, e0127808.	1.1	15
29	Effect of protein quality on recovery after intense resistance training. <i>European Journal of Applied Physiology</i> , 2016, 116, 2225-2236.	1.2	13
30	Skeletal muscle stem cell characteristics and myonuclei content in patients with rheumatoid arthritis: a cross-sectional study. <i>Rheumatology International</i> , 2018, 38, 1031-1041.	1.5	13
31	High Intensity Training May Reverse the Fiber Type Specific Decline in Myogenic Stem Cells in Multiple Sclerosis Patients. <i>Frontiers in Physiology</i> , 2016, 7, 193.	1.3	12
32	Mitochondrial Structure and Function in the Metabolic Myopathy Accompanying Patients with Critical Limb Ischemia. <i>Cells</i> , 2020, 9, 570.	1.8	12
33	Isolation and characterization of muscle stem cells, fibro-adipogenic progenitors, and macrophages from human skeletal muscle biopsies. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 321, C257-C268.	2.1	9
34	Sex Hormones and Satellite Cell Regulation in Women. <i>Translational Sports Medicine</i> , 2022, 2022, 1-12.	0.5	3
35	<sc>AMPK</sc> vs <sc>mTORC</sc>1 signaling: Genuine exercise effects of differentiated exercise in humans. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 580-581.	1.3	2
36	The role of satellite cells in activity-induced adaptations: breathing new life into the debate. <i>Journal of Physiology</i> , 2017, 595, 6225-6226.	1.3	2

#	ARTICLE	IF	CITATIONS
37	Skeletal muscle stem cell defects in burn-induced cachexia. Journal of Physiology, 2016, 594, 7153-7154.	1.3	0