

Jean Farup

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6022612/publications.pdf>

Version: 2024-02-01

37
papers

1,173
citations

361045

20
h-index

395343

33
g-index

39
all docs

39
docs citations

39
times ranked

1628
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Sex Hormones and Satellite Cell Regulation in Women. <i>Translational Sports Medicine</i> , 2022, 2022, 1-12. | 0.5 | 3 |
| 2 | Efficient correction of Duchenne muscular dystrophy mutations by SpCas9 and dual gRNAs. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 24, 403-415. | 2.3 | 17 |
| 3 | Isolation and characterization of muscle stem cells, fibro-adipogenic progenitors, and macrophages from human skeletal muscle biopsies. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 321, C257-C268. | 2.1 | 9 |
| 4 | Nampt controls skeletal muscle development by maintaining Ca ²⁺ homeostasis and mitochondrial integrity. <i>Molecular Metabolism</i> , 2021, 53, 101271. | 3.0 | 27 |
| 5 | Human skeletal muscle CD90+ fibro-adipogenic progenitors are associated with muscle degeneration in type 2 diabetic patients. <i>Cell Metabolism</i> , 2021, 33, 2201-2214.e10. | 7.2 | 54 |
| 6 | Exercise-dependent increases in protein synthesis are accompanied by chromatin modifications and increased MRTF-SRF signalling. <i>Acta Physiologica</i> , 2020, 230, e13496. | 1.8 | 27 |
| 7 | Mitochondrial Structure and Function in the Metabolic Myopathy Accompanying Patients with Critical Limb Ischemia. <i>Cells</i> , 2020, 9, 570. | 1.8 | 12 |
| 8 | Role of Metabolic Stress and Exercise in Regulating Fibro/Adipogenic Progenitors. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 9. | 1.8 | 24 |
| 9 | Blood flow-restricted resistance exercise alters the surface profile, miRNA cargo and functional impact of circulating extracellular vesicles. <i>Scientific Reports</i> , 2020, 10, 5835. | 1.6 | 35 |
| 10 | Alternative polyadenylation of Pax3 controls muscle stem cell fate and muscle function. <i>Science</i> , 2019, 366, 734-738. | 6.0 | 53 |
| 11 | Molecular and cellular adaptations to exercise training in skeletal muscle from cancer patients treated with chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1449-1460. | 1.2 | 28 |
| 12 | Skeletal muscle stem cell characteristics and myonuclei content in patients with rheumatoid arthritis: a cross-sectional study. <i>Rheumatology International</i> , 2018, 38, 1031-1041. | 1.5 | 13 |
| 13 | The role of satellite cells in activity-induced adaptations: breathing new life into the debate. <i>Journal of Physiology</i> , 2017, 595, 6225-6226. | 1.3 | 2 |
| 14 | Contraction mode and whey protein intake affect the synthesis rate of intramuscular connective tissue. <i>Muscle and Nerve</i> , 2017, 55, 128-130. | 1.0 | 20 |
| 15 | High Intensity Training May Reverse the Fiber Type Specific Decline in Myogenic Stem Cells in Multiple Sclerosis Patients. <i>Frontiers in Physiology</i> , 2016, 7, 193. | 1.3 | 12 |
| 16 | Satellite cell response to erythropoietin treatment and endurance training in healthy young men. <i>Journal of Physiology</i> , 2016, 594, 727-743. | 1.3 | 21 |
| 17 | Skeletal muscle stem cell defects in burn-induced cachexia. <i>Journal of Physiology</i> , 2016, 594, 7153-7154. | 1.3 | 0 |
| 18 | Effect of degree of hydrolysis of whey protein on in vivo plasma amino acid appearance in humans. <i>SpringerPlus</i> , 2016, 5, 382. | 1.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effect of protein quality on recovery after intense resistance training. <i>European Journal of Applied Physiology</i> , 2016, 116, 2225-2236. | 1.2 | 13 |
| 20 | Associated decrements in rate of force development and neural drive after maximal eccentric exercise. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 498-506. | 1.3 | 16 |
| 21 | Pericyte response to contraction mode-specific resistance exercise training in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2015, 119, 1053-1063. | 1.2 | 26 |
| 22 | No differential effects of divergent isocaloric supplements on signaling for muscle protein turnover during recovery from muscle-damaging eccentric exercise. <i>Amino Acids</i> , 2015, 47, 767-778. | 1.2 | 22 |
| 23 | Blood flow restricted and traditional resistance training performed to fatigue produce equal muscle hypertrophy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 754-763. | 1.3 | 140 |
| 24 | The acute response of pericytes to muscle-damaging eccentric contraction and protein supplementation in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2015, 119, 900-907. | 1.2 | 19 |
| 25 | Muscle strength and functional performance is markedly impaired at the recommended time point for sport return after anterior cruciate ligament reconstruction in recreational athletes. <i>Human Movement Science</i> , 2015, 39, 73-87. | 0.6 | 60 |
| 26 | Enhanced Glycogen Storage of a Subcellular Hot Spot in Human Skeletal Muscle during Early Recovery from Eccentric Contractions. <i>PLoS ONE</i> , 2015, 10, e0127808. | 1.1 | 15 |
| 27 | Similar changes in muscle fiber phenotype with differentiated consequences for rate of force development: Endurance versus resistance training. <i>Human Movement Science</i> , 2014, 34, 109-119. | 0.6 | 16 |
| 28 | Effects of divergent resistance exercise contraction mode and dietary supplementation type on anabolic signalling, muscle protein synthesis and muscle hypertrophy. <i>Amino Acids</i> , 2014, 46, 2377-2392. | 1.2 | 39 |
| 29 | Influence of divergent exercise contraction mode and whey protein supplementation on atrogen-1, MuRF1, and FOXO1/3A in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2014, 116, 1491-1502. | 1.2 | 29 |
| 30 | Whey protein supplementation accelerates satellite cell proliferation during recovery from eccentric exercise. <i>Amino Acids</i> , 2014, 46, 2503-2516. | 1.2 | 58 |
| 31 | Influence of exercise contraction mode and protein supplementation on human skeletal muscle satellite cell content and muscle fiber growth. <i>Journal of Applied Physiology</i> , 2014, 117, 898-909. | 1.2 | 55 |
| 32 | Whey protein hydrolysate augments tendon and muscle hypertrophy independent of resistance exercise contraction mode. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, 788-798. | 1.3 | 84 |
| 33 | Differentiated <i>mTOR</i> but not <i>AMPK</i> signaling after strength vs endurance exercise in training-acclimated individuals. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 355-366. | 1.3 | 89 |
| 34 | Effect of resistance exercise contraction mode and protein supplementation on members of the STARS signalling pathway. <i>Journal of Physiology</i> , 2013, 591, 3749-3763. | 1.3 | 22 |
| 35 | Muscle Morphological and Strength Adaptations to Endurance Vs. Resistance Training. <i>Journal of Strength and Conditioning Research</i> , 2012, 26, 398-407. | 1.0 | 68 |
| 36 | <i>AMPK</i> vs <i>mTORC1</i> signaling: Genuine exercise effects of differentiated exercise in humans. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 580-581. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Postactivation Potentiation: Upper Body Force Development Changes after Maximal Force Intervention. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 1874-1879. | 1.0 | 19 |