
## Joseph Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6025200/publications.pdf Version: 2024-02-01



LOSEDH CHEN

#	Article	IF	CITATIONS
1	Bioengineered Models to Study Microenvironmental Regulation of Glioblastoma Metabolism. Journal of Neuropathology and Experimental Neurology, 2021, 80, 1012-1023.	1.7	1
2	Chronic arsenic increases cell migration in BEAS-2B cells by increasing cell speed, cell persistence, and cell protrusion length. Experimental Cell Research, 2021, 408, 112852.	2.6	1
3	Transcriptomic analysis reveals that BMP4 sensitizes glioblastoma tumor-initiating cells to mechanical cues. Matrix Biology, 2020, 85-86, 112-127.	3.6	11
4	Suppression of LIM Kinase 1 and LIM Kinase 2 Limits Glioblastoma Invasion. Cancer Research, 2020, 80, 69-78.	0.9	17
5	Dissecting and rebuilding the glioblastoma microenvironment with engineered materials. Nature Reviews Materials, 2019, 4, 651-668.	48.7	103
6	Mechanical Response of Porcine Liver Tissue under High Strain Rate Compression. Bioengineering, 2019, 6, 49.	3.5	9
7	LIM Kinase 1 and 2 Regulate Motility and Invasion in Glioblastoma. Biophysical Journal, 2018, 114, 652a-653a.	0.5	0
8	Quantitative Analysis of Tissue Damage Evolution in Porcine Liver With Interrupted Mechanical Testing Under Tension, Compression, and Shear. Journal of Biomechanical Engineering, 2018, 140, .	1.3	10
9	Biophysical regulation of cancer stem/initiating cells: Implications for disease mechanisms and translation. Current Opinion in Biomedical Engineering, 2017, 1, 87-95.	3.4	15
10	EXPERIMENTAL OBSERVATION OF HIGH STRAIN RATE RESPONSES OF PORCINE BRAIN, LIVER, AND TENDON. Journal of Mechanics in Medicine and Biology, 2016, 16, 1650032.	0.7	6
11	Notch1 Mutation Leads to Valvular Calcification Through Enhanced Myofibroblast Mechanotransduction. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 1597-1605.	2.4	49
12	Biophysical Analysis of Dystrophic and Osteogenic Models of Valvular Calcification. Journal of Biomechanical Engineering, 2015, 137, 020903.	1.3	16
13	Evaluation of Low-Contrast Detectability of Iterative Reconstruction across Multiple Institutions, CT Scanner Manufacturers, and Radiation Exposure Levels. Radiology, 2015, 277, 124-133.	7.3	24
14	Calcific nodule morphogenesis by heart valve interstitial cells is strain dependent. Biomechanics and Modeling in Mechanobiology, 2013, 12, 5-17.	2.8	85
15	Murine bladder wall biomechanics following partial bladder obstruction. Journal of Biomechanics, 2013, 46, 2752-2755.	2.1	16
16	Cadherin-11 Regulates Calcific Nodule Formation by Aortic Valve Interstitial Cells. , 2013, , .		0
17	Cadherin-11 Regulates Cell–Cell Tension Necessary for Calcific Nodule Formation by Valvular Myofibroblasts. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 114-120.	2.4	87
18	Form Follows Function: Advances in Trilayered Structure Replication for Aortic Heart Valve Tissue Engineering. Journal of Healthcare Engineering, 2012, 3, 179-202.	1.9	35

JOSEPH CHEN

#	Article	IF	CITATIONS
19	5-HT2B Antagonism Inhibits Strain- and Cytokine-Dependent Formation of Calcific Nodules by Aortic Valve Interstitial Cells. , 2012, , .		0
20	Assembly and Testing of Stem Cell-Seeded Layered Collagen Constructs for Heart Valve Tissue Engineering. Tissue Engineering - Part A, 2011, 17, 25-36.	3.1	57
21	The stimulation of the cardiac differentiation of mesenchymal stem cells in tissue constructs that mimic myocardium structure and biomechanics. Biomaterials, 2011, 32, 5568-5580.	11.4	119
22	Calcific Nodule Morphogenesis by Aortic Valve Interstitial Cells: Synergism of Applied Strain and TGF- $\hat{1}^21.$ , 2011, , .		0
23	The Correlation of 3D DT-MRI Fiber Disruption with Structural and Mechanical Degeneration in Porcine Myocardium. Annals of Biomedical Engineering, 2010, 38, 3084-3095.	2.5	28
24	Design and Testing of a Pulsatile Conditioning System for Dynamic Endothelialization of Polyphenol-Stabilized Tissue Engineered Heart Valves. Cardiovascular Engineering and Technology, 2010, 1, 138-153.	1.6	60
25	A Novel Trilayered Polymer Scaffold Mimicking Native Aortic Valve Leaflet. , 2010, , .		2
26	Traumatic Injury: Mechanical Response of Porcine Liver Tissue Under High Strain Rate Compression Testing. , 2009, , .		0