
Magdalena M Sauvage

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6025919/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Towards a functional organization of episodic memory in the medial temporal lobe. Neuroscience and Biobehavioral Reviews, 2012, 36, 1597-1608. | 6.1 | 306 |
| 2 | Recognition memory: opposite effects of hippocampal damage on recollection and familiarity. Nature Neuroscience, 2008, 11, 16-18. | 14.8 | 157 |
| 3 | Vasopressin 1b Receptor Knock-Out Impairs Memory for Temporal Order. Journal of Neuroscience, 2009, 29, 2676-2683. | 3.6 | 129 |
| 4 | Age-related functional changes in domain-specific medial temporal lobe pathways. Neurobiology of Aging, 2018, 65, 86-97. | 3.1 | 118 |
| 5 | Proximodistal Segregation of Nonspatial Information in CA3: Preferential Recruitment of a Proximal CA3-Distal CA1 Network in Nonspatial Recognition Memory. Journal of Neuroscience, 2013, 33, 11506-11514. | 3.6 | 88 |
| 6 | What we remember from a stressful episode. Psychoneuroendocrinology, 2013, 38, 2268-2277. | 2.7 | 62 |
| 7 | Distribution of neurotransmitter receptors and zinc in the pigeon (<i>Columba livia</i>) hippocampal formation: A basis for further comparison with the mammalian hippocampus. Journal of Comparative Neurology, 2014, 522, 2553-2575. | 1.6 | 57 |
| 8 | Mild deficits in mice lacking pituitary adenylate cyclase-activating polypeptide receptor type 1 (PAC1) performing on memory tasks. Molecular Brain Research, 2000, 84, 79-89. | 2.3 | 54 |
| 9 | Disrupted allocentric but preserved egocentric spatial learning in transgenic mice with impaired glucocorticoid receptor function. Behavioural Brain Research, 1999, 100, 77-89. | 2.2 | 49 |
| 10 | Processing of spatial and non-spatial information reveals functional homogeneity along the dorso-ventral axis of CA3, but not CA1. Neurobiology of Learning and Memory, 2014, 111, 56-64. | 1.9 | 49 |
| 11 | Function and developmental origin of a mesocortical inhibitory circuit. Nature Neuroscience, 2015, 18, 872-882. | 14.8 | 43 |
| 12 | Recognition memory: Adding a response deadline eliminates recollection but spares familiarity. Learning and Memory, 2010, 17, 104-108. | 1.3 | 41 |
| 13 | NMDA signaling in CA1 mediates selectively the spatial component of episodic memory. Learning and Memory, 2012, 19, 164-169. | 1.3 | 41 |
| 14 | Effects of the monoamine oxidase A inhibitor moclobemide on hippocampal plasticity in GR-impaired transgenic mice. Journal of Psychiatric Research, 2001, 35, 29-42. | 3.1 | 40 |
| 15 | Mapping memory function in the medial temporal lobe with the immediate-early gene Arc. Behavioural Brain Research, 2013, 254, 22-33. | 2.2 | 40 |
| 16 | Excitotoxic hippocampal lesions disrupt allocentric spatial learning in mice: effects of strain and task demands. Behavioural Brain Research, 1999, 106, 151-164. | 2.2 | 39 |
| 17 | The memory for time and space differentially engages the proximal and distal parts of the hippocampal subfields CA1 and CA3. PLoS Biology, 2018, 16, e2006100. | 5.6 | 39 |
| 18 | Spatial and stimulus-type tuning in the LEC, MEC, POR, PrC, CA1, and CA3 during spontaneous item recognition memory. Hippocampus, 2013, 23, 1425-1438. | 1.9 | 38 |

Magdalena M Sauvage

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Caudal Medial Entorhinal Cortex: a Selective Role in Recollection-Based Recognition Memory. Journal of Neuroscience, 2010, 30, 15695-15699. | 3.6 | 36 |
| 20 | Odors as effective retrieval cues for stressful episodes. Neurobiology of Learning and Memory, 2014, 112, 230-236. | 1.9 | 30 |
| 21 | Simultaneous effects on parvalbumin-positive interneuron and dopaminergic system development in a transgenic rat model for sporadic schizophrenia. Scientific Reports, 2016, 6, 34946. | 3.3 | 27 |
| 22 | Imaging a memory trace over half a life-time in the medial temporal lobe reveals a time-limited role of CA3 neurons in retrieval. ELife, 2016, 5, e11862. | 6.0 | 27 |
| 23 | Visuospatial computer game play after memory reminder delivered three days after a traumatic film reduces the number of intrusive memories of the experimental trauma. Journal of Behavior Therapy and Experimental Psychiatry, 2020, 67, 101454. | 1.2 | 26 |
| 24 | Single-cell memory trace imaging with immediate-early genes. Journal of Neuroscience Methods, 2019, 326, 108368. | 2.5 | 24 |
| 25 | Regional Specific Evidence for Memory-Load Dependent Activity in the Dorsal Subiculum and the Lateral Entorhinal Cortex. Frontiers in Systems Neuroscience, 2017, 11, 51. | 2.5 | 21 |
| 26 | In vivo measurement of T ₁ and T ₂ relaxation times in awake pigeon and rat brains at 7T. Magnetic Resonance in Medicine, 2018, 79, 1090-1100. | 3.0 | 18 |
| 27 | Glucocorticoid receptor impairment enhances impulsive responding in transgenic mice performing on a simultaneous visual discrimination task. European Journal of Neuroscience, 2000, 12, 2559-2569. | 2.6 | 17 |
| 28 | Optogenetic Destabilization of the Memory Trace in CA1: Insights into Reconsolidation and Retrieval Processes. Cerebral Cortex, 2017, 27, bhv282. | 2.9 | 17 |
| 29 | Spatial information is preferentially processed by the distal part of CA3: implication for memory retrieval. Behavioural Brain Research, 2018, 347, 116-123. | 2.2 | 17 |
| 30 | ROC in animals: Uncovering the neural substrates of recollection and familiarity in episodic recognition memory. Consciousness and Cognition, 2010, 19, 816-828. | 1.5 | 16 |
| 31 | Encoding and reactivation patterns predictive of successful memory performance are topographically organized along the longitudinal axis of the hippocampus. Hippocampus, 2016, 26, 67-75. | 1.9 | 16 |
| 32 | Spatial information is preferentially processed by the distal part of CA3: Implication for memory retrieval. Behavioural Brain Research, 2018, 354, 31-38. | 2.2 | 15 |
| 33 | Environmental enrichment modulates intrinsic cellular excitability of hippocampal CA1 pyramidal cells in a housing duration and anatomical location-dependent manner. Behavioural Brain Research, 2015, 292, 209-218. | 2.2 | 14 |
| 34 | Recognition memory: Cellular evidence of a massive contribution of the LEC to familiarity and a lack of involvement of the hippocampal subfields CA1 and CA3. Hippocampus, 2017, 27, 1083-1092. | 1.9 | 13 |
| 35 | ROCs in rats? Response to Wixted and Squire. Learning and Memory, 2008, 15, 691-693. | 1.3 | 11 |
| 36 | Noradrenergic Suppression of Persistent Firing in Hippocampal CA1 Pyramidal Cells through cAMP-PKA Pathway. ENeuro, 2021, 8, ENEURO.0440-20.2020. | 1.9 | 6 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dendritic Kv4.2 potassium channels selectively mediate spatial pattern separation in the dentate gyrus. IScience, 2021, 24, 102876. | 4.1 | 6 |
| 38 | Lesion of the hippocampus selectively enhances LEC's activity during recognition memory based on familiarity. Scientific Reports, 2021, 11, 19085. | 3.3 | 5 |
| 39 | A Comparative Analysis of Episodic Memory. , 2012, , . | | 1 |