

# Mai Chinapaw

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/602595/publications.pdf>

Version: 2024-02-01

240  
papers

14,325  
citations

29994

54  
h-index

25716

108  
g-index

245  
all docs

245  
docs citations

245  
times ranked

16393  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sedentary Behavior Research Network (SBRN) " Terminology Consensus Project process and outcome. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 75.	2.0	2,147
2	Sedentary Behaviors and Health Outcomes Among Adults. <i>American Journal of Preventive Medicine</i> , 2011, 40, 174-182.	1.6	545
3	Physical Activity Questionnaires for Adults. <i>Sports Medicine</i> , 2010, 40, 565-600.	3.1	508
4	Physical Activity and Performance at School. <i>JAMA Pediatrics</i> , 2012, 166, 49.	3.6	439
5	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. <i>Cancer Treatment Reviews</i> , 2017, 52, 91-104.	3.4	398
6	Effects of physical activity interventions on cognitive and academic performance in children and adolescents: a novel combination of a systematic review and recommendations from an expert panel. <i>British Journal of Sports Medicine</i> , 2019, 53, 640-647.	3.1	287
7	Physical and psychosocial benefits of yoga in cancer patients and survivors, a systematic review and meta-analysis of randomized controlled trials. <i>BMC Cancer</i> , 2012, 12, 559.	1.1	263
8	Physical Activity Questionnaires for Youth. <i>Sports Medicine</i> , 2010, 40, 539-563.	3.1	254
9	Determinants of physical activity and exercise in healthy older adults: A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 142.	2.0	241
10	Differences in Weight Status and Energy-Balance Related Behaviors among Schoolchildren across Europe: The ENERGY-Project. <i>PLoS ONE</i> , 2012, 7, e34742.	1.1	231
11	Disagreement in physical activity assessed by accelerometer and self-report in subgroups of age, gender, education and weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 17.	2.0	224
12	Framework, principles and recommendations for utilising participatory methodologies in the co-creation and evaluation of public health interventions. <i>Research Involvement and Engagement</i> , 2019, 5, 2.	1.1	217
13	Qualitative Attributes and Measurement Properties of Physical Activity Questionnaires. <i>Sports Medicine</i> , 2010, 40, 525-537.	3.1	206
14	Levels of physical activity and sedentary time among 10- to 12-year-old boys and girls across 5 European countries using accelerometers: an observational study within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 34.	2.0	204
15	Relationship between young peoples' sedentary behaviour and biomedical health indicators: a systematic review of prospective studies. <i>Obesity Reviews</i> , 2011, 12, e621-32.	3.1	203
16	Evidence-based physical activity guidelines for cancer survivors: Current guidelines, knowledge gaps and future research directions. <i>Cancer Treatment Reviews</i> , 2014, 40, 327-340.	3.4	201
17	The effect of a cluster randomised control trial on objectively measured sedentary time and parental reports of time spent in sedentary activities in Belgian preschoolers: the ToyBox-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 1.	2.0	183
18	Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2018, 52, 505-513.	3.1	177

#	ARTICLE	IF	CITATIONS
19	Determinants of physical activity and sedentary behaviour in young people: a review and quality synthesis of prospective studies. <i>British Journal of Sports Medicine</i> , 2011, 45, 896-905.	3.1	161
20	Determinants of exercise adherence and maintenance among cancer survivors: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 80.	2.0	149
21	The motivation of children to play an active video game. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 163-166.	0.6	147
22	Self-Administered Physical Activity Questionnaires for the Elderly. <i>Sports Medicine</i> , 2010, 40, 601-623.	3.1	140
23	A cluster-randomized controlled trial to reduce sedentary behavior and promote physical activity and health of 8-9 year olds: The Transform-Us! Study. <i>BMC Public Health</i> , 2011, 11, 759.	1.2	136
24	Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. <i>BMC Medicine</i> , 2015, 13, 275.	2.3	128
25	The 2017 Dutch Physical Activity Guidelines. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 58.	2.0	123
26	Effects of exercise in patients treated with stem cell transplantation for a hematologic malignancy: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2013, 39, 682-690.	3.4	121
27	Reliability and validity of the Activity Questionnaire for Adults and Adolescents (AQuAA). <i>BMC Medical Research Methodology</i> , 2009, 9, 58.	1.4	116
28	What works in school-based energy balance behaviour interventions and what does not? A systematic review of mediating mechanisms. <i>International Journal of Obesity</i> , 2011, 35, 1251-1265.	1.6	113
29	Test-retest reliability and construct validity of the ENERGY-child questionnaire on energy balance-related behaviours and their potential determinants: the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 136.	2.0	110
30	Measured sedentary time and physical activity during the school day of European 10- to 12-year-old children: The ENERGY project. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 201-206.	0.6	94
31	Evidence-based development of school-based and family-involved prevention of overweight across Europe: The ENERGY-project's design and conceptual framework. <i>BMC Public Health</i> , 2010, 10, 276.	1.2	92
32	Physical inactivity is a risk factor for physical activity-related injuries in children. <i>British Journal of Sports Medicine</i> , 2012, 46, 669-674.	3.1	92
33	European Energy balance Research to prevent excessive weight Gain among Youth (ENERGY) project: Design and methodology of the ENERGY cross-sectional survey. <i>BMC Public Health</i> , 2011, 11, 65.	1.2	91
34	An Updated Systematic Review of Childhood Physical Activity Questionnaires. <i>Sports Medicine</i> , 2018, 48, 2797-2842.	3.1	87
35	Weight status of European preschool children and associations with family demographics and energy balance-related behaviours: a pooled analysis of six European studies. <i>Obesity Reviews</i> , 2012, 13, 29-41.	3.1	84
36	Self-Reported Physical Activity: Its Correlates and Relationship with Health-Related Quality of Life in a Large Cohort of Colorectal Cancer Survivors. <i>PLoS ONE</i> , 2012, 7, e36164.	1.1	83

#	ARTICLE	IF	CITATIONS
37	What helps children to move more at school recess and lunchtime? Mid-intervention results from Transform-Us! cluster-randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2014, 48, 271-277.	3.1	81
38	From Sedentary Time to Sedentary Patterns: Accelerometer Data Reduction Decisions in Youth. <i>PLoS ONE</i> , 2014, 9, e111205.	1.1	81
39	Examination of mid-intervention mediating effects on objectively assessed sedentary time among children in the Transform-Us! cluster-randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 62.	2.0	80
40	The effect of interrupting prolonged sitting time with short, hourly, moderate-intensity cycling bouts on cardiometabolic risk factors in healthy, young adults. <i>Journal of Applied Physiology</i> , 2013, 115, 1751-1756.	1.2	80
41	Feasibility and Effectiveness of Online Physical Activity Advice Based on a Personal Activity Monitor: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e27.	2.1	78
42	Participation in and adherence to physical exercise after completion of primary cancer treatment. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 100.	2.0	73
43	Accelerometers and Internet for physical activity promotion in youth? Feasibility and effectiveness of a minimal intervention [ISRCTN93896459]. <i>Preventive Medicine</i> , 2010, 51, 31-36.	1.6	72
44	For whom and under what circumstances do school-based energy balance behavior interventions work? Systematic review on moderators. <i>Pediatric Obesity</i> , 2011, 6, e46-e57.	3.2	72
45	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1190-1200.	3.0	72
46	Structure, reliability, and validity of the revised child anxiety and depression scale (RCADS) in a multi-ethnic urban sample of Dutch children. <i>BMC Psychiatry</i> , 2015, 15, 132.	1.1	68
47	Effectiveness of intervention strategies exclusively targeting reductions in children's sedentary time: a systematic review of the literature. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 65.	2.0	67
48	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. <i>British Journal of Sports Medicine</i> , 2019, 53, 812-812.	3.1	67
49	Effects of resistance and all-round, functional training on quality of life, vitality and depression of older adults living in long-term care facilities: a 'randomized' controlled trial [ISRCTN87177281]. <i>BMC Geriatrics</i> , 2004, 4, 5.	1.1	66
50	Motivational interviewing and problem solving treatment to reduce type 2 diabetes and cardiovascular disease risk in real life: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 47.	2.0	64
51	Randomized controlled trial on the effects of a supervised high intensity exercise program in patients with a hematologic malignancy treated with autologous stem cell transplantation: Results from the EXIST study. <i>PLoS ONE</i> , 2017, 12, e0181313.	1.1	64
52	The effect, moderators, and mediators of resistance and aerobic exercise on health-related quality of life in older long-term survivors of prostate cancer. <i>Cancer</i> , 2015, 121, 2821-2830.	2.0	63
53	Indicated Prevention of Childhood Anxiety and Depression: Results From a Practice-Based Study up to 12 Months After Intervention. <i>American Journal of Public Health</i> , 2015, 105, 2005-2013.	1.5	63
54	What are the determinants of children's sleep behavior? A systematic review of longitudinal studies. <i>Sleep Medicine Reviews</i> , 2019, 43, 60-70.	3.8	61

#	ARTICLE	IF	CITATIONS
55	Direct and indirect associations between the family physical activity environment and sports participation among 10-12 year-old European children: testing the EnRG framework in the ENERGY project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 15.	2.0	58
56	Effects of resistance and functional-skills training on habitual activity and constipation among older adults living in long-term care facilities: a randomized controlled trial. <i>BMC Geriatrics</i> , 2006, 6, 9.	1.1	57
57	Economic burden of physical activity-related injuries in Dutch children aged 10-12. <i>British Journal of Sports Medicine</i> , 2011, 45, 1058-1063.	3.1	57
58	Once a week not enough, twice a week not feasible?. <i>Patient Education and Counseling</i> , 2006, 63, 205-214.	1.0	54
59	Validation of predictive equations for resting energy expenditure in obese adolescents. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1244-1254.	2.2	52
60	â€œItâ€™s a Battleâ€   You Want to Do It, but How Will You Get It Done?â€ Teachersâ€™ and Principalsâ€™ Perceptions of Implementing Additional Physical activity in School for Academic Performance. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1160.	1.2	52
61	The effect of walking and vitamin B supplementation on quality of life in community-dwelling adults with mild cognitive impairment: a randomized, controlled trial. <i>Quality of Life Research</i> , 2007, 16, 1137-1146.	1.5	51
62	Study protocol of physical activity and sedentary behaviour measurement among schoolchildren by accelerometry - Cross-sectional survey as part of the ENERGY-project. <i>BMC Public Health</i> , 2011, 11, 182.	1.2	51
63	Health needs of refugee children identified on arrival in reception countries: a systematic review and meta-analysis. <i>BMJ Paediatrics Open</i> , 2019, 3, e000516.	0.6	51
64	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 303-314.	0.2	50
65	Self-reported TV and computer time do not represent accelerometer-derived total sedentary time in 10 to 12-year-olds. <i>European Journal of Public Health</i> , 2013, 23, 30-32.	0.1	49
66	Bouts and breaks in children's sedentary time: currently used operational definitions and recommendations for future research. <i>Preventive Medicine</i> , 2015, 77, 1-3.	1.6	49
67	Effectiveness of a School-Based Physical Activity Injury Prevention Program. <i>JAMA Pediatrics</i> , 2010, 164, 145-50.	3.6	47
68	Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. <i>BMC Medical Research Methodology</i> , 2011, 11, 30.	1.4	47
69	Systematic Review of Childhood Sedentary Behavior Questionnaires: What do We Know and What is Next?. <i>Sports Medicine</i> , 2017, 47, 677-699.	3.1	47
70	A Mixed Methods Process Evaluation of the Implementation of JUMP-in, a Multilevel School-Based Intervention Aimed at Physical Activity Promotion. <i>Health Promotion Practice</i> , 2013, 14, 777-790.	0.9	46
71	Physical activity and the risk of developing lung cancer among smokers: A meta-analysis. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 67-71.	0.6	46
72	Comparison of methods for the analysis of relatively simple mediation models. <i>Contemporary Clinical Trials Communications</i> , 2017, 7, 130-135.	0.5	46

#	ARTICLE	IF	CITATIONS
73	Test-retest reliability and construct validity of the ENERGY-parent questionnaire on parenting practices, energy balance-related behaviours and their potential behavioural determinants: the ENERGY-project. <i>BMC Research Notes</i> , 2012, 5, 434.	0.6	44
74	Associations between home- and family-related factors and fruit juice and soft drink intake among 10- to 12-year old children. <i>The ENERGY project. Appetite</i> , 2013, 61, 59-65.	1.8	44
75	Sedentary behaviour and health in children – Evaluating the evidence. <i>Preventive Medicine</i> , 2015, 70, 1-2.	1.6	44
76	Design of the iPlay Study. <i>Sports Medicine</i> , 2009, 39, 889-901.	3.1	43
77	Effect of four additional physical education lessons on body composition in children aged 8–13 years – a prospective study during two school years. <i>BMC Pediatrics</i> , 2013, 13, 170.	0.7	43
78	Long-term effectiveness and cost-effectiveness of high versus low-to-moderate intensity resistance and endurance exercise interventions among cancer survivors. <i>Journal of Cancer Survivorship</i> , 2018, 12, 417-429.	1.5	43
79	Netherlands Research programme weight Gain prevention (NHF-NRG): rationale, objectives and strategies. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 498-507.	1.3	41
80	Effects of one versus two bouts of moderate intensity physical activity on selective attention during a school morning in Dutch primary schoolchildren: A randomized controlled trial. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 820-824.	0.6	41
81	Associations between overweight and mental health problems among adolescents, and the mediating role of victimization. <i>BMC Public Health</i> , 2019, 19, 612.	1.2	41
82	Effectiveness of JUMP-in, a Dutch primary school-based community intervention aimed at the promotion of physical activity. <i>British Journal of Sports Medicine</i> , 2011, 45, 1052-1057.	3.1	40
83	Are associations between the perceived home and neighbourhood environment and children's physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , 2013, 24, 44-53.	1.5	40
84	Occurrence and duration of various operational definitions of sedentary bouts and cross-sectional associations with cardiometabolic health indicators: The ENERGY-project. <i>Preventive Medicine</i> , 2015, 71, 101-106.	1.6	40
85	Physical Activity in the School Setting: Cognitive Performance Is Not Affected by Three Different Types of Acute Exercise. <i>Frontiers in Psychology</i> , 2016, 7, 723.	1.1	40
86	Demographic, clinical, psychosocial, and environmental correlates of objectively assessed physical activity among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2016, 24, 3333-3342.	1.0	40
87	Fatigue mediates the relationship between physical fitness and quality of life in cancer survivors. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 99-104.	0.6	39
88	The Dutch Obesity Intervention in Teenagers (DOIT) cluster controlled implementation trial: intervention effects and mediators and moderators of adiposity and energy balance-related behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 158.	2.0	39
89	Mediators of the resistance and aerobic exercise intervention effect on physical and general health in men undergoing androgen deprivation therapy for prostate cancer. <i>Cancer</i> , 2014, 120, 294-301.	2.0	38
90	Psychometric evaluation of two short versions of the Revised Child Anxiety and Depression Scale. <i>BMC Psychiatry</i> , 2020, 20, 47.	1.1	38

#	ARTICLE	IF	CITATIONS
91	Design of the Quality of Life in Motion (QLIM) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of a combined physical exercise and psychosocial training program to improve physical fitness in children with cancer. <i>BMC Cancer</i> , 2010, 10, 624.	1.1	37
92	The neighborhood social environment and body mass index among youth: a mediation analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 31.	2.0	37
93	Large proportions of overweight and obese children, as well as their parents, underestimate children's weight status across Europe. <i>The ENERGY (European Energy balance Research to prevent) Tj ETQq1</i> 1.0.7843146rgBT /O	1.0	36
94	Which cancer survivors are at risk for a physically inactive and sedentary lifestyle? Results from pooled accelerometer data of 1447 cancer survivors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 66.	2.0	36
95	Why did soft drink consumption decrease but screen time not? Mediating mechanisms in a school-based obesity prevention program. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 41.	2.0	35
96	Design of the EXercise Intervention after Stem cell Transplantation (EXIST) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of an individualized high intensity physical exercise program on fitness and fatigue in patients with multiple myeloma or (non-) Hodgkin's lymphoma treated with high dose chemotherapy and autologous stem cell transplantation. <i>BMC Cancer</i> , 2010, 10, 671.	1.1	35
97	Predicting Optimal Cancer Rehabilitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. <i>Systematic Reviews</i> , 2013, 2, 75.	2.5	35
98	Comparing Different Accelerometer Cut-Points for Sedentary Time in Children. <i>Pediatric Exercise Science</i> , 2012, 24, 220-228.	0.5	34
99	Understanding obesity-related behaviors in youth from a systems dynamics perspective: The use of causal loop diagrams. <i>Obesity Reviews</i> , 2021, 22, e13185.	3.1	34
100	Do major life events influence physical activity among older adults: the Longitudinal Aging Study Amsterdam. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 147.	2.0	33
101	Biological, socio-demographic, work and lifestyle determinants of sitting in young adult women: a prospective cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 7.	2.0	33
102	A System Dynamics and Participatory Action Research Approach to Promote Healthy Living and a Healthy Weight among 10-14-Year-Old Adolescents in Amsterdam: The LIKE Programme. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4928.	1.2	33
103	Direction of the association between body fatness and self-reported screen time in Dutch adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 4.	2.0	32
104	Not Only Adults Can Make Good Decisions, We as Children Can Do That as Well-Evaluating the Process of the Youth-Led Participatory Action Research "Kids in Action". <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 625.	1.2	32
105	Interventions that stimulate healthy sleep in school-aged children: a systematic literature review. <i>European Journal of Public Health</i> , 2017, 27, 53-65.	0.1	31
106	Long-term effectiveness and cost-effectiveness of an 18-week supervised exercise program in patients treated with autologous stem cell transplantation: results from the EXIST study. <i>Journal of Cancer Survivorship</i> , 2019, 13, 558-569.	1.5	31
107	Return to work experiences of patients treated with stem cell transplantation for a hematologic malignancy. <i>Supportive Care in Cancer</i> , 2019, 27, 2987-2997.	1.0	31
108	Process evaluation of a school-based weight gain prevention program: the Dutch Obesity Intervention in Teenagers (DOiT). <i>Health Education Research</i> , 2009, 24, 772-777.	1.0	30

#	ARTICLE	IF	CITATIONS
109	Process Evaluation of a Lifestyle Intervention to Prevent Diabetes and Cardiovascular Diseases in Primary Care. <i>Health Promotion Practice</i> , 2012, 13, 696-706.	0.9	30
110	Parents and friends both matter: simultaneous and interactive influences of parents and friends on European schoolchildren's energy balance-related behaviours – the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 82.	2.0	30
111	Improving Cognitive Performance of 9–12 Years Old Children: Just Dance? A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2019, 10, 174.	1.1	30
112	Tracking of total sedentary time and sedentary patterns in youth: a pooled analysis using the International Children's Accelerometry Database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 65.	2.0	30
113	Determinants of engaging in sedentary behavior across the lifespan; lessons learned from two systematic reviews conducted within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 134.	2.0	29
114	Family sociodemographic characteristics as correlates of children's breakfast habits and weight status in eight European countries. <i>The ENERGY (European Energy balance Research to prevent) Tj ETQq0 0 0 rgBT1/Overlock20 Tf 50 5</i>	1.0	29
115	Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. <i>PLoS ONE</i> , 2015, 10, e0126023.	1.1	28
116	Exploratory Study of Web-Based Planning and Mobile Text Reminders in an Overweight Population. <i>Journal of Medical Internet Research</i> , 2011, 13, e118.	2.1	28
117	Associations between Family-Related Factors, Breakfast Consumption and BMI among 10- to 12-Year-Old European Children: The Cross-Sectional ENERGY-Study. <i>PLoS ONE</i> , 2013, 8, e79550.	1.1	27
118	Using a Co-Creational Approach to Develop, Implement and Evaluate an Intervention to Promote Physical Activity in Adolescent Girls from Vocational and Technical Schools: A Case Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 862.	1.2	27
119	Why Do Children Engage in Sedentary Behavior? Child- and Parent-Perceived Determinants. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 671.	1.2	27
120	Adolescents' Views on Active and Non-Active Videogames: A Focus Group Study. <i>Games for Health Journal</i> , 2012, 1, 211-218.	1.1	24
121	Exploring facilitating factors and barriers to the nationwide dissemination of a Dutch school-based obesity prevention program – DOIT – a study protocol. <i>BMC Public Health</i> , 2013, 13, 1201.	1.2	24
122	Active and non-active video gaming among Dutch adolescents: Who plays and how much?. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 597-601.	0.6	24
123	Dutch Primary Schoolchildren's Perspectives of Activity-Friendly School Playgrounds: A Participatory Study. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 526.	1.2	24
124	Implemented or not implemented? Process evaluation of the school-based obesity prevention program DOIT and associations with program effectiveness. <i>Health Education Research</i> , 2016, 31, 220-233.	1.0	24
125	Mediators of Exercise Effects on HRQoL in Cancer Survivors after Chemotherapy. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1859-1865.	0.2	24
126	Evaluation of the UP4FUN Intervention: A Cluster Randomized Trial to Reduce and Break Up Sitting Time in European 10-12-Year-Old Children. <i>PLoS ONE</i> , 2015, 10, e0122612.	1.1	24



#	ARTICLE	IF	CITATIONS
127	Design of the Resistance and Endurance exercise After ChemoTherapy (REACT) study: A randomized controlled trial to evaluate the effectiveness and cost-effectiveness of exercise interventions after chemotherapy on physical fitness and fatigue. <i>BMC Cancer</i> , 2010, 10, 658.	1.1	23
128	Alpe dâ€™HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 143-156.	0.8	23
129	TV Time but Not Computer Time Is Associated with Cardiometabolic Risk in Dutch Young Adults. <i>PLoS ONE</i> , 2013, 8, e57749.	1.1	23
130	The ENCOMPASS framework: a practical guide for the evaluation of public health programmes in complex adaptive systems. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 33.	2.0	23
131	Measuring pathways towards a healthier lifestyle in the Hoorn Prevention Study: the Determinants of Lifestyle Behavior Questionnaire (DLBQ). <i>Patient Education and Counseling</i> , 2011, 85, e53-e58.	1.0	22
132	Fat-free mass prediction equations for bioelectric impedance analysis compared to dual energy X-ray absorptiometry in obese adolescents: a validation study. <i>BMC Pediatrics</i> , 2015, 15, 158.	0.7	22
133	Implementation evaluation of school-based obesity prevention programmes in youth; how, what and why?. <i>Public Health Nutrition</i> , 2015, 18, 1531-1534.	1.1	22
134	Detection of memory impairment in the general population: screening by questionnaire and telephone compared to subsequent face-to-face assessment. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 203-210.	1.3	21
135	Objective and Self-Rated Sedentary Time and Indicators of Metabolic Health in Dutch and Hungarian 10-12 Year Olds: The ENERGY-Project. <i>PLoS ONE</i> , 2012, 7, e36657.	1.1	21
136	Screen time and cardiometabolic function in Dutch 5-6 year olds: cross-sectional analysis of the ABCD-study. <i>BMC Public Health</i> , 2014, 14, 933.	1.2	21
137	Agreement between parent and child report on parental practices regarding dietary, physical activity and sedentary behaviours: the ENERGY cross-sectional survey. <i>BMC Public Health</i> , 2014, 14, 918.	1.2	21
138	Is the prevalence of hypertension in overweight children overestimated?. <i>Archives of Disease in Childhood</i> , 2016, 101, 998-1003.	1.0	21
139	Barriers and facilitators to the nationwide dissemination of the Dutch school-based obesity prevention programme DOIT. <i>European Journal of Public Health</i> , 2016, 26, 611-616.	0.1	21
140	Co-designing obesity prevention interventions together with children: intervention mapping meets youth-led participatory action research. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 130.	2.0	21
141	The prospective relationship between sedentary time and cardiometabolic health in adults at increased cardiometabolic risk â€“ the Hoorn Prevention Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 90.	2.0	20
142	Pediatrician-experienced barriers in the medical care for refugee children in the Netherlands. <i>European Journal of Pediatrics</i> , 2018, 177, 995-1002.	1.3	20
143	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. <i>Journal of Psychosomatic Research</i> , 2019, 124, 109746.	1.2	20
144	Dose-response associations between screen time and overweight among youth. <i>Pediatric Obesity</i> , 2009, 4, 61-64.	3.2	19

#	ARTICLE	IF	CITATIONS
145	Reduction in sugar-sweetened beverages is not associated with more water or diet drinks. <i>Public Health Nutrition</i> , 2011, 14, 1388-1393.	1.1	19
146	Mediators of the effect of the JUMP-in intervention on physical activity and sedentary behavior in Dutch primary schoolchildren from disadvantaged neighborhoods. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 131.	2.0	19
147	Effect of the Go4it multidisciplinary group treatment for obese adolescents on health related quality of life: a randomised controlled trial. <i>BMC Public Health</i> , 2013, 13, 939.	1.2	19
148	Is There an Association Between Cortisol and Hypertension in Overweight or Obese Children?. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2017, 9, 344-349.	0.4	19
149	Total volume versus bouts: prospective relationship of physical activity and sedentary time with cardiometabolic risk in children. <i>International Journal of Obesity</i> , 2018, 42, 1733-1742.	1.6	19
150	Strategies and effects of promising school-based interventions to promote active school transportation by bicycle among children and adolescents: protocol for a systematic review. <i>Systematic Reviews</i> , 2019, 8, 296.	2.5	19
151	Determinants of Child Health Behaviors in a Disadvantaged Area from a Community Perspective: A Participatory Needs Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 644.	1.2	18
152	Physical activity in patients with cancer: self-report versus accelerometer assessments. <i>Supportive Care in Cancer</i> , 2020, 28, 3701-3709.	1.0	18
153	Co-creating a 24-hour movement behavior tool together with 9-12-year-old children using mixed-methods: MyDailyMoves. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 63.	2.0	18
154	Ethnic differences in BMI among Dutch adolescents: what is the role of screen-viewing, active commuting to school, and consumption of soft drinks and high-caloric snacks?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 23.	2.0	17
155	Effectiveness of a school-based physical activity-related injury prevention program on risk behavior and neuromotor fitness a cluster randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 9.	2.0	17
156	Study protocol: the relation of birth weight and infant growth trajectories with physical fitness, physical activity and sedentary behavior at 8-9 years of age - the ABCD study. <i>BMC Pediatrics</i> , 2013, 13, 102.	0.7	17
157	Longer Sleep – Slimmer Kids: The ENERGY-Project. <i>PLoS ONE</i> , 2013, 8, e59522.	1.1	17
158	Active video games as a tool to prevent excessive weight gain in adolescents: rationale, design and methods of a randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 275.	1.2	17
159	Daily Variations in Weather and the Relationship With Physical Activity and Sedentary Time in European 10- to 12-Year-Olds: The ENERGY-Project. <i>Journal of Physical Activity and Health</i> , 2014, 11, 419-425.	1.0	17
160	Family-based interventions to increase physical activity in children: a meta-analysis and realist synthesis protocol. <i>BMJ Open</i> , 2014, 4, e005439-e005439.	0.8	16
161	More children more active: Tailored playgrounds positively affect physical activity levels amongst youth. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 250-254.	0.6	16
162	Exercise of Varying Durations: No Acute Effects on Cognitive Performance in Adolescents. <i>Frontiers in Neuroscience</i> , 2018, 12, 672.	1.4	16

#	ARTICLE	IF	CITATIONS
163	Demographic, clinical and lifestyle-related correlates of accelerometer assessed physical activity and fitness in newly diagnosed patients with head and neck cancer. <i>Acta Oncologica</i> , 2020, 59, 342-350.	0.8	16
164	Strategies and effects of school-based interventions to promote active school transportation by bicycle among children and adolescents: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 138.	2.0	16
165	Effectiveness and promising behavior change techniques of interventions targeting energy balance related behaviors in children from lower socioeconomic environments: A systematic review. <i>PLoS ONE</i> , 2020, 15, e0237969.	1.1	16
166	Study design of 'FRIENDS for Life': process and effect evaluation of an indicated school-based prevention programme for childhood anxiety and depression. <i>BMC Public Health</i> , 2012, 12, 86.	1.2	15
167	Economic evaluation of a lifestyle intervention in primary care to prevent type 2 diabetes mellitus and cardiovascular diseases: a randomized controlled trial. <i>BMC Family Practice</i> , 2013, 14, 45.	2.9	15
168	Patterns of objectively measured sedentary time in 10- to 12-year-old Belgian children: an observational study within the ENERGY-project. <i>BMC Pediatrics</i> , 2017, 17, 147.	0.7	15
169	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2167-2173.	0.5	15
170	Energy Balance Related Behaviour: Personal, Home- and Friend-Related Factors among Schoolchildren in Europe Studied in the ENERGY-Project. <i>PLoS ONE</i> , 2014, 9, e111775.	1.1	15
171	Screen-based sedentary time: Association with soft drink consumption and the moderating effect of parental education in European children: The ENERGY study. <i>PLoS ONE</i> , 2017, 12, e0171537.	1.1	15
172	Process evaluation of a school based physical activity related injury prevention programme using the RE-AIM framework. <i>BMC Pediatrics</i> , 2010, 10, 86.	0.7	14
173	Mediators of longitudinal changes in measures of adiposity in teenagers using parallel process latent growth modeling. <i>Obesity</i> , 2013, 21, 2387-2395.	1.5	14
174	Child and Parent Perceived Determinants of Children's Inadequate Sleep Health. A Concept Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1583.	1.2	14
175	Self-Reported Screen Time and Cardiometabolic Risk in Obese Dutch Adolescents. <i>PLoS ONE</i> , 2012, 7, e53333.	1.1	13
176	Test-retest reliability and construct validity of the DOiT (Dutch Obesity Intervention in Teenagers) questionnaire: measuring energy balance-related behaviours in Dutch adolescents. <i>Public Health Nutrition</i> , 2014, 17, 277-286.	1.1	13
177	The association of birth weight and postnatal growth with energy intake and eating behavior at 5 years of age: a birth cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 15.	2.0	13
178	A novel method to promote physical activity among older adults in residential care: an exploratory field study on implicit social norms. <i>BMC Geriatrics</i> , 2017, 17, 8.	1.1	13
179	The Association of Birth Weight and Infant Growth with Energy Balance-Related Behavior: A Systematic Review and Best-Evidence Synthesis of Human Studies. <i>PLoS ONE</i> , 2017, 12, e0168186.	1.1	13
180	Harmonising data on the correlates of physical activity and sedentary behaviour in young people: Methods and lessons learnt from the international Children's Accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 174.	2.0	13

#	ARTICLE	IF	CITATIONS
181	Sociodemographic differences in 10-year time trends of emotional and behavioural problems among adolescents attending secondary schools in Amsterdam, The Netherlands. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1621-1631.	2.8	13
182	Integrating Juggling with Math Lessons: A Randomized Controlled Trial Assessing Effects of Physically Active Learning on Maths Performance and Enjoyment in Primary School Children. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2452.	1.2	13
183	Longitudinal Person-Related Determinants of Physical Activity in Young Adults. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 529-536.	0.2	12
184	Standing is not enough: A randomized crossover study on the acute cardiometabolic effects of variations in sitting in healthy young men. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 790-796.	0.6	12
185	The consequences of using different epoch lengths on the classification of accelerometer based sedentary behaviour and physical activity. <i>PLoS ONE</i> , 2021, 16, e0254721.	1.1	12
186	Health-related physical fitness in patients with multiple myeloma or lymphoma recently treated with autologous stem cell transplantation. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 116-122.	0.6	11
187	Kids in Action: the protocol of a Youth Participatory Action Research project to promote physical activity and dietary behaviour. <i>BMJ Open</i> , 2019, 9, e025584.	0.8	11
188	From Total Volume to Sequence Maps: Sophisticated Accelerometer Data Analysis. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 814-820.	0.2	11
189	A systematic review of proxy-report questionnaires assessing physical activity, sedentary behavior and/or sleep in young children (aged 0-5 years). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 18.	2.0	11
190	Number and appraisal of daily hassles and life events in young adulthood: the association with physical activity and screen time: a longitudinal cohort study. <i>BMC Public Health</i> , 2014, 14, 1067.	1.2	10
191	The UP4FUN Intervention Effect on Breaking Up Sedentary Time in 10- to 12-Year-Old Belgian Children: The ENERGY Project. <i>Pediatric Exercise Science</i> , 2015, 27, 234-242.	0.5	10
192	The association of birth weight and infant growth with childhood autonomic nervous system activity and its mediating effects on energy-balance-related behaviours—the ABCD study. <i>International Journal of Epidemiology</i> , 2016, 45, 1079-1090.	0.9	10
193	Untapped Resources: 10- to 13-Year-Old Primary Schoolchildren's Views on Additional Physical Activity in the School Setting: A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2713.	1.2	10
194	An activity-friendly environment from the adolescent perspective: a concept mapping study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 99.	2.0	10
195	How Does a Supervised Exercise Program Improve Quality of Life in Patients with Cancer? A Concept Mapping Study Examining Patients' Perspectives. <i>Oncologist</i> , 2019, 24, e374-e383.	1.9	10
196	Sleep during Infancy and Associations with Childhood Body Composition: A Systematic Review and Narrative Synthesis. <i>Childhood Obesity</i> , 2020, 16, 94-116.	0.8	10
197	Differences in beliefs and home environments regarding energy balance behaviors according to parental education and ethnicity among schoolchildren in Europe: the ENERGY cross sectional study. <i>BMC Public Health</i> , 2014, 14, 610.	1.2	9
198	Associations between active video gaming and other energy-balance related behaviours in adolescents: a 24-hour recall diary study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 32.	2.0	9

#	ARTICLE	IF	CITATIONS
199	Lessons learnt from a process evaluation of an exercise intervention in patients treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , 2018, 27, e12779.	0.7	9
200	Recommendations for obesity prevention among adolescents from disadvantaged backgrounds: a concept mapping study among scientific and professional experts. <i>Pediatric Obesity</i> , 2018, 13, 389-392.	1.4	9
201	Adolescent anxiety and depression: burden of disease study in 53,894 secondary school pupils in the Netherlands. <i>BMC Psychiatry</i> , 2022, 22, 225.	1.1	9
202	Comparison of energy balance-related behaviours and measures of body composition between Turkish adolescents in Turkey and Turkish immigrant adolescents in the Netherlands. <i>Public Health Nutrition</i> , 2014, 17, 2692-2699.	1.1	8
203	The role of family-related factors in the effects of the UP4FUN school-based family-focused intervention targeting screen time in 10- to 12-year-old children: the ENERGY project. <i>BMC Public Health</i> , 2014, 14, 857.	1.2	8
204	Muscle contractile properties of cancer patients receiving chemotherapy: Assessment of feasibility and exercise effects. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1918-1929.	1.3	8
205	Moderators of the mediated effect of intentions, planning, and saturated-fat intake in obese individuals. <i>Health Psychology</i> , 2012, 31, 371-379.	1.3	7
206	In Preparation of the Nationwide Dissemination of the School-Based Obesity Prevention Program <sc>DOIT</sc>: Stepwise Development Applying the Intervention Mapping Protocol. <i>Journal of School Health</i> , 2014, 84, 481-492.	0.8	7
207	FRIENDS for Life: Implementation of an indicated prevention program targeting childhood anxiety and depression in a naturalistic setting. <i>Mental Health and Prevention</i> , 2017, 6, 44-50.	0.7	7
208	Cardiometabolic risk factor levels in Norwegian children compared to international reference values: The ASK study. <i>PLoS ONE</i> , 2019, 14, e0220239.	1.1	7
209	Potential determinants during "the first 1000 days of life" of sleep problems in school-aged children. <i>Sleep Medicine</i> , 2020, 69, 135-144.	0.8	7
210	Effects of Multiple Sedentary Days on Metabolic Risk Factors in Free-Living Conditions: Lessons Learned and Future Recommendations. <i>Frontiers in Physiology</i> , 2016, 7, 616.	1.3	6
211	Promoting Factors for Physical Activity in Children with Asthma Explored through Concept Mapping. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4467.	1.2	6
212	Personal, Social, and Game-Related Correlates of Active and Non-Active Gaming Among Dutch Gaming Adolescents: Survey-Based Multivariable, Multilevel Logistic Regression Analyses. <i>JMIR Serious Games</i> , 2014, 2, e4.	1.7	6
213	Effects of the Active Smarter Kids (ASK) physical activity intervention on cardiometabolic risk factors in children: A cluster-randomized controlled trial. <i>Preventive Medicine</i> , 2020, 130, 105868.	1.6	5
214	Trends in Neuromotor Fitness in 10-to-12-Year-Old Dutch Children: A Comparison Between 2006 and 2015/2017. <i>Frontiers in Public Health</i> , 2020, 8, 559485.	1.3	5
215	The Unique Extended Selection Cohorts Design for the Evaluation of the School-Based Jump-In Intervention on Dietary Habits: A Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1145.	1.2	5
216	Correlates of inadequate sleep health among primary school children. <i>Journal of Sleep Research</i> , 2022, 31, e13483.	1.7	5

#	ARTICLE	IF	CITATIONS
217	Evaluation proposal of a national community-based obesity prevention programme: a novel approach considering the complexity perspective. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 31.	2.0	5
218	Gender Influence on Students, Parents, and Teachersâ€™ Perceptions of What Children and Adolescents in Germany Need to Cycle to School: A Concept Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6872.	1.2	4
219	Cross-validation of cut-points in preschool children using different accelerometer placements and data axes. <i>Journal of Sports Sciences</i> , 2022, 40, 379-385.	1.0	4
220	Body mass index, waist circumference and skinâ€™fold thickness in 12â€™ to 14â€™-yearâ€™old Dutch adolescents: differences between 2003 and 2011. <i>Pediatric Obesity</i> , 2014, 9, e137-40.	1.4	3
221	Screening, diagnosis and treatment of hypertension in obese children: an international policy comparison. <i>Journal of Nephrology</i> , 2017, 30, 119-125.	0.9	3
222	Body image: a survey of children in Caribbean Bonaire. <i>BMJ Paediatrics Open</i> , 2017, 1, e000062.	0.6	3
223	Do Young People Ever Sit Still? Variations in Accelerometer Counts, Muscle Activity and Heart Rate across Various Sedentary Activities in Youth. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1009.	1.2	3
224	Perceived Determinants of Childrenâ€™s Inadequate Sleep Health. A Concept Mapping Study among Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7315.	1.2	3
225	Ideal cardiovascular health at age 5â€™-6â€™-years and cardiometabolic outcomes in preadolescence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 33.	2.0	3
226	Development of a core outcome set for school-based intervention studies on preventing childhood overweight and obesity: study protocol. <i>BMJ Open</i> , 2022, 12, e051726.	0.8	3
227	Feelings and Intervention Judgments as Mediators in the Risk Perception-Intention Relationship. <i>American Journal of Health Behavior</i> , 2013, 37, 555-564.	0.6	2
228	From accelerometer output to physical activity intensities in breast cancer patients. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 176-181.	0.6	2
229	Perspectives of health practitioners and adults who regained weight on predictors of relapse in weight loss maintenance behaviors: a concept mapping study. <i>Health Psychology and Behavioral Medicine</i> , 2022, 10, 22-40.	0.8	2
230	Interrater Reliability of the ENERGY Photo-Rating Instrument for School Environments Related to Physical Activity and Eating. <i>Journal of Physical Activity and Health</i> , 2016, 13, 433-439.	1.0	1
231	Stabilization of the obesity epidemic and increasing thinness in children in Caribbean Bonaire. <i>BMC Pediatrics</i> , 2018, 18, 168.	0.7	1
232	How to Evaluate the Effectiveness of Health Promotion Actions Developed Through Youth-Centered Participatory Action Research. <i>Health Education and Behavior</i> , 2023, 50, 199-210.	1.3	1
233	Linking the RCADS-25 to the PROMISÂ® pediatric item banks Anxiety and Depressive Symptoms in a general Dutch population sample. <i>Quality of Life Research</i> , 2022, 31, 1587-1595.	1.5	1
234	Letter to the editor regarding 'Study design of 'Friends for Life': a process and effect evaluation of an indicated school-based prevention program'; response to Lima et al. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 671.	1.0	0

#	ARTICLE	IF	CITATIONS
235	Question 1: What is the best strategy to promote water consumption in children?. Archives of Disease in Childhood, 2016, 101, 107.1-109.	1.0	0
236	Child- and Parent-Related Correlates of Total and Prolonged Sedentary Time in 5- to 6-Year-Old Children. International Journal of Environmental Research and Public Health, 2018, 15, 1817.	1.2	0
237	The association between well-being and a large variation of accelerometer-assessed physical activity and sedentary behavior measures. Mental Health and Physical Activity, 2022, , 100446.	0.9	0
238	Title is missing!. , 2020, 15, e0237969.		0
239	Title is missing!. , 2020, 15, e0237969.		0
240	Title is missing!. , 2020, 15, e0237969.		0