

Liang Feng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6026030/liang-feng-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

3,568
citations

33
h-index

58
g-index

88
ext. papers

4,108
ext. citations

7
avg, IF

5.68
L-index

#	Paper	IF	Citations
84	Target-Responsive Smart Nanomaterials via a Au-S Binding Encapsulation Strategy for Electrochemical/Colorimetric Dual-Mode Paper-Based Analytical Devices.. <i>Analytical Chemistry</i> , 2022 ,	7.8	3
83	The BODIPY-based chemosensor for the fluorometric determination of organochlorine pesticide dicofol. <i>Food Chemistry</i> , 2022 , 370, 131033	8.5	0
82	Using ratiometric indicator-displacement-assay in semi-quantitative colorimetric determination of tetracyclines. <i>Chinese Journal of Analytical Chemistry</i> , 2022 , 100088	1.6	
81	A full-set and self-powered ammonia leakage monitor system based on CNTs-PPy and triboelectric nanogenerator for zero-carbon vessels. <i>Nano Energy</i> , 2022 , 98, 107271	17.1	4
80	Fluorometric determination of ziram using CsPbBr quantum dots. <i>Mikrochimica Acta</i> , 2021 , 188, 390	5.8	1
79	Inkjet-printed paper-based sensor array for highly accurate pH sensing. <i>Analytica Chimica Acta</i> , 2021 , 1154, 338275	6.6	7
78	Polyaniline-Reduced Graphene Oxide Nanosheets for Room Temperature NH ₃ Detection. <i>ACS Applied Nano Materials</i> , 2021 , 4, 5263-5272	5.6	5
77	Electrochemical/visual dual-readout aptasensor for Ochratoxin A detection integrated into a miniaturized paper-based analytical device. <i>Biosensors and Bioelectronics</i> , 2021 , 180, 113146	11.8	27
76	Flexible TiCT MXene/PANI/Bacterial Cellulose Aerogel for e-Skins and Gas Sensing. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 45987-45994	9.5	11
75	High-performance fluorescent sensor based on CsPbBr ₃ quantum dots for rapid analysis of total polar materials in edible oils. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130193	8.5	7
74	A novel wearable TEA sensor based on PDDA-functionalized graphene/polyaniline composite self-powered by a triboelectric nanogenerator. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130308	8.5	1
73	Design and preparation of hollow NiO sphere- polyaniline composite for NH ₃ gas sensing at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130179	8.5	14
72	Scalable fabrication of in-plane microscale self-powered integrated systems for fast-response and highly selective dual-channel gas detection. <i>Nano Energy</i> , 2021 , 88, 106253	17.1	4
71	Progress in Paper-based Colorimetric Sensor Array. <i>Chinese Journal of Analytical Chemistry</i> , 2020 , 48, 1448-1457	1.6	11
70	A Wearable Toxic Gas-Monitoring Device Based on Triboelectric Nanogenerator for Self-Powered Aniline Early Warning. <i>Advanced Materials Technologies</i> , 2020 , 5, 1901087	6.8	40
69	Hierarchical Ordered Dual-Mesoporous Polypyrrole/Graphene Nanosheets as Bi-Functional Active Materials for High-Performance Planar Integrated System of Micro-Supercapacitor and Gas Sensor. <i>Advanced Functional Materials</i> , 2020 , 30, 1909756	15.6	55
68	Hydrogel-Based Gas Sensors for NO and NH ₃ . <i>ACS Sensors</i> , 2020 , 5, 772-780	9.2	24

67	2D ZIF-derived ZnO nanosheets—An example for improving semiconductor metal oxide detector performance in gas chromatography through material design strategy. <i>Sensors and Actuators B: Chemical</i> , 2020 , 307, 127580	8.5	10
66	Specific detection and discrimination of dithiocarbamates using CTAB-encapsulated fluorescent copper nanoclusters. <i>Talanta</i> , 2020 , 210, 120627	6.2	8
65	The SPE-assisted europium (III) based complex fluorometric assay for the highly selective and sensitive detection of manganese (II) in water. <i>Talanta</i> , 2020 , 210, 120633	6.2	2
64	Exploring Solvent-Related Reactions and Corresponding Band Gap Tuning Strategies for Carbon Nanodots Based on Solvothermal Synthesis. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 10439-10445	6.4	3
63	NH Sensor Based on 2D Wormlike Polypyrrole/Graphene Heterostructures for a Self-Powered Integrated System. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 38674-38681	9.5	17
62	Needle-Shaped WO ₃ Nanorods for Triethylamine Gas Sensing. <i>ACS Applied Nano Materials</i> , 2020 , 3, 9046-9054	9.054	35
61	Organic-inorganic manganese (II) halide hybrids based paper sensor for the fluorometric determination of pesticide ferbam. <i>Sensors and Actuators B: Chemical</i> , 2019 , 297, 126701	8.5	25
60	A paper-based microfluidic analytical device combined with home-made SPE column for the colorimetric determination of copper(II) ion. <i>Talanta</i> , 2019 , 204, 518-524	6.2	14
59	Family of Highly Luminescent Pure Ionic Copper(I) Bromide Based Hybrid Materials. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 17513-17520	9.5	25
58	A PAD for simultaneous monitoring of Cu ²⁺ , Fe ²⁺ and free chlorine in drinking water. <i>Sensors and Actuators B: Chemical</i> , 2019 , 293, 350-356	8.5	12
57	Chemoselectivity of Pristine Cellulose Nanocrystal Films Driven by Carbohydrate-Carbohydrate Interactions. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 13114-13122	9.5	17
56	The BODIPY-Based Chemosensor for Fluorometric/Colorimetric Dual Channel Detection of RDX and PA. <i>Analytical Chemistry</i> , 2019 , 91, 13675-13680	7.8	18
55	An Electronic Nose Based on Copper Oxide Heterojunctions for Rapid Assessment of Liquor. <i>Chinese Journal of Analytical Chemistry</i> , 2019 , 47, e19073-e19080	1.6	6
54	Rational interaction between the aimed gas and oxide surfaces enabling high-performance sensor: The case of acidic H ₂ MoO ₃ nanorods for selective detection of triethylamine. <i>Journal of Alloys and Compounds</i> , 2019 , 783, 574-582	5.7	49
53	A versatile fluorimetric chemosensor for mercury (II) assay based on carbon nanodots. <i>Sensors and Actuators B: Chemical</i> , 2018 , 265, 293-301	8.5	12
52	Density Gradient Strategy for Preparation of Broken InO Microtubes with Remarkably Selective Detection of Triethylamine Vapor. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 27131-27140	9.5	59
51	Assessment of the inhibitory effects of pyrethroids against human carboxylesterases. <i>Toxicology and Applied Pharmacology</i> , 2017 , 321, 48-56	4.6	34
50	A Naturally Occurring Isoform-Specific Probe for Highly Selective and Sensitive Detection of Human Cytochrome P450 3A5. <i>Journal of Medicinal Chemistry</i> , 2017 , 60, 3804-3813	8.3	17

49	Efficient syntheses of (-)-crinine and (-)-aspidospermidine, and the formal synthesis of (-)-minfiensine by enantioselective intramolecular dearomative cyclization. <i>Chemical Science</i> , 2017 , 8, 6247-6256	9.4	53
48	Rapid detection of Cr(VI) ions based on cobalt(II)-doped carbon dots. <i>Biosensors and Bioelectronics</i> , 2017 , 87, 46-52	11.8	162
47	Intraparticle FRET of Mn(II)-doped carbon dots and its application in discrimination of volatile organic compounds. <i>Nanoscale</i> , 2016 , 8, 17190-17195	7.7	27
46	BODIPY-based self-assembled nanoparticles as fluorescence turn-on sensor for the selective detection of zinc in human hair. <i>Biosensors and Bioelectronics</i> , 2016 , 85, 515-521	11.8	33
45	A mesoporous Ni ₃ N/NiO composite with a core-shell structure for room temperature, selective and sensitive NO ₂ gas sensing. <i>RSC Advances</i> , 2016 , 6, 42917-42922	3.7	6
44	Colorimetric sensors with different reactivity for the quantitative determination of cysteine, homocysteine and glutathione in a mixture. <i>RSC Advances</i> , 2015 , 5, 13042-13045	3.7	21
43	Uncovering the pKa dependent fluorescence quenching of carbon dots induced by chlorophenols. <i>Nanoscale</i> , 2015 , 7, 6348-55	7.7	28
42	Sensitivity enhancement of pH indicator and its application in the evaluation of fish freshness. <i>Talanta</i> , 2015 , 143, 127-131	6.2	35
41	A highly sensitive and fast responsive semiconductor metal oxide detector based on In ₂ O ₃ nanoparticle film for portable gas chromatograph. <i>Sensors and Actuators B: Chemical</i> , 2015 , 216, 511-517	8.5	16
40	BODIPY-based fluorometric sensor for the simultaneous determination of Cys, Hcy, and GSH in human serum. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 5907-14	9.5	137
39	Supersaturation-controlled synthesis of diverse In ₂ O ₃ morphologies and their shape-dependent sensing performance. <i>CrystEngComm</i> , 2015 , 17, 2989-2995	3.3	14
38	Highly luminescent N, S- Co-doped carbon dots and their direct use as mercury(II) sensor. <i>Analytica Chimica Acta</i> , 2015 , 890, 134-42	6.6	116
37	The calibration of cellphone camera-based colorimetric sensor array and its application in the determination of glucose in urine. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 1029-37	11.8	88
36	Cu ₂ O nanorods modified by reduced graphene oxide for NH ₃ sensing at room temperature. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1174-1181	13	110
35	A novel electronic nose based on porous In ₂ O ₃ microtubes sensor array for the discrimination of VOCs. <i>Biosensors and Bioelectronics</i> , 2015 , 64, 547-53	11.8	41
34	Functionalization of Carbonaceous Nanodots from Mn(II) -Coordinating Functional Knots. <i>Chemistry - A European Journal</i> , 2015 , 21, 14843-50	4.8	33
33	An SPE-assisted BODIPY fluorometric paper sensor for the highly selective and sensitive determination of Cd ²⁺ in complex sample: rice. <i>Analyst, The</i> , 2014 , 139, 3146-53	5	16
32	Self-assembled In ₂ O ₃ truncated octahedron string and its sensing properties for formaldehyde. <i>Sensors and Actuators B: Chemical</i> , 2014 , 201, 228-233	8.5	44

31	Additive-free synthesis of InO ₃ tubes embedded into graphene sheets and their enhanced NO ₂ sensing performance at room temperature. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 21093-100	9.5	100
30	Postage stamp-sized array sensor for the sensitive screening test of heavy-metal ions. <i>Analyst, The</i> , 2014 , 139, 4887-93	5	20
29	An array sensor consisting of a single indicator with multiple concentrations and its application in ion discrimination. <i>Chemical Communications</i> , 2014 , 50, 15389-92	5.8	13
28	Enhancement of sensitivity of paper-based sensor array for the identification of heavy-metal ions. <i>Analytica Chimica Acta</i> , 2013 , 780, 74-80	6.6	71
27	A fluorometric paper-based sensor array for the discrimination of heavy-metal ions. <i>Talanta</i> , 2013 , 108, 103-8	6.2	66
26	Recent Progresses in Optical Colorimetric/Fluorometric Sensor Array. <i>Chinese Journal of Analytical Chemistry</i> , 2013 , 41, 795-802	1.6	11
25	BODIPY-based fluorometric sensor array for the highly sensitive identification of heavy-metal ions. <i>Analytica Chimica Acta</i> , 2013 , 775, 93-9	6.6	44
24	Colorimetric sensing of anions in water using ratiometric indicator-displacement assay. <i>Analytica Chimica Acta</i> , 2012 , 743, 1-8	6.6	37
23	Colorimetric and "turn-on" fluorescent determination of Cu ²⁺ ions based on rhodamine-quinoline derivative. <i>Analyst, The</i> , 2012 , 137, 5829-33	5	26
22	Colorimetric determination of copper(II) ions by filtration on sol-gel membrane doped with diphenylcarbazide. <i>Talanta</i> , 2011 , 84, 913-7	6.2	33
21	Colorimetric filtrations of metal chelate precipitations for the quantitative determination of nickel(II) and lead(II). <i>Analyst, The</i> , 2011 , 136, 4197-203	5	27
20	Discrimination of trace heavy-metal ions by filtration on sol-gel membrane arrays. <i>Chemistry - A European Journal</i> , 2011 , 17, 1101-4	4.8	36
19	Using ratiometric indicator-displacement assays in semi-quantitative colorimetric determination of chloride, bromide, and iodide anions. <i>Analyst, The</i> , 2011 , 136, 5025-9	5	11
18	Colorimetric sensor array for determination and identification of toxic industrial chemicals. <i>Analytical Chemistry</i> , 2010 , 82, 9433-40	7.8	176
17	A colorimetric sensor array for identification of toxic gases below permissible exposure limits. <i>Chemical Communications</i> , 2010 , 46, 2037-9	5.8	179
16	A simple and highly sensitive colorimetric detection method for gaseous formaldehyde. <i>Journal of the American Chemical Society</i> , 2010 , 132, 4046-7	16.4	209
15	Discrimination of complex mixtures by a colorimetric sensor array: coffee aromas. <i>Analytical Chemistry</i> , 2010 , 82, 2067-73	7.8	197
14	Microwave-assisted sol-gel synthesis for molecular imprinting. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1607-12	4.4	11

13	Multiple morphologies of the aggregates from self-assembly of diblock copolymer with relatively long corona-forming block in dilute aqueous solution. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 364-371	2.6	9
12	Chiroptical aggregates from block copolymer bearing amino acid moieties in aqueous solution. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009 , 47, 1345-1355	2.6	8
11	An optoelectronic nose for the detection of toxic gases. <i>Nature Chemistry</i> , 2009 , 1, 562-7	17.6	363
10	An optical reflected device using a molecularly imprinted polymer film sensor. <i>Analytica Chimica Acta</i> , 2009 , 653, 103-8	6.6	28
9	A colorimetric sensor array of porous pigments. <i>Analyst, The</i> , 2009 , 134, 2453-7	5	62
8	A method for removing self-assembled monolayers on gold. <i>Langmuir</i> , 2008 , 24, 8707-10	4	64
7	The fabrication and characterization of a formaldehyde odor sensor using molecularly imprinted polymers. <i>Journal of Colloid and Interface Science</i> , 2005 , 284, 378-82	9.3	73
6	Synthesis, structure and antitumor activities of [Ni(dien) ₂][Ni(CN) ₄] complex. <i>Wuhan University Journal of Natural Sciences</i> , 2004 , 9, 229-233	0.4	1
5	Existence of heme oxygenase-carbon monoxide-cyclic guanosine monophosphate pathway in human trabecular meshwork cells in vitro. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2004 , 24, 173-7		2
4	Synthesis and crystal structure of new supramolecular adducts of [PtCl ₆] ²⁻ with cucurbit [7] uril: [(H ₃ O) ₂ (PtCl ₆)] ₃ (C ₄₂ H ₄₂ N ₂₈ O ₁₄) ₂ ·H ₂ O. <i>Wuhan University Journal of Natural Sciences</i> , 2004 , 9, 99-101	0.4	8
3	Biosensor for the determination of sorbitol based on molecularly imprinted electrosynthesized polymers. <i>Biosensors and Bioelectronics</i> , 2004 , 19, 1513-9	11.8	70
2	Molecularly imprinted TiO ₂ thin film by liquid phase deposition for the determination of L-glutamic acid. <i>Langmuir</i> , 2004 , 20, 1786-90	4	55
1	NMR study of hydroxyl-substituted macrocyclic hexamine in solution. <i>Wuhan University Journal of Natural Sciences</i> , 2003 , 8, 105-106	0.4	