## Luciano F Huergo

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6026568/luciano-f-huergo-publications-by-citations.pdf

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75 papers 1,320 20 33 g-index

87 1,608 4.2 4.42 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
75	The Emergence of 2-Oxoglutarate as a Master Regulator Metabolite. <i>Microbiology and Molecular Biology Reviews</i> , <b>2015</b> , 79, 419-35	13.2	143
74	P(II) signal transduction proteins: nitrogen regulation and beyond. <i>FEMS Microbiology Reviews</i> , <b>2013</b> , 37, 251-83	15.1	134
73	A new P(II) protein structure identifies the 2-oxoglutarate binding site. <i>Journal of Molecular Biology</i> , <b>2010</b> , 400, 531-9	6.5	62
72	PII signal transduction proteins: pivotal players in post-translational control of nitrogenase activity. <i>Microbiology (United Kingdom)</i> , <b>2012</b> , 158, 176-190	2.9	57
71	ADP-ribosylation of dinitrogenase reductase in Azospirillum brasilense is regulated by AmtB-dependent membrane sequestration of DraG. <i>Molecular Microbiology</i> , <b>2006</b> , 59, 326-37	4.1	56
70	Ternary complex formation between AmtB, GlnZ and the nitrogenase regulatory enzyme DraG reveals a novel facet of nitrogen regulation in bacteria. <i>Molecular Microbiology</i> , <b>2007</b> , 66, 1523-35	4.1	47
69	The bacterial signal transduction protein GlnB regulates the committed step in fatty acid biosynthesis by acting as a dissociable regulatory subunit of acetyl-CoA carboxylase. <i>Molecular Microbiology</i> , <b>2015</b> , 95, 1025-35	4.1	45
68	Interactions between PII proteins and the nitrogenase regulatory enzymes DraT and DraG in Azospirillum brasilense. <i>FEBS Letters</i> , <b>2006</b> , 580, 5232-6	3.8	39
67	Interaction of the Nitrogen Regulatory Protein GlnB (P) with Biotin Carboxyl Carrier Protein (BCCP) Controls Acetyl-CoA Levels in the Cyanobacterium sp. PCC 6803. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 1700	5.7	34
66	Nitrogen fixation control in Herbaspirillum seropedicae. <i>Plant and Soil</i> , <b>2012</b> , 356, 197-207	4.2	33
65	Rapid identification of bacterial isolates from wheat roots by high resolution whole cell MALDI-TOF MS analysis. <i>Journal of Biotechnology</i> , <b>2013</b> , 165, 167-74	3.7	32
64	Genomic comparison of the endophyte Herbaspirillum seropedicae SmR1 and the phytopathogen Herbaspirillum rubrisubalbicans M1 by suppressive subtractive hybridization and partial genome sequencing. FEMS Microbiology Ecology, 2012, 80, 441-51	4.3	31
63	Crystal structure of the GlnZ-DraG complex reveals a different form of PII-target interaction.  Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 18972-6	11.5	31
62	In vitro interactions between the PII proteins and the nitrogenase regulatory enzymes dinitrogenase reductase ADP-ribosyltransferase (DraT) and dinitrogenase reductase-activating glycohydrolase (DraG) in Azospirillum brasilense. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 6674-82	5.4	28
61	Comparative proteome analysis of Xanthomonas campestris pv. campestris in the interaction with the susceptible and the resistant cultivars of Brassica oleracea. <i>FEMS Microbiology Letters</i> , <b>2009</b> , 298, 260-6	2.9	28
60	Search for novel targets of the PII signal transduction protein in Bacteria identifies the BCCP component of acetyl-CoA carboxylase as a PII binding partner. <i>Molecular Microbiology</i> , <b>2014</b> , 91, 751-61	4.1	27
59	Campylobacter jejuni Dps protein binds DNA in the presence of iron or hydrogen peroxide. <i>Journal of Bacteriology</i> , <b>2013</b> , 195, 1970-8	3.5	23

## (2011-2021)

58	Magnetic Bead-Based Immunoassay Allows Rapid, Inexpensive, and Quantitative Detection of Human SARS-CoV-2 Antibodies. <i>ACS Sensors</i> , <b>2021</b> , 6, 703-708	9.2	22	
57	A simple, economical and reproducible protein extraction protocol for proteomics studies of soybean roots. <i>Genetics and Molecular Biology</i> , <b>2012</b> , 35, 348-52	2	21	
56	Regulation of nitrogenase by reversible mono-ADP-ribosylation. <i>Current Topics in Microbiology and Immunology</i> , <b>2015</b> , 384, 89-106	3.3	20	
55	Heat stability of Proteobacterial PII protein facilitate purification using a single chromatography step. <i>Protein Expression and Purification</i> , <b>2012</b> , 81, 83-88	2	18	
54	Proteomic analysis of Herbaspirillum seropedicae reveals ammonium-induced AmtB-dependent membrane sequestration of PII proteins. <i>FEMS Microbiology Letters</i> , <b>2010</b> , 308, 40-7	2.9	18	
53	Draft genome sequence of Herbaspirillum lusitanum P6-12, an endophyte isolated from root nodules of Phaseolus vulgaris. <i>Journal of Bacteriology</i> , <b>2012</b> , 194, 4136-7	3.5	18	
52	Proteomic analysis of Herbaspirillum seropedicae cultivated in the presence of sugar cane extract. Journal of Proteome Research, <b>2013</b> , 12, 1142-50	5.6	17	
51	The nitrogenase regulatory enzyme dinitrogenase reductase ADP-ribosyltransferase (DraT) is activated by direct interaction with the signal transduction protein GlnB. <i>Journal of Bacteriology</i> , <b>2013</b> , 195, 279-86	3.5	17	
50	Influence of the ADP/ATP ratio, 2-oxoglutarate and divalent ions on Azospirillum brasilense PII protein signalling. <i>Microbiology (United Kingdom)</i> , <b>2012</b> , 158, 1656-1663	2.9	17	
49	Crystal structure of dinitrogenase reductase-activating glycohydrolase (DraG) reveals conservation in the ADP-ribosylhydrolase fold and specific features in the ADP-ribose-binding pocket. <i>Journal of Molecular Biology</i> , <b>2009</b> , 390, 737-46	6.5	17	
48	Regulation of glnB gene promoter expression in Azospirillum brasilense by the NtrC protein. <i>FEMS Microbiology Letters</i> , <b>2003</b> , 223, 33-40	2.9	16	
47	A broad pH range and processive chitinase from a metagenome library. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2017</b> , 50, e5658	2.8	15	
46	Interaction of GlnK with the GAF domain of Herbaspirillum seropedicae NifA mediates NHH-regulation. <i>Biochimie</i> , <b>2012</b> , 94, 1041-7	4.6	14	
45	Dynamics of the Escherichia coli proteome in response to nitrogen starvation and entry into the stationary phase. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2017</b> , 1865, 344-352	4	13	
44	Identification of six differentially accumulated proteins of Zea mays seedlings (DKB240 variety) inoculated with Azospirillum brasilense strain FP2. <i>European Journal of Soil Biology</i> , <b>2013</b> , 58, 45-50	2.9	13	
43	Use of nitrogen-fixing bacteria to improve agricultural productivity. <i>BMC Proceedings</i> , <b>2014</b> , 8,	2.3	13	
42	Influence of ancient anthropogenic activities on the mangrove soil microbiome. <i>Science of the Total Environment</i> , <b>2018</b> , 645, 1-9	10.2	12	
41	In vitro interaction between the ammonium transport protein AmtB and partially uridylylated forms of the P(II) protein GlnZ. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2011</b> , 1814, 120	3- <del>4</del> 9	12	

40	Effect of the over-expression of PII and PZ proteins on the nitrogenase activity of Azospirillum brasilense. <i>FEMS Microbiology Letters</i> , <b>2005</b> , 253, 47-54	2.9	12
39	Uncovering prokaryotic biodiversity within aerosols of the pristine Amazon forest. <i>Science of the Total Environment</i> , <b>2019</b> , 688, 83-86	10.2	11
38	Proteomic analysis of upland rice (Oryza sativa L.) exposed to intermittent water deficit. <i>Protein Journal</i> , <b>2014</b> , 33, 221-30	3.9	10
37	Effects of over-expression of the regulatory enzymes DraT and DraG on the ammonium-dependent post-translational regulation of nitrogenase reductase in Azospirillum brasilense. <i>Archives of Microbiology</i> , <b>2005</b> , 183, 209-17	3	10
36	Proteome analysis of an Escherichia coli ptsN-null strain under different nitrogen regimes. <i>Journal of Proteomics</i> , <b>2018</b> , 174, 28-35	3.9	9
35	Uridylylation of Herbaspirillum seropedicae GlnB and GlnK proteins is differentially affected by ATP, ADP and 2-oxoglutarate in vitro. <i>Archives of Microbiology</i> , <b>2012</b> , 194, 643-52	3	9
34	Mathematical model of the binding of allosteric effectors to the Escherichia coli PII signal transduction protein GlnB. <i>Biochemistry</i> , <b>2013</b> , 52, 2683-93	3.2	9
33	Role of conserved cysteine residues in Herbaspirillum seropedicae NifA activity. <i>Research in Microbiology</i> , <b>2009</b> , 160, 389-95	4	9
32	First partial proteome of the poultry pathogen Mycoplasma synoviae. <i>Veterinary Microbiology</i> , <b>2010</b> , 145, 134-41	3.3	9
31	Matrix-assisted laser desorption ionization-time of flight mass spectrometry analysis of Escherichia coli categories. <i>Genetics and Molecular Research</i> , <b>2014</b> , 13, 716-22	1.2	8
30	The ammonium transporter AmtB and the PII signal transduction protein GlnZ are required to inhibit DraG in Azospirillum[brasilense. FEBS Journal, 2019, 286, 1214-1229	5.7	8
29	2-Oxoglutarate levels control adenosine nucleotide binding by Herbaspirillum seropedicae PII proteins. <i>FEBS Journal</i> , <b>2015</b> , 282, 4797-809	5.7	7
28	Proteomic and Metabolomic Analysis of Mutant under High and Low Nitrogen Conditions. <i>Journal of Proteome Research</i> , <b>2020</b> , 19, 92-105	5.6	7
27	Effect of ATP and 2-oxoglutarate on the in vitro interaction between the NifA GAF domain and the GlnB protein of Azospirillum brasilense. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2012</b> , 45, 1135-40	2.8	6
26	NAD biosynthesis in bacteria is controlled by global carbon/nitrogen levels via PII signaling. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 6165-6176	5.4	5
25	Kinetics and structural features of dimeric glutamine-dependent bacterial NAD synthetases suggest evolutionary adaptation to available metabolites. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 7397-7407	5.4	4
24	Azospirillum brasilense PII proteins GlnB and GlnZ do not form heterotrimers and GlnB shows a unique trimeric uridylylation pattern. <i>European Journal of Soil Biology</i> , <b>2009</b> , 45, 94-99	2.9	4
23	Fatty acid biosynthesis is enhanced in Escherichia coli strains with deletion in genes encoding the PII signaling proteins. <i>Archives of Microbiology</i> , <b>2019</b> , 201, 209-214	3	4

## (2021-2020)

22	The NADP-dependent malic enzyme MaeB is a central metabolic hub controlled by the acetyl-CoA to CoASH ratio. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2020</b> , 1868, 140462	4	3
21	Mutational analysis of GlnB residues critical for NifA activation in Azospirillum brasilense. <i>Microbiological Research</i> , <b>2015</b> , 171, 65-72	5.3	3
20	Comparative proteomic analysis between early developmental stages of the Coffea arabica fruits. <i>Genetics and Molecular Research</i> , <b>2013</b> , 12, 5102-10	1.2	3
19	Proteins differentially expressed by Shiga toxin-producing Escherichia coli strain M03 due to the biliar salt sodium deoxycholate. <i>Genetics and Molecular Research</i> , <b>2013</b> , 12, 4909-17	1.2	3
18	Conserved histidine residues at the ferroxidase centre of the Campylobacter jejuni Dps protein are not strictly required for metal binding and oxidation. <i>Microbiology (United Kingdom)</i> , <b>2016</b> , 162, 156-163	3 <sup>2.9</sup>	3
17	The Protein-Protein Interaction Network Reveals a Novel Role of the Signal Transduction Protein PII in the Control of c-di-GMP Homeostasis in Azospirillum brasilense. <i>MSystems</i> , <b>2020</b> , 5,	7.6	3
16	Proteomic profile of hemolymph and detection of induced antimicrobial peptides in response to microbial challenge in Diatraea saccharalis (Lepidoptera: Crambidae). <i>Biochemical and Biophysical Research Communications</i> , <b>2016</b> , 473, 511-6	3.4	3
15	Purification of the Campylobacter jejuni Dps protein assisted by its high melting temperature. <i>Protein Expression and Purification</i> , <b>2015</b> , 111, 105-10	2	2
14	Magnetic bead-based ELISA allow inexpensive, rapid and quantitative detection of human antibodies against SARS-CoV-2		2
13	Regulation of Herbaspirillum seropedicae NifA by the GlnK PII signal transduction protein is mediated by effectors binding to allosteric sites. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2020</b> , 1868, 140348	4	2
12	In vitro characterization of the NAD+ synthetase NadE1 from Herbaspirillum seropedicae. <i>Archives of Microbiology</i> , <b>2016</b> , 198, 307-13	3	1
11	How Does the DraGBII Complex Regulate Nitrogenase Activity in Azospirillum brasilense? <b>2015</b> , 139-14	6	1
10	Repressor mutant forms of the Azospirillum brasilense NtrC protein. <i>Applied and Environmental Microbiology</i> , <b>2004</b> , 70, 6320-3	4.8	1
9	Influence of seasonality on the aerosol microbiome of the Amazon rainforest. <i>Science of the Total Environment</i> , <b>2021</b> , 760, 144092	10.2	1
8	Ultra-fast, high throughput and inexpensive detection of SARS-CoV-2 seroconversion using Ni magnetic beads. <i>Analytical Biochemistry</i> , <b>2021</b> , 631, 114360	3.1	1
7	Kinetic Analysis of a Protein-protein Complex to Determine its Dissociation Constant (K) and the Effective Concentration (EC) of an Interplaying Effector Molecule Using Bio-layer Interferometry. Bio-protocol, <b>2021</b> , 11, e4152	0.9	О
6	Antigen production and development of an indirect ELISA based on the nucleocapsid protein to detect human SARS-CoV-2 seroconversion. <i>Brazilian Journal of Microbiology</i> , <b>2021</b> , 52, 2069-2073	2.2	0
5	The protein-protein interaction network of the Escherichia coli EIIA regulatory protein reveals a role in cell motility and metabolic control. <i>Research in Microbiology</i> , <b>2021</b> , 172, 103882	4	Ο

- Characterization of glutamine synthetase from the ammonium-excreting strain HM053 of Azospirillum brasilense. *Brazilian Journal of Biology*, **2021**, 82, e235927
- 1.5 0
- A magnetic bead immunoassay to detect high affinity human IgG reactive to SARS-CoV-2 Spike S1 RBD produced in Escherichia coli.. *Brazilian Journal of Microbiology*, **2022**, 1
- **2.2** O
- Expression and purification of untagged GlnK proteins from actinobacteria. EXCLI Journal, 2017, 16, 949-2458
- The microbiome of a shell mound: ancient anthropogenic waste as a source of Streptomyces degrading recalcitrant polysaccharides. *World Journal of Microbiology and Biotechnology*, **2021**, 37, 210 4.4