

# Martin Jung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6026634/publications.pdf>

Version: 2024-02-01

31  
papers

8,583  
citations

257450

24  
h-index

434195

31  
g-index

36  
all docs

36  
docs citations

36  
times ranked

9731  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterizing the Response of Vegetation Cover to Water Limitation in Africa Using Geostationary Satellites. <i>Journal of Advances in Modeling Earth Systems</i> , 2022, 14, .	3.8	3
2	The importance of vegetation in understanding terrestrial water storage variations. <i>Hydrology and Earth System Sciences</i> , 2022, 26, 1089-1109.	4.9	8
3	Towards hybrid modeling of the global hydrological cycle. <i>Hydrology and Earth System Sciences</i> , 2022, 26, 1579-1614.	4.9	39
4	Technical note: A view from space on global flux towers by MODIS and Landsat: the FluxnetEO data set. <i>Biogeosciences</i> , 2022, 19, 2805-2840.	3.3	8
5	Soil moisture–atmosphere feedback dominates land carbon uptake variability. <i>Nature</i> , 2021, 592, 65-69.	27.8	241
6	The three major axes of terrestrial ecosystem function. <i>Nature</i> , 2021, 598, 468-472.	27.8	99
7	Ecosystem transpiration and evaporation: Insights from three water flux partitioning methods across FLUXNET sites. <i>Global Change Biology</i> , 2020, 26, 6916-6930.	9.5	97
8	Large-scale biospheric drought response intensifies linearly with drought duration in arid regions. <i>Biogeosciences</i> , 2020, 17, 2647-2656.	3.3	27
9	Nutrients and water availability constrain the seasonality of vegetation activity in a Mediterranean ecosystem. <i>Global Change Biology</i> , 2020, 26, 4379-4400.	9.5	27
10	Scaling carbon fluxes from eddy covariance sites to globe: synthesis and evaluation of the FLUXCOM approach. <i>Biogeosciences</i> , 2020, 17, 1343-1365.	3.3	323
11	Carbon–water flux coupling under progressive drought. <i>Biogeosciences</i> , 2019, 16, 2557-2572.	3.3	24
12	Identifying Dynamic Memory Effects on Vegetation State Using Recurrent Neural Networks. <i>Frontiers in Big Data</i> , 2019, 2, 31.	2.9	18
13	Reviews and syntheses: Turning the challenges of partitioning ecosystem evaporation and transpiration into opportunities. <i>Biogeosciences</i> , 2019, 16, 3747-3775.	3.3	150
14	Satellite Observations of the Contrasting Response of Trees and Grasses to Variations in Water Availability. <i>Geophysical Research Letters</i> , 2019, 46, 1429-1440.	4.0	61
15	Coupling Water and Carbon Fluxes to Constrain Estimates of Transpiration: The TEA Algorithm. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 3617-3632.	3.0	56
16	Quantifying the effect of forest age in annual net forest carbon balance. <i>Environmental Research Letters</i> , 2018, 13, 124018.	5.2	67
17	Estimation of Terrestrial Global Gross Primary Production (GPP) with Satellite Data-Driven Models and Eddy Covariance Flux Data. <i>Remote Sensing</i> , 2018, 10, 1346.	4.0	122
18	Water-stress-induced breakdown of carbon–water relations: indicators from diurnal FLUXNET patterns. <i>Biogeosciences</i> , 2018, 15, 2433-2447.	3.3	30

#	ARTICLE	IF	CITATIONS
19	Compensatory water effects link yearly global land CO <sub>2</sub> sink changes to temperature. <i>Nature</i> , 2017, 541, 516-520.	27.8	480
20	Global distribution of groundwaterâ€œvegetation spatial covariation. <i>Geophysical Research Letters</i> , 2017, 44, 4134-4142.	4.0	91
21	C4MIP â€œ The Coupled Climateâ€œCarbon Cycle Model Intercomparison Project: experimental protocol for CMIP6. <i>Geoscientific Model Development</i> , 2016, 9, 2853-2880.	3.6	186
22	Predicting carbon dioxide and energy fluxes across global FLUXNET sites with regression algorithms. <i>Biogeosciences</i> , 2016, 13, 4291-4313.	3.3	447
23	The dominant role of semi-arid ecosystems in the trend and variability of the land CO <sub>2</sub> sink. <i>Science</i> , 2015, 348, 895-899.	12.6	1,002
24	A Guided Hybrid Genetic Algorithm for Feature Selection with Expensive Cost Functions. <i>Procedia Computer Science</i> , 2013, 18, 2337-2346.	2.0	35
25	Evaluation of terrestrial carbon cycle models for their response to climate variability and to <scp><scp>CO <sub>2</sub> </sub></scp></scp> trends. <i>Global Change Biology</i> , 2013, 19, 2117-2132.	9.5	617
26	Earlier springs decrease peak summer productivity in North American boreal forests. <i>Environmental Research Letters</i> , 2013, 8, 024027.	5.2	164
27	Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	933
28	New global observations of the terrestrial carbon cycle from GOSAT: Patterns of plant fluorescence with gross primary productivity. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	4.0	749
29	Detecting the critical periods that underpin interannual fluctuations in the carbon balance of European forests. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	22
30	Terrestrial Gross Carbon Dioxide Uptake: Global Distribution and Covariation with Climate. <i>Science</i> , 2010, 329, 834-838.	12.6	2,056
31	Exploiting synergies of global land cover products for carbon cycle modeling. <i>Remote Sensing of Environment</i> , 2006, 101, 534-553.	11.0	399