

Maurits W Van Tulder

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6027471/maurits-w-van-tulder-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

462
papers

31,060
citations

87
h-index

165
g-index

497
ext. papers

36,432
ext. citations

4.1
avg, IF

7.07
L-index

#	Paper	IF	Citations
462	What low back pain is and why we need to pay attention. <i>Lancet, The</i> , 2018 , 391, 2356-2367	4.0	1251
461	Updated method guidelines for systematic reviews in the cochrane collaboration back review group. <i>Spine</i> , 2003 , 28, 1290-9	3.3	1249
460	2009 updated method guidelines for systematic reviews in the Cochrane Back Review Group. <i>Spine</i> , 2009 , 34, 1929-41	3.3	1097
459	An updated overview of clinical guidelines for the management of non-specific low back pain in primary care. <i>European Spine Journal</i> , 2010 , 19, 2075-94	2.7	826
458	Prevention and treatment of low back pain: evidence, challenges, and promising directions. <i>Lancet, The</i> , 2018 , 391, 2368-2383	4.0	796
457	Chapter 3. European guidelines for the management of acute nonspecific low back pain in primary care. <i>European Spine Journal</i> , 2006 , 15 Suppl 2, S169-91	2.7	772
456	Conservative treatment of acute and chronic nonspecific low back pain. A systematic review of randomized controlled trials of the most common interventions. <i>Spine</i> , 1997 , 22, 2128-56	3.3	652
455	A cost-of-illness study of back pain in The Netherlands. <i>Pain</i> , 1995 , 62, 233-240	8	533
454	Systematic review: strategies for using exercise therapy to improve outcomes in chronic low back pain. <i>Annals of Internal Medicine</i> , 2005 , 142, 776-85	8	530
453	Clinical guidelines for the management of low back pain in primary care: an international comparison. <i>Spine</i> , 2001 , 26, 2504-13; discussion 2513-4	3.3	485
452	Multidisciplinary biopsychosocial rehabilitation for chronic low back pain: Cochrane systematic review and meta-analysis. <i>BMJ, The</i> , 2015 , 350, h444	5.9	467
451	Criteria list for assessment of methodological quality of economic evaluations: Consensus on Health Economic Criteria. <i>International Journal of Technology Assessment in Health Care</i> , 2005 , 21, 240-245 ¹⁸	1.8	457
450	A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. <i>European Spine Journal</i> , 2011 , 20, 19-39	2.7	449
449	Clinical practice guidelines for the management of non-specific low back pain in primary care: an updated overview. <i>European Spine Journal</i> , 2018 , 27, 2791-2803	2.7	429
448	Low back pain: a call for action. <i>Lancet, The</i> , 2018 , 391, 2384-2388	4.0	414
447	A consensus approach toward the standardization of back pain definitions for use in prevalence studies. <i>Spine</i> , 2008 , 33, 95-103	3.3	407
446	Meta-analysis: exercise therapy for nonspecific low back pain. <i>Annals of Internal Medicine</i> , 2005 , 142, 765-75	8	364

445	2015 Updated Method Guideline for Systematic Reviews in the Cochrane Back and Neck Group. <i>Spine</i> , 2015 , 40, 1660-73	3.3	361
444	Exercise therapy for treatment of non-specific low back pain. <i>The Cochrane Library</i> , 2005 , CD000335	5.2	356
443	Exercise therapy for low back pain: a systematic review within the framework of the cochrane collaboration back review group. <i>Spine</i> , 2000 , 25, 2784-96	3.3	356
442	Spinal radiographic findings and nonspecific low back pain. A systematic review of observational studies. <i>Spine</i> , 1997 , 22, 427-34	3.3	328
441	. <i>Spine</i> , 2003 , 28, 1290-1299	3.3	305
440	Low back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2002 , 16, 761-75	5.3	289
439	A systematic review of the risk factors for cervical artery dissection. <i>Stroke</i> , 2005 , 36, 1575-80	6.7	276
438	Exercise therapy for chronic nonspecific low-back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 193-204	5.3	272
437	Acupuncture and dry-needling for low back pain: an updated systematic review within the framework of the cochrane collaboration. <i>Spine</i> , 2005 , 30, 944-63	3.3	257
436	Prevention of work disability due to musculoskeletal disorders: the challenge of implementing evidence. <i>Journal of Occupational Rehabilitation</i> , 2005 , 15, 507-24	3.6	249
435	Effectiveness and cost-effectiveness of early screening and treatment of malnourished patients. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 1082-9	7	241
434	Minimal clinically important change for pain intensity, functional status, and general health status in patients with nonspecific low back pain. <i>Spine</i> , 2006 , 31, 578-82	3.3	228
433	Criteria list for assessment of methodological quality of economic evaluations: Consensus on Health Economic Criteria. <i>International Journal of Technology Assessment in Health Care</i> , 2005 , 21, 240-5	1.8	207
432	Behavioural treatment for chronic low-back pain. <i>The Cochrane Library</i> , 2010 , CD002014	5.2	206
431	Surgery versus conservative management of sciatica due to a lumbar herniated disc: a systematic review. <i>European Spine Journal</i> , 2011 , 20, 513-22	2.7	202
430	Outcome of non-invasive treatment modalities on back pain: an evidence-based review. <i>European Spine Journal</i> , 2006 , 15 Suppl 1, S64-81	2.7	198
429	Multidisciplinary biopsychosocial rehabilitation for chronic low back pain. <i>The Cochrane Library</i> , 2014 , CD000963	5.2	197
428	Diagnostic validity of criteria for sacroiliac joint pain: a systematic review. <i>Journal of Pain</i> , 2009 , 10, 354-62	5.8	197

427	Acupuncture and dry-needling for low back pain. <i>The Cochrane Library</i> , 2005 , CD001351	5.2	195
426	Core outcome domains for clinical trials in non-specific low back pain. <i>European Spine Journal</i> , 2015 , 24, 1127-42	2.7	193
425	Preventive interventions for back and neck pain problems: what is the evidence?. <i>Spine</i> , 2001 , 26, 778-873.3		188
424	Consensus on Exercise Reporting Template (CERT): Modified Delphi Study. <i>Physical Therapy</i> , 2016 , 96, 1514-1524	3.3	184
423	Nonsteroidal anti-inflammatory drugs for low back pain: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2000 , 25, 2501-13	3.3	175
422	Red flags to screen for malignancy and fracture in patients with low back pain: systematic review. <i>BMJ, The</i> , 2013 , 347, f7095	5.9	173
421	Effect of nutritional interventions on nutritional status, quality of life and mortality in patients with head and neck cancer receiving (chemo)radiotherapy: a systematic review. <i>Clinical Nutrition</i> , 2013 , 32, 671-8	5.9	168
420	The trend in total cost of back pain in The Netherlands in the period 2002 to 2007. <i>Spine</i> , 2011 , 36, 1050-33		168
419	A systematic review of the diagnostic accuracy of provocative tests of the neck for diagnosing cervical radiculopathy. <i>European Spine Journal</i> , 2007 , 16, 307-19	2.7	166
418	Behavioral treatment for chronic low back pain: a systematic review within the framework of the Cochrane Back Review Group. <i>Spine</i> , 2000 , 25, 2688-99	3.3	163
417	Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomised controlled trial. <i>BMJ, The</i> , 2003 , 326, 911	5.9	158
416	Spinal manipulative therapy for chronic low-back pain: an update of a Cochrane review. <i>Spine</i> , 2011 , 36, E825-46	3.3	157
415	Diagnosis, treatment and prevention of ankle sprains: an evidence-based clinical guideline. <i>British Journal of Sports Medicine</i> , 2012 , 46, 854-60	10.3	156
414	Core outcome measurement instruments for clinical trials in nonspecific low back pain. <i>Pain</i> , 2018 , 159, 481-495	8	156
413	The effectiveness of acupuncture in the management of acute and chronic low back pain. A systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 1999 , 24, 1113-23	3.3	154
412	Behavioral treatment for chronic low back pain: a systematic review within the framework of the Cochrane Back Review Group. <i>Spine</i> , 2001 , 26, 270-81	3.3	148
411	Repetitive strain injury. <i>Lancet, The</i> , 2007 , 369, 1815-1822	4.0	144
410	Muscle relaxants for nonspecific low back pain: a systematic review within the framework of the cochrane collaboration. <i>Spine</i> , 2003 , 28, 1978-92	3.3	144

409	A systematic review and meta-analysis of efficacy, cost-effectiveness, and safety of selected complementary and alternative medicine for neck and low-back pain. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 953139	2.3	143
408	A systematic review on the effectiveness of pharmacological interventions for chronic non-specific low-back pain. <i>European Spine Journal</i> , 2011 , 20, 40-50	2.7	142
407	Total disc replacement surgery for symptomatic degenerative lumbar disc disease: a systematic review of the literature. <i>European Spine Journal</i> , 2010 , 19, 1262-80	2.7	141
406	Reliability and validity of the Dutch adaptation of the Quebec Back Pain Disability Scale. <i>Physical Therapy</i> , 1996 , 76, 268-75	3.3	138
405	Nonsteroidal anti-inflammatory drugs for low back pain: an updated Cochrane review. <i>Spine</i> , 2008 , 33, 1766-74	3.3	135
404	Non-steroidal anti-inflammatory drugs for low back pain. <i>The Cochrane Library</i> , 2008 , CD000396	5.2	134
403	Transforaminal endoscopic surgery for symptomatic lumbar disc herniations: a systematic review of the literature. <i>European Spine Journal</i> , 2010 , 19, 181-204	2.7	130
402	A systematic review of the effectiveness of the community reinforcement approach in alcohol, cocaine and opioid addiction. <i>Drug and Alcohol Dependence</i> , 2004 , 74, 1-13	4.9	130
401	Implementation barriers for general practice guidelines on low back pain a qualitative study. <i>Spine</i> , 2001 , 26, E348-53	3.3	126
400	Cost-effectiveness of guideline-endorsed treatments for low back pain: a systematic review. <i>European Spine Journal</i> , 2011 , 20, 1024-38	2.7	125
399	Behavioural treatment for chronic low-back pain. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD002014		124
398	Dutch Physiotherapy Guidelines for Low Back Pain. <i>Physiotherapy</i> , 2003 , 89, 82-96	3	121
397	Individual patient education for low back pain. <i>The Cochrane Library</i> , 2008 , CD004057	5.2	120
396	The efficacy of back schools: a review of randomized clinical trials. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 851-62	5.7	120
395	Effect of Radiofrequency Denervation on Pain Intensity Among Patients With Chronic Low Back Pain: The Mint Randomized Clinical Trials. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 68-81	27.4	116
394	A best-evidence review of diagnostic procedures for neck and low-back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008 , 22, 471-82	5.3	107
393	Spinal manipulative therapy for chronic low-back pain. <i>The Cochrane Library</i> , 2011 , CD008112	5.2	106
392	A systematic review on the effectiveness of complementary and alternative medicine for chronic non-specific low-back pain. <i>European Spine Journal</i> , 2010 , 19, 1213-28	2.7	106

391	Multidisciplinary biopsychosocial rehabilitation for subacute low back pain among working age adults. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002193		106
390	The effectiveness of physical and organisational ergonomic interventions on low back pain and neck pain: a systematic review. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 277-85	2.1	101
389	Implementation of Clinical Guidelines on Physical Therapy for Patients With Low Back Pain: Randomized Trial Comparing Patient Outcomes After a Standard and Active Implementation Strategy. <i>Physical Therapy</i> , 2005 , 85, 544-555	3.3	101
388	Spinal manipulative therapy for acute low back pain: an update of the cochrane review. <i>Spine</i> , 2013 , 38, E158-77	3.3	99
387	Multidisciplinary biopsychosocial rehabilitation for subacute low back pain in working-age adults: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2001 , 26, 262-9	3.3	99
386	Lumbar supports for prevention and treatment of low back pain: a systematic review within the framework of the Cochrane Back Review Group. <i>Spine</i> , 2001 , 26, 377-86	3.3	98
385	The quality of life of long-term survivors of Hodgkin's disease. <i>Annals of Oncology</i> , 1994 , 5, 153-8	10.3	98
384	Quality of primary care guidelines for acute low back pain. <i>Spine</i> , 2004 , 29, E357-62	3.3	92
383	Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. <i>European Spine Journal</i> , 2012 , 21, 220-7	2.7	89
382	Effect of integrated care for sick listed patients with chronic low back pain: economic evaluation alongside a randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c6414	5.9	89
381	Effectiveness of behavioral graded activity in patients with osteoarthritis of the hip and/or knee: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2006 , 55, 925-34		89
380	Benefits and harms of spinal manipulative therapy for the treatment of chronic low back pain: systematic review and meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2019 , 364, l689	5.9	88
379	Rehabilitation following first-time lumbar disc surgery: a systematic review within the framework of the cochrane collaboration. <i>Spine</i> , 2003 , 28, 209-18	3.3	88
378	Non-steroidal anti-inflammatory drugs for chronic low back pain. <i>The Cochrane Library</i> , 2016 , 2, CD012087	5.2	87
377	Empirical evidence of an association between internal validity and effect size in randomized controlled trials of low-back pain. <i>Spine</i> , 2009 , 34, 1685-92	3.3	87
376	Methodologic issues in low back pain research in primary care. <i>Spine</i> , 1998 , 23, 2014-20	3.3	86
375	Costs of shoulder pain in primary care consulters: a prospective cohort study in The Netherlands. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 83	2.8	85
374	Economic evaluation of a multi-stage return to work program for workers on sick-leave due to low back pain. <i>Journal of Occupational Rehabilitation</i> , 2006 , 16, 557-78	3.6	84

373	Spinal manipulative therapy for acute low-back pain. <i>The Cochrane Library</i> , 2012 , CD008880	5.2	83
372	Outcome of invasive treatment modalities on back pain and sciatica: an evidence-based review. <i>European Spine Journal</i> , 2006 , 15 Suppl 1, S82-92	2.7	82
371	Optimal surgical care for adolescent idiopathic scoliosis: an international consensus. <i>European Spine Journal</i> , 2014 , 23, 2603-18	2.7	81
370	Antidepressants for non-specific low back pain. <i>The Cochrane Library</i> , 2008 , CD001703	5.2	80
369	Non-pharmacological and non-surgical treatments for low back pain in adults: an overview of Cochrane Reviews. <i>The Cochrane Library</i> , 2021 , 2021,	5.2	78
368	Motives for (not) participating in a lifestyle intervention trial. <i>BMC Medical Research Methodology</i> , 2008 , 8, 17	4.7	76
367	Different doses of Pilates-based exercise therapy for chronic low back pain: a randomised controlled trial with economic evaluation. <i>British Journal of Sports Medicine</i> , 2018 , 52, 859-868	10.3	74
366	Potential savings of a program to prevent ankle sprain recurrence: economic evaluation of a randomized controlled trial. <i>American Journal of Sports Medicine</i> , 2010 , 38, 2194-200	6.8	70
365	Back schools for non-specific low-back pain. <i>The Cochrane Library</i> , 2004 , CD000261	5.2	70
364	Indirect costs of back pain in the Netherlands: a comparison of the human capital method with the friction cost method. <i>Pain</i> , 1999 , 80, 201-7	8	70
363	The sensitivity of review results to methods used to appraise and incorporate trial quality into data synthesis. <i>Spine</i> , 2007 , 32, 796-806	3.3	69
362	Cerebral microdialysis as a monitoring method in subarachnoid hemorrhage patients, and correlation with clinical events--a systematic review. <i>Journal of Neurology</i> , 2003 , 250, 797-805	5.5	68
361	Minimally invasive surgery for lumbar disc herniation: a systematic review and meta-analysis. <i>European Spine Journal</i> , 2014 , 23, 1021-43	2.7	67
360	Direct medical costs of adverse events in Dutch hospitals. <i>BMC Health Services Research</i> , 2009 , 9, 27	2.9	67
359	Psychosocial variables in patients with (sub)acute low back pain: an inception cohort in primary care physical therapy in The Netherlands. <i>Spine</i> , 2007 , 32, 586-92	3.3	67
358	The benefits outweigh the risks for patients undergoing chiropractic care for neck pain: a prospective, multicenter, cohort study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2007 , 30, 408-18	1.3	67
357	Effectiveness of surgery for lumbar spinal stenosis: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0122800	3.7	66
356	Clinical Practice Guideline for Physical Therapy Assessment and Treatment in Patients With Nonspecific Neck Pain. <i>Physical Therapy</i> , 2018 , 98, 162-171	3.3	65

355	Systematic review on the financial return of worksite health promotion programmes aimed at improving nutrition and/or increasing physical activity. <i>Obesity Reviews</i> , 2011 , 12, 1031-49	10.6	65
354	Lumbar supports for prevention and treatment of low back pain. <i>The Cochrane Library</i> , 2008 , CD001823	5.2	65
353	Return-to-work interventions for low back pain: a descriptive review of contents and concepts of working mechanisms. <i>Sports Medicine</i> , 2002 , 32, 251-67	10.6	64
352	Clinical outcomes after percutaneous transforaminal endoscopic discectomy for lumbar disc herniation: a prospective case series. <i>Neurosurgical Focus</i> , 2016 , 40, E3	4.2	62
351	Herbal medicine for low back pain: a Cochrane review. <i>Spine</i> , 2007 , 32, 82-92	3.3	62
350	Prognostic factors for low back pain in patients referred for physiotherapy: comparing outcomes and varying modeling techniques. <i>Spine</i> , 2005 , 30, 1881-6	3.3	62
349	What predicts outcome in non-operative treatments of chronic low back pain? A systematic review. <i>European Spine Journal</i> , 2006 , 15, 1633-44	2.7	60
348	Nature, occurrence and consequences of medication-related adverse events during hospitalization: a retrospective chart review in the Netherlands. <i>Drug Safety</i> , 2010 , 33, 853-64	5.1	57
347	Statistical significance versus clinical importance: trials on exercise therapy for chronic low back pain as example. <i>Spine</i> , 2007 , 32, 1785-90	3.3	57
346	What is the most cost-effective treatment for patients with low back pain? A systematic review. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 671-84	5.3	56
345	Development of an implementation strategy for physiotherapy guidelines on low back pain. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 208-14		55
344	Comparing measurement properties of the EQ-5D-3L, ICECAP-O, and ASCOT in frail older adults. <i>Value in Health</i> , 2015 , 18, 35-43	3.3	54
343	Multidisciplinary biopsychosocial rehabilitation for subacute low back pain. <i>The Cochrane Library</i> , 2017 , 6, CD002193	5.2	54
342	Management of traumatic thoracolumbar fractures: a systematic review of the literature. <i>European Spine Journal</i> , 2005 , 14, 527-34	2.7	54
341	Injection therapy and denervation procedures for chronic low-back pain: a systematic review. <i>European Spine Journal</i> , 2010 , 19, 1425-49	2.7	53
340	Intensive group training protocol versus guideline physiotherapy for patients with chronic low back pain: a randomised controlled trial. <i>European Spine Journal</i> , 2008 , 17, 1193-200	2.7	53
339	Back complaints in the elders (BACE); design of cohort studies in primary care: an international consortium. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 193	2.8	52
338	A randomized controlled trial on the effectiveness of a classification-based system for subacute and chronic low back pain. <i>Spine</i> , 2012 , 37, 1347-56	3.3	52

337	Rehabilitation after lumbar disc surgery: an update Cochrane review. <i>Spine</i> , 2009 , 34, 1839-48	3.3	52
336	Motivational interviewing and problem solving treatment to reduce type 2 diabetes and cardiovascular disease risk in real life: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 47	8.4	51
335	Economic evaluations and randomized trials in spinal disorders: principles and methods. <i>Spine</i> , 2004 , 29, 442-8	3.3	51
334	Multidisciplinary biopsychosocial rehabilitation for neck and shoulder pain among working age adults: a systematic review within the framework of the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2001 , 26, 174-81	3.3	51
333	Multidisciplinary rehabilitation for fibromyalgia and musculoskeletal pain in working age adults. <i>The Cochrane Library</i> , 2000 , CD001984	5.2	51
332	The evidence on surgical interventions for low back disorders, an overview of systematic reviews. <i>European Spine Journal</i> , 2013 , 22, 1936-49	2.7	50
331	Should radiologists change the way they report plain radiography of the spine?. <i>Lancet, The</i> , 1998 , 352, 229-30	4.0	50
330	Cost-effectiveness of conservative treatments for neck pain: a systematic review on economic evaluations. <i>European Spine Journal</i> , 2012 , 21, 1441-50	2.7	49
329	Cost-effectiveness of general practice care for low back pain: a systematic review. <i>European Spine Journal</i> , 2011 , 20, 1012-23	2.7	49
328	Complementary and alternative therapies for low back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 639-54	5.3	48
327	Surgical versus conservative treatment for high-risk stress fractures of the lower leg (anterior tibial cortex, navicular and fifth metatarsal base): a systematic review. <i>British Journal of Sports Medicine</i> , 2015 , 49, 370-6	10.3	47
326	Surgical techniques for sciatica due to herniated disc, a systematic review. <i>European Spine Journal</i> , 2012 , 21, 2232-51	2.7	47
325	Transforaminal endoscopic surgery for lumbar stenosis: a systematic review. <i>European Spine Journal</i> , 2010 , 19, 879-86	2.7	47
324	Non-steroidal anti-inflammatory drugs for low back pain. <i>The Cochrane Library</i> , 2000 , CD000396	5.2	47
323	Rehabilitation after lumbar disc surgery. <i>The Cochrane Library</i> , 2014 , CD003007	5.2	46
322	Neurologic outcome of surgical and conservative treatment of rheumatoid cervical spine subluxation: a systematic review. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1743-52		46
321	Evidence-informed management of chronic low back pain with needle acupuncture. <i>Spine Journal</i> , 2008 , 8, 160-72	4	46
320	Radiofrequency denervation for chronic low back pain. <i>The Cochrane Library</i> , 2015 , CD008572	5.2	45

319	Red flags to screen for vertebral fracture in patients presenting with low-back pain. <i>The Cochrane Library</i> , 2013 , CD008643	5.2	45
318	Management of chronic nonspecific low back pain in primary care: a descriptive study. <i>Spine</i> , 1997 , 22, 76-82	3.3	45
317	Surgical options for lumbar spinal stenosis. <i>The Cochrane Library</i> , 2016 , 11, CD012421	5.2	44
316	Trial-based economic evaluations in occupational health: principles, methods, and recommendations. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 563-72	2	44
315	Cost effectiveness of a pharmacy-based coaching programme to improve adherence to antidepressants. <i>Pharmacoeconomics</i> , 2007 , 25, 25-37	4.4	44
314	Eradication of <i>Helicobacter pylori</i> does not reduce the incidence of gastroduodenal ulcers in patients on long-term NSAID treatment: double-blind, randomized, placebo-controlled trial. <i>Helicobacter</i> , 2007 , 12, 477-85	4.9	43
313	Surgery is more cost-effective than splinting for carpal tunnel syndrome in the Netherlands: results of an economic evaluation alongside a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 86	2.8	43
312	Chiropractic patients in the Netherlands: a descriptive study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2000 , 23, 557-63	1.3	43
311	Cost effectiveness of interventions for lateral epicondylitis: results from a randomised controlled trial in primary care. <i>Pharmacoeconomics</i> , 2004 , 22, 185-95	4.4	42
310	Effect of long-term physical activity and acute exercise on markers of systemic inflammation in persons with chronic spinal cord injury: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 30-42	2.8	41
309	Traction for low-back pain with or without sciatica. <i>The Cochrane Library</i> , 2013 , CD003010	5.2	41
308	Traction for low-back pain with or without sciatica. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD003010	4.0	
307	Cost-effectiveness of an active implementation strategy for the Dutch physiotherapy guideline for low back pain. <i>Health Policy</i> , 2005 , 75, 85-98	3.2	40
306	Herbal medicine for low back pain. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD004504		4.0
305	Traction for low back pain with or without sciatica: an updated systematic review within the framework of the Cochrane collaboration. <i>Spine</i> , 2006 , 31, 1591-9	3.3	40
304	Implementation of clinical guidelines on physical therapy for patients with low back pain: randomized trial comparing patient outcomes after a standard and active implementation strategy. <i>Physical Therapy</i> , 2005 , 85, 544-55	3.3	40
303	The effect of treatment as usual on major depressive disorder: A meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 210, 72-81	6.6	38
302	Cost-Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Stepped-Wedge Cluster-Randomized Trial. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2494-2504	5.6	38

301	Prevalence and "Red Flags" Regarding Specified Causes of Back Pain in Older Adults Presenting in General Practice. <i>Physical Therapy</i> , 2016 , 96, 305-12	3.3	37
300	Quality of low back pain guidelines improved. <i>Spine</i> , 2009 , 34, 2562-7	3.3	37
299	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 215-21	2.4	37
298	Applicability and clinical relevance of results in randomized controlled trials: the Cochrane review on exercise therapy for low back pain as an example. <i>Spine</i> , 2006 , 31, 1405-9	3.3	37
297	A core outcome set for clinical trials on non-specific low back pain: study protocol for the development of a core domain set. <i>Trials</i> , 2014 , 15, 511	2.8	36
296	Economic evaluation of an intensive group training protocol compared with usual care physiotherapy in patients with chronic low back pain. <i>Spine</i> , 2008 , 33, 445-51	3.3	36
295	Practice, efficacy, and costs of thyroid nodule evaluation: a retrospective study in a Dutch university hospital. <i>Thyroid</i> , 2004 , 14, 287-93	6.2	36
294	Cost-effectiveness of exercise therapy in the treatment of non-specific neck pain and low back pain: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2019 , 53, 172-181	10.3	36
293	Effectiveness of multifaceted implementation strategies for the implementation of back and neck pain guidelines in health care: a systematic review. <i>Implementation Science</i> , 2016 , 11, 126	8.4	35
292	Spinal manipulation epidemiology: systematic review of cost effectiveness studies. <i>Journal of Electromyography and Kinesiology</i> , 2012 , 22, 655-62	2.5	35
291	Back Schools for chronic non-specific low back pain. <i>The Cochrane Library</i> , 2017 , 8, CD011674	5.2	33
290	Exploration of the content validity and feasibility of the EQ-5D-3L, ICECAP-O and ASCOT in older adults. <i>BMC Health Services Research</i> , 2015 , 15, 201	2.9	33
289	Primary prevention of diabetes mellitus type 2 and cardiovascular diseases using a cognitive behavior program aimed at lifestyle changes in people at risk: Design of a randomized controlled trial. <i>BMC Endocrine Disorders</i> , 2008 , 8, 6	3.3	33
288	Surgery versus conservative care for neck pain: a systematic review. <i>European Spine Journal</i> , 2013 , 22, 87-95	2.7	32
287	Definition of the construct to be measured is a prerequisite for the assessment of validity. The Neck Disability Index as an example. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 775-82; quiz 782.e1-2	5.7	32
286	Direct medical costs of traumatic thoracolumbar spine fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005 , 76, 662-6	4.3	32
285	Therapeutic ultrasound for chronic low-back pain. <i>The Cochrane Library</i> , 2014 , CD009169	5.2	31
284	Cost-effectiveness of guideline-based care for workers with mental health problems. <i>Journal of Occupational and Environmental Medicine</i> , 2009 , 51, 313-22	2	31

283	Course and prognosis of older back pain patients in general practice: a prospective cohort study. <i>Pain</i> , 2013 , 154, 951-7	8	30
282	Reporting outcomes of back pain trials: a modified Delphi study. <i>European Journal of Pain</i> , 2011 , 15, 1068-74	3	30
281	Low back pain in general practice: cost-effectiveness of a minimal psychosocial intervention versus usual care. <i>European Spine Journal</i> , 2007 , 16, 1812-21	2.7	30
280	Lumbar supports to prevent recurrent low back pain among home care workers: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 147, 685-92	8	30
279	Process evaluation of a lifestyle intervention to prevent diabetes and cardiovascular diseases in primary care. <i>Health Promotion Practice</i> , 2012 , 13, 696-706	1.8	29
278	How to perform a comprehensive search for FDG-PET literature. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000 , 27, 91-7		29
277	Economic evaluations of occupational health interventions from a corporate perspective - a systematic review of methodological quality. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 273-88	4.3	29
276	Conservative treatment for repetitive strain injury. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001 , 27, 299-310	4.3	29
275	Exercise treatment effect modifiers in persistent low back pain: an individual participant data meta-analysis of 3514 participants from 27 randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1277-1278	10.3	29
274	Multidisciplinary outpatient care program for patients with chronic low back pain: design of a randomized controlled trial and cost-effectiveness study [ISRCTN28478651]. <i>BMC Public Health</i> , 2007 , 7, 254	4.1	28
273	Mono-disciplinary or multidisciplinary back pain guidelines? How can we achieve a common message in primary care?. <i>European Spine Journal</i> , 2006 , 15, 641-7	2.7	28
272	Evaluation of a tailored, multi-component intervention for implementation of evidence-based clinical practice guidelines in primary care physical therapy: a non-randomized controlled trial. <i>BMC Health Services Research</i> , 2014 , 14, 105	2.9	27
271	Characteristics of older patients with back pain in general practice: BACE cohort study. <i>European Journal of Pain</i> , 2014 , 18, 279-87	3.7	27
270	Quality of guidelines on the management of diabetes in pregnancy: a systematic review. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 58	3.2	27
269	Consensus-based findings and recommendations for estimating the costs of health-related productivity loss from a company's perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007 , 33, 122-30	4.3	27
268	"Evidence-Based Interventional Pain Medicine According to Clinical Diagnoses": Update 2018. <i>Pain Practice</i> , 2019 , 19, 664-675	3	26
267	Computed tomography for the diagnosis of lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. <i>European Spine Journal</i> , 2012 , 21, 228-39	2.7	26
266	Evidence for surgery in degenerative lumbar spine disorders. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 673-84	5.3	26

265	The effect of the COACH program (Continuity Of Appropriate pharmacotherapy, patient Counselling and information transfer in Healthcare) on readmission rates in a multicultural population of internal medicine patients. <i>BMC Health Services Research</i> , 2010 , 10, 39	2.9	26
264	Cost-effectiveness of a disease management program for major depression in elderly primary care patients. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1020-6	4	26
263	Complementary and alternative therapies for back pain II. <i>Evidence Report/technology Assessment</i> , 2010 , 1-764		26
262	Vocational outcome of intervention for low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 1997 , 23, 165-78	4.3	26
261	Caregiver-mediated exercises with e-health support for early supported discharge after stroke (CARE4STROKE): A randomized controlled trial. <i>PLoS ONE</i> , 2019 , 14, e0214241	3.7	25
260	Cost effectiveness of guided Internet-based interventions for depression in comparison with control conditions: An individual-participant data meta-analysis. <i>Depression and Anxiety</i> , 2018 , 35, 209-219	8.4	25
259	Economic evaluations of diagnostic tests, treatment and prevention for lateral ankle sprains: a systematic review. <i>British Journal of Sports Medicine</i> , 2013 , 47, 1144-9	10.3	25
258	Caregiver-mediated exercises with e-health support for early supported discharge after stroke (CARE4STROKE): study protocol for a randomized controlled trial. <i>BMC Neurology</i> , 2015 , 15, 193	3.1	25
257	Economic evaluation of a workplace intervention for sick-listed employees with distress. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 603-10	2.1	25
256	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 64	8.4	25
255	Efficacy of Low-Dose Amitriptyline for Chronic Low Back Pain: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2018 , 178, 1474-1481	11.5	25
254	PTED study: design of a non-inferiority, randomised controlled trial to compare the effectiveness and cost-effectiveness of percutaneous transforaminal endoscopic discectomy (PTED) versus open microdiscectomy for patients with a symptomatic lumbar disc herniation. <i>BMJ Open</i> , 2017 , 7, e018230	3	24
253	Herbal medicine for low-back pain. <i>The Cochrane Library</i> , 2014 , CD004504	5.2	24
252	Inflammatory bowel disease: a systematic review on the value of diagnostic testing in primary care. <i>Colorectal Disease</i> , 2011 , 13, 239-54	2.1	24
251	Economic evaluations of occupational health interventions from a company's perspective: a systematic review of methods to estimate the cost of health-related productivity loss. <i>Journal of Occupational Rehabilitation</i> , 2011 , 21, 90-9	3.6	24
250	The cost-effectiveness of a lifestyle physical activity intervention in addition to a work style intervention on recovery from neck and upper limb symptoms and pain reduction in computer workers. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 265-72	2.1	24
249	Rehabilitation after lumbar disc surgery. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD003007		24
248	Enabling meta-analysis in systematic reviews on carpal tunnel syndrome. <i>Journal of Hand Surgery</i> , 2002 , 27, 828-32	2.6	24

247	Laminoplasty and laminectomy for cervical spondylotic myelopathy: a systematic review. <i>European Spine Journal</i> , 2015 , 24 Suppl 2, 160-7	2.7	23
246	Reliability, responsiveness and interpretability of the neck disability index-Dutch version in primary care. <i>European Spine Journal</i> , 2015 , 24, 88-93	2.7	23
245	Cost-effectiveness of minimal interventional procedures for chronic mechanical low back pain: design of four randomised controlled trials with an economic evaluation. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 260	2.8	23
244	Alpe d'HuZes cancer rehabilitation (A-CaRe) research: four randomized controlled exercise trials and economic evaluations in cancer patients and survivors. <i>International Journal of Behavioral Medicine</i> , 2012 , 19, 143-56	2.6	23
243	Cost-effectiveness of a classification-based system for sub-acute and chronic low back pain. <i>European Spine Journal</i> , 2012 , 21, 1290-300	2.7	23
242	The effect of continuous ultrasound on chronic low back pain: protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 59	2.8	23
241	Developing guidelines for good practice in the economic evaluation of occupational safety and health interventions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 313-8	4.3	23
240	Cost-effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: design of a cluster-randomized controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 128	4.2	22
239	Addition of a general practitioner to the accident and emergency department: a cost-effective innovation in emergency care. <i>Emergency Medicine Journal</i> , 2012 , 29, 192-6	1.5	22
238	Predictors of adverse events following chiropractic care for patients with neck pain. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2008 , 31, 94-103	1.3	22
237	Herbal Medicine for Low Back Pain: A Cochrane Review. <i>Spine</i> , 2016 , 41, 116-33	3.3	22
236	Management of Symptomatic Lumbar Disk Herniation: An International Perspective. <i>Spine</i> , 2017 , 42, 1826-1834	3.3	21
235	Diagnostic accuracy of diagnostic imaging for lumbar disc herniation in adults with low back pain or sciatica is unknown; a systematic review. <i>Chiropractic & Manual Therapies</i> , 2018 , 26, 37	1.8	21
234	Vitamin D supplementation to prevent depression and poor physical function in older adults: Study protocol of the D-Vitaal study, a randomized placebo-controlled clinical trial. <i>BMC Geriatrics</i> , 2015 , 15, 151	4.1	21
233	Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. <i>Osteoporosis International</i> , 2011 , 22, 2187-96	5.3	21
232	Malaria treatment and prophylaxis in endemic and nonendemic countries: evidence on strategies and their cost-effectiveness. <i>Future Microbiology</i> , 2011 , 6, 1485-500	2.9	21
231	The cost-effectiveness of a treatment-based classification system for low back pain: design of a randomised controlled trial and economic evaluation. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 58	2.8	21
230	Economic evaluations: a new avenue of outcome assessment in spinal disorders. <i>European Spine Journal</i> , 2006 , 15 Suppl 1, S109-17	2.7	21

229	. <i>Spine</i> , 2003 , 28, 209-218	3.3	21
228	Rehabilitation after lumbar disc surgery. <i>Cochrane Database of Systematic Reviews</i> , 2002 , CD003007		21
227	A systematic review of the cost-effectiveness of worksite physical activity and/or nutrition programs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 393-408	4.3	21
226	Somatization is associated with worse outcome in a chiropractic patient population with neck pain and low back pain. <i>Manual Therapy</i> , 2016 , 21, 170-6		20
225	Low back pain should be considered a health and research priority in Brazil: Lost productivity and healthcare costs between 2012 to 2016. <i>PLoS ONE</i> , 2020 , 15, e0230902	3.7	20
224	Measurement properties of depression questionnaires in patients with diabetes: a systematic review. <i>Quality of Life Research</i> , 2018 , 27, 1415-1430	3.7	20
223	Identification of patients with chronic low back pain who might benefit from additional psychological assessment. <i>Clinical Journal of Pain</i> , 2012 , 28, 23-31	3.5	20
222	Practical guidelines for economic evaluations alongside equivalence trials. <i>Value in Health</i> , 2008 , 11, 251-8	3.3	20
221	Traction for low-back pain with or without sciatica. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD003010		20
220	Non-steroidal anti-inflammatory drugs for acute low back pain. <i>The Cochrane Library</i> , 2020 , 4, CD013581	5.2	20
219	Indirect and total costs of early rheumatoid arthritis: a randomized comparison of combined step-down prednisolone, methotrexate, and sulfasalazine with sulfasalazine alone. <i>Journal of Rheumatology</i> , 2004 , 31, 1709-16	4.1	20
218	Defining trajectories in older adults with back pain presenting in general practice. <i>Age and Ageing</i> , 2016 , 45, 878-883	3	19
217	Sciatica: what the rheumatologist needs to know. <i>Nature Reviews Rheumatology</i> , 2010 , 6, 139-45	8.1	19
216	Benign adverse events following chiropractic care for neck pain are associated with worse short-term outcomes but not worse outcomes at three months. <i>Spine</i> , 2008 , 33, E950-6	3.3	19
215	Back schools for acute and subacute non-specific low-back pain. <i>The Cochrane Library</i> , 2016 , 4, CD008325	5.2	19
214	Guideline for Reporting Interventions on Spinal Manipulative Therapy: Consensus on Interventions Reporting Criteria List for Spinal Manipulative Therapy (CIRCLe SMT). <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017 , 40, 61-70	1.3	18
213	Long-Term Cost-Effectiveness and Return-on-Investment of a Mindfulness-Based Worksite Intervention: Results of a Randomized Controlled Trial. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 550-60	2	18
212	Diagnostic accuracy of the Patient Health Questionnaire-9 for assessment of depression in type II diabetes mellitus and/or coronary heart disease in primary care. <i>Journal of Affective Disorders</i> , 2016 , 190, 68-74	6.6	18

211	Early rehabilitation after lumbar disc surgery is not effective or cost-effective compared to no referral: a randomised trial and economic evaluation. <i>Journal of Physiotherapy</i> , 2017 , 63, 144-153	2.9	18
210	Dutch translation and cross-cultural validation of the Adult Social Care Outcomes Toolkit (ASCOT). <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 56	3	18
209	The effect of a comprehensive lifestyle intervention on cardiovascular risk factors in pharmacologically treated patients with stable cardiovascular disease compared to usual care: a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 71	2.3	18
208	Cost-effectiveness of usual general practitioner care with or without antidepressant medication for patients with minor or mild-major depression. <i>Journal of Affective Disorders</i> , 2008 , 111, 106-12	6.6	18
207	WARRIOR-trial - is routine radiography following the 2-week initial follow-up in trauma patients with wrist and ankle fractures necessary: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 66	2.8	17
206	Bridging the gap between the economic evaluation literature and daily practice in occupational health: a qualitative study among decision-makers in the healthcare sector. <i>Implementation Science</i> , 2013 , 8, 57	8.4	17
205	A cost-effectiveness and return-on-investment analysis of a worksite vitality intervention among older hospital workers: results of a randomized controlled trial. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 337-46	2	17
204	Is behavioral graded activity cost-effective in comparison with manual therapy for patients with subacute neck pain? An economic evaluation alongside a randomized clinical trial. <i>Spine</i> , 2011 , 36, E1179-86	3.3	17
203	Cost-effectiveness of lumbar supports for home care workers with recurrent low back pain: an economic evaluation alongside a randomized-controlled trial. <i>Spine</i> , 2010 , 35, E1619-26	3.3	17
202	Predictors of a favorable outcome in patients treated by chiropractors for neck pain. <i>Spine</i> , 2008 , 33, 1451-8	3.3	17
201	Cost-effectiveness of an intensive group training protocol compared to physiotherapy guideline care for sub-acute and chronic low back pain: design of a randomised controlled trial with an economic evaluation. [ISRCTN45641649]. <i>BMC Musculoskeletal Disorders</i> , 2004 , 5, 45	2.8	17
200	Cost-effectiveness of hip protectors in frail institutionalized elderly. <i>Osteoporosis International</i> , 2004 , 15, 964-9	5.3	17
199	Utility scores for different health states related to depression: individual participant data analysis. <i>Quality of Life Research</i> , 2017 , 26, 1649-1658	3.7	16
198	The risk of bias and sample size of trials of spinal manipulative therapy for low back and neck pain: analysis and recommendations. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 523-41	1.3	16
197	Systematic review of patient history and physical examination to diagnose chronic low back pain originating from the facet joints. <i>European Journal of Pain</i> , 2017 , 21, 403-414	3.7	16
196	Grip on challenging behaviour: a multidisciplinary care programme for managing behavioural problems in nursing home residents with dementia. Study protocol. <i>BMC Health Services Research</i> , 2011 , 11, 41	2.9	16
195	Challenges in using evidence to inform your clinical practice in low back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 281-9	5.3	16
194	Trend in methodological quality of randomised clinical trials in low back pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 529-39	5.3	16

193	The longitudinal relationships between pain severity and disability versus health-related quality of life and costs among chronic low back pain patients. <i>Quality of Life Research</i> , 2020 , 29, 275-287	3.7	16
192	Nonsteroidal Anti-inflammatory Drugs for Sciatica: An Updated Cochrane Review. <i>Spine</i> , 2017 , 42, 586-594	3.4	15
191	Non-steroidal anti-inflammatory drugs for sciatica. <i>The Cochrane Library</i> , 2016 , 10, CD012382	5.2	15
190	Analgesic use in older adults with back pain: the BACE study. <i>Pain Medicine</i> , 2014 , 15, 1704-14	2.8	15
189	Effect of medication reconciliation on medication costs after hospital discharge in relation to hospital pharmacy labor costs. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 329-38	2.9	15
188	Effect of various kinds of cervical spinal surgery on clinical outcomes: a systematic review and meta-analysis. <i>Pain</i> , 2013 , 154, 2388-2396	8	15
187	Health care costs of depression in primary care patients in The Netherlands. <i>Family Practice</i> , 2010 , 27, 542-8	1.9	15
186	The effectiveness and cost-evaluation of manual therapy and physical therapy in patients with sub-acute and chronic non specific neck pain. Rationale and design of a Randomized Controlled Trial (RCT). <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 14	2.8	15
185	Effectiveness of a stepped-care intervention to prevent major depression in patients with type 2 diabetes mellitus and/or coronary heart disease and subthreshold depression: A pragmatic cluster randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0181023	3.7	15
184	Household food insecurity is associated with depressive symptoms: results from a Mexican population-based survey. <i>Food Security</i> , 2020 , 12, 407-416	6.7	14
183	Effectiveness of a multifaceted implementation strategy compared to usual care on low back pain guideline adherence among general practitioners. <i>BMC Health Services Research</i> , 2018 , 18, 358	2.9	14
182	Transforaminal epidural steroid injections followed by mechanical diagnosis and therapy to prevent surgery for lumbar disc herniation. <i>Pain Medicine</i> , 2014 , 15, 1100-8	2.8	14
181	Trends over time in the size and quality of randomised controlled trials of interventions for chronic low-back pain. <i>European Spine Journal</i> , 2012 , 21, 375-81	2.7	14
180	Percutaneous Transforaminal Endoscopic Discectomy Versus Open Microdiscectomy for Lumbar Disc Herniation: A Systematic Review and Meta-analysis. <i>Spine</i> , 2021 , 46, 538-549	3.3	14
179	Long-term trajectories of patients with neck pain and low back pain presenting to chiropractic care: A latent class growth analysis. <i>European Journal of Pain</i> , 2018 , 22, 103-113	3.7	13
178	Protocol of a randomized controlled trial of the effectiveness of physician education and activation versus two rehabilitation programs for the treatment of Whiplash-associated Disorders: The University Health Network Whiplash Intervention Trial. <i>Trials</i> , 2008 , 9, 75	2.8	13
177	Rationale and design of The Delphi Trial--I(RCT)2: international randomized clinical trial of rheumatoid craniocervical treatment, an intervention-prognostic trial comparing EarlyPsurgery with conservative treatment [ISRCTN65076841]. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 14	2.8	13
176	Health economic evidence gaps and methodological constraints in low back pain and neck pain: Results of the Research Agenda for Health Economic Evaluation (RAHEE) project. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 981-993	5.3	13

175	Cost-effectiveness of Early Surgery versus Conservative Treatment with Optional Delayed Meniscectomy for Patients over 45 years with non-obstructive meniscal tears (ESCAPE study): protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e014381	3	13
174	Economic evaluation of a lifestyle intervention in primary care to prevent type 2 diabetes mellitus and cardiovascular diseases: a randomized controlled trial. <i>BMC Family Practice</i> , 2013 , 14, 45	2.6	12
173	Implementation of a Multidisciplinary Guideline for Low Back Pain: Process-Evaluation Among Health Care Professionals. <i>Journal of Occupational Rehabilitation</i> , 2017 , 27, 422-433	3.6	12
172	Cost-effectiveness of problem-solving treatment in comparison with usual care for primary care patients with mental health problems: a randomized trial. <i>BMC Family Practice</i> , 2012 , 13, 98	2.6	12
171	Manipulative therapy in addition to usual medical care accelerates recovery of shoulder complaints at higher costs: economic outcomes of a randomized trial. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 200	2.8	12
170	Go4it; study design of a randomised controlled trial and economic evaluation of a multidisciplinary group intervention for obese adolescents for prevention of diabetes mellitus type 2. <i>BMC Public Health</i> , 2008 , 8, 410	4.1	12
169	Cost-effectiveness of a nurse-led case management intervention in general medical outpatients compared with usual care: an economic evaluation alongside a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 363-70	4.1	12
168	Diagnostic accuracy of depression questionnaires in adult patients with diabetes: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0218512	3.7	11
167	Direct healthcare costs of spinal disorders in Brazil. <i>International Journal of Public Health</i> , 2019 , 64, 965-974		11
166	Economic evaluation of a weight control program with e-mail and telephone counseling among overweight employees: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 112	8.4	11
165	Evaluation of a community-based prevention program for domestic burns of young children in India. <i>Burns</i> , 2011 , 37, 139-44	2.3	11
164	The cost-effectiveness of the RSI QuickScan intervention programme for computer workers: Results of an economic evaluation alongside a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 259	2.8	11
163	Essential key messages about diagnosis, imaging, and self-care for people with low back pain: a modified Delphi study of consumer and expert opinions. <i>Pain</i> , 2019 , 160, 2787-2797	8	11
162	How do the costs of physical therapy and arthroscopic partial meniscectomy compare? A trial-based economic evaluation of two treatments in patients with meniscal tears alongside the ESCAPE study. <i>British Journal of Sports Medicine</i> , 2020 , 54, 538-545	10.3	11
161	Predictive factors of high societal costs among chronic low back pain patients. <i>European Journal of Pain</i> , 2020 , 24, 325-337	3.7	11
160	A Definition of "Flare" in Low Back Pain: A Multiphase Process Involving Perspectives of Individuals With Low Back Pain and Expert Consensus. <i>Journal of Pain</i> , 2019 , 20, 1267-1275	5.2	10
159	HypoAware-a brief and partly web-based psycho-educational group intervention for adults with type 1 and insulin-treated type 2 diabetes and problematic hypoglycaemia: design of a cost-effectiveness randomised controlled trial. <i>BMC Endocrine Disorders</i> , 2015 , 15, 43	3.3	10
158	Routine Follow-Up Radiographs for Ankle Fractures Seldom Add Value to Clinical Decision-Making: A Retrospective, Observational Study. <i>Journal of Foot and Ankle Surgery</i> , 2018 , 57, 957-960	1.6	10

157	Model-Based Economic Evaluation of Treatments for Depression: A Systematic Literature Review. <i>PharmacoEconomics - Open</i> , 2017 , 1, 149-165	2.1	10
156	Treatment success in neck pain: The added predictive value of psychosocial variables in addition to clinical variables. <i>Scandinavian Journal of Pain</i> , 2017 , 14, 44-52	1.9	10
155	No additional value of fusion techniques on anterior discectomy for neck pain: a systematic review. <i>Pain</i> , 2012 , 153, 2167-2173	8	10
154	Exercise therapy for chronic low back pain. <i>The Cochrane Library</i> , 2012 ,	5.2	10
153	An etiologic model to help explain the pathogenesis of cervical artery dissection: implications for cervical manipulation. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2006 , 29, 336-8	1.3	10
152	Omitting Routine Radiography of Traumatic Distal Radial Fractures After Initial 2-Week Follow-up Does Not Affect Outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 1342-1350	5.6	10
151	Exercise therapy for chronic low back pain. <i>The Cochrane Library</i> , 2021 , 9, CD009790	5.2	10
150	Manual therapy compared with physical therapy in patients with non-specific neck pain: a randomized controlled trial. <i>Chiropractic & Manual Therapies</i> , 2017 , 25, 12	1.8	9
149	Cost-effectiveness of a multifaceted implementation strategy for the Dutch multidisciplinary guideline for nonspecific low back pain: design of a stepped-wedge cluster randomised controlled trial. <i>BMC Public Health</i> , 2015 , 15, 522	4.1	9
148	Therapeutic ultrasound for chronic low back pain. <i>The Cochrane Library</i> , 2020 , 7, CD009169	5.2	9
147	Paracetamol, NSAIDs and opioid analgesics for chronic low back pain: a network meta-analysis. <i>The Cochrane Library</i> , 2018 ,	5.2	9
146	Red flags to screen for malignancy and fracture in patients with low back pain. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1518	10.3	9
145	Guideline-based development of quality indicators for hypertensive diseases in pregnancy. <i>Hypertension in Pregnancy</i> , 2013 , 32, 20-31	2	9
144	Reporting and Analysis of Trial-Based Cost-Effectiveness Evaluations in Obstetrics and Gynaecology. <i>Pharmacoeconomics</i> , 2017 , 35, 1007-1033	4.4	9
143	A multimedia campaign to improve back beliefs in patients with non-specific low back pain: a process evaluation. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 200	2.8	9
142	Economic evaluations of health technologies in Dutch healthcare decision-making: a qualitative study of the current and potential use, barriers, and facilitators. <i>BMC Health Services Research</i> , 2017 , 17, 89	2.9	9
141	Study protocol: Cost effectiveness of two strategies to implement the NVOG guidelines on hypertension in pregnancy: An innovative strategy including a computerised decision support system compared to a common strategy of professional audit and feedback, a randomized controlled trial. <i>Implementation Science</i> , 2010 , 5, 68	8.4	9
140	Levels of evidence: intellectual aid or absolute judgement?. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 917-8; author reply 919	5.7	9

139	Cost effectiveness and cost utility of acetylcysteine versus dimethyl sulfoxide for reflex sympathetic dystrophy. <i>Pharmacoeconomics</i> , 2003 , 21, 139-48	4.4	9
138	Market approval processes for new types of spinal devices: challenges and recommendations for improvement. <i>European Spine Journal</i> , 2016 , 25, 2993-3003	2.7	9
137	The Relationship Between Job Satisfaction and Productivity-Related Costs: A Longitudinal Analysis. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 874-9	2	9
136	Telemonitored exercise-based cardiac rehabilitation improves physical capacity and health-related quality of life. <i>Journal of Telemedicine and Telecare</i> , 2020 , 26, 36-44	6.8	9
135	Is low-dose amitriptyline effective in the management of chronic low back pain? Study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 514	2.8	8
134	Process evaluation of a stepped-care program to prevent depression in primary care: patients and practice nurses' experiences. <i>BMC Family Practice</i> , 2017 , 18, 26	2.6	8
133	Back complaints in older adults: prevalence of neuropathic pain and its characteristics. <i>Pain Medicine</i> , 2013 , 14, 1664-72	2.8	8
132	The costs of guideline-concordant care and of care according to patients' needs in anxiety and depression. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 537-46	2.5	8
131	Cost-utility analysis of a one-time supervisor telephone contact at 6-weeks post-partum to prevent extended sick leave following maternity leave in The Netherlands: results of an economic evaluation alongside a randomized controlled trial. <i>BMC Public Health</i> , 2011 , 11, 57	4.1	8
130	Comparing health care use and related costs between groups with and without hearing impairment. <i>International Journal of Audiology</i> , 2010 , 49, 881-90	2.6	8
129	Methodology of clinical nutrition guidelines for adult cancer patients: how good are they according to AGREE criteria?. <i>Journal of Parenteral and Enteral Nutrition</i> , 2012 , 36, 316-22	4.2	8
128	The cross-sectional construct validity of the Waddell score. <i>Clinical Journal of Pain</i> , 2012 , 28, 309-17	3.5	8
127	Predicting chronic low-back pain based on pain trajectories in patients in an occupational setting: an exploratory analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 520-527	4.3	8
126	Moderators of the Effect of Spinal Manipulative Therapy on Pain Relief and Function in Patients with Chronic Low Back Pain: An Individual Participant Data Meta-analysis. <i>Spine</i> , 2021 , 46, E505-E517	3.3	8
125	Transforaminal epidural steroid injections influence Mechanical Diagnosis and Therapy (MDT) pain response classification in candidates for lumbar herniated disc surgery. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2016 , 29, 351-359	1.4	8
124	Patients and practice nurses' perceptions of depression in patients with type 2 diabetes and/or coronary heart disease screened for subthreshold depression. <i>BMC Family Practice</i> , 2018 , 19, 202	2.6	8
123	Rational and design of an individual participant data meta-analysis of spinal manipulative therapy for chronic low back pain—a protocol. <i>Systematic Reviews</i> , 2017 , 6, 21	3	7
122	Is a government-regulated rehabilitation guideline more effective than general practitioner education or preferred-provider rehabilitation in promoting recovery from acute whiplash-associated disorders? A pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e021283	3	7

121	Cost-effectiveness of manual therapy versus physiotherapy in patients with sub-acute and chronic neck pain: a randomised controlled trial. <i>European Spine Journal</i> , 2016 , 25, 2087-96	2.7	7
120	Facilitators and barriers to service user involvement in mental health guidelines: lessons from the Netherlands. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2014 , 41, 712-23	3.1	7
119	Rigid shoulder taping with physiotherapy in patients with subacromial pain syndrome: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 347-353	3.4	7
118	Determinants of patient satisfaction 1 year after presenting to primary care with acute low back pain. <i>Clinical Journal of Pain</i> , 2013 , 29, 512-7	3.5	7
117	Economic evaluation of an occupational health care guideline for prevention of weight gain among employees. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 1100-9	2	7
116	Taping patients with clinical signs of subacromial impingement syndrome: the design of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 188	2.8	7
115	Cost-effectiveness of the SEN-concept: Specialized Emergency Nurses (SEN) treating ankle/foot injuries. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 99	2.8	7
114	Biopsychosocial rehabilitation for repetitive-strain injuries among working-age adults. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000 , 26, 373-81	4.3	7
113	Effects of exercise therapy in patients with acute low back pain: a systematic review of systematic reviews. <i>Systematic Reviews</i> , 2020 , 9, 182	3	7
112	Patient versus general population health state valuations: a case study of non-specific low back pain. <i>Quality of Life Research</i> , 2017 , 26, 1627-1633	3.7	6
111	Functional Outcomes of Arthroscopic Partial Meniscectomy Versus Physical Therapy for Degenerative Meniscal Tears Using a Patient-Specific Score: A Randomized Controlled Trial. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120954392	3.5	6
110	The value of radiography in the follow-up of extremity fractures: a systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018 , 138, 1659-1669	3.6	6
109	Functioning description according to the icf model in chronic back pain: disablement appears even more complex with decreasing symptom-specificity. <i>Journal of Rehabilitation Medicine</i> , 2006 , 38, 93-9	3.4	6
108	Assessing the Impact of EQ-5D Country-specific Value Sets on Cost-utility Outcomes. <i>Medical Care</i> , 2021 , 59, 82-90	3.1	6
107	Effectiveness of spinal manipulation and myofascial release compared with spinal manipulation alone on health-related outcomes in individuals with non-specific low back pain: randomized controlled trial. <i>Physiotherapy</i> , 2020 , 107, 71-80	3	6
106	What do national pharmacoeconomic guidelines recommend regarding the statistical analysis of trial-based economic evaluations?. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020 , 20, 27-37	2.2	6
105	Effectiveness and cost-utility of a multifaceted eHealth strategy to improve back pain beliefs of patients with non-specific low back pain: a cluster randomised trial. <i>BMJ Open</i> , 2019 , 9, e030879	3	6
104	Responsiveness and Minimal Important Change of the IKDC of Middle-Aged and Older Patients With a Meniscal Tear. <i>American Journal of Sports Medicine</i> , 2019 , 47, 364-371	6.8	6

103	Low back pain - AuthorsPreply. <i>Lancet, The</i> , 2018 , 392, 2549-2550	4.0	6
102	Comparing the EQ-5D-5L crosswalks and value sets for England, the Netherlands and Spain: Exploring their impact on cost-utility results. <i>Health Economics (United Kingdom)</i> , 2020 , 29, 640-651	2.4	5
101	Cost-Effectiveness of Radiofrequency Denervation for Patients With Chronic Low Back Pain: The MINT Randomized Clinical Trials. <i>Value in Health</i> , 2020 , 23, 585-594	3.3	5
100	Surgical versus expectant management in women with an incomplete evacuation of the uterus after treatment with misoprostol for miscarriage: the MisoREST trial. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 102	3.2	5
99	Treatment of acute sciatica with transforaminal epidural corticosteroids and local anesthetic: design of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 215	2.8	5
98	Is the methodological quality of trials on spinal manipulative therapy for low-back pain improving?. <i>International Journal of Osteopathic Medicine</i> , 2012 , 15, 37-52	1.9	5
97	Taking the Analysis of Trial-Based Economic Evaluations to the Next Level: The Importance of Accounting for Clustering. <i>Pharmacoeconomics</i> , 2020 , 38, 1247-1261	4.4	5
96	TOPS: Trial Of Prevention Strategies for low back pain in patients recently recovered from low back pain-study rationale and protocol. <i>BMJ Open</i> , 2016 , 6, e011492	3	5
95	The effect of spinal manipulative therapy on pain relief and function in patients with chronic low back pain: an individual participant data meta-analysis. <i>Physiotherapy</i> , 2021 , 112, 121-134	3	5
94	Cost-effectiveness of a lifestyle intervention for people with a serious mental illness (SMILE): design of a pragmatic cluster-randomised controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 151	4.2	4
93	Impact of long-term opioid use for chronic non-cancer pain on misuse, abuse or addiction, overdose, falls and fractures. <i>The Cochrane Library</i> , 2014 ,	5.2	4
92	Effectiveness and cost-effectiveness of rehabilitation after lumbar disc surgery (REALISE): design of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 124	2.8	4
91	Hypertensive disorders in pregnancy: a review of international guidelines. <i>Hypertension in Pregnancy</i> , 2013 , 32, 367-77	2	4
90	The cost-effectiveness and return-on-investment of a combined social and physical environmental intervention in office employees. <i>Health Education Research</i> , 2017 , 32, 384-398	1.8	4
89	Diagnostic Accuracy of Lumbosacral Spine Magnetic Resonance Image Reading by Chiropractors, Chiropractic Radiologists, and Medical Radiologists. <i>Spine</i> , 2015 , 40, E653-60	3.3	4
88	Therapeutic ultrasound for chronic low-back pain 2011 ,		4
87	Protocol for an economic evaluation alongside the University Health Network Whiplash Intervention Trial: cost-effectiveness of education and activation, a rehabilitation program, and the legislated standard of care for acute whiplash injury in Ontario. <i>BMC Public Health</i> , 2011 , 11, 594	4.1	4
86	The effects of various respiratory physiotherapies after lung resection: a systematic review. <i>Physiotherapy Theory and Practice</i> , 2020 , 36, 1201-1219	1.5	4

85	Cost-effectiveness of combination therapy (Mechanical Diagnosis and Treatment and Transforaminal Epidural Steroid Injections) among patients with an indication for a Lumbar Herniated Disc surgery: Protocol of a randomized controlled trial. <i>Physiotherapy Research International</i> , 2020 , 27, e1796	1.8	4
84	Cost-effectiveness of the psycho-educational blended (group and online) intervention HypoAware compared with usual care for people with Type 1 and insulin-treated Type 2 diabetes with problematic hypoglycaemia: analyses of a cluster-randomized controlled trial. <i>Diabetic Medicine</i> , 2018 , 35, 214-222	3.5	4
83	Effect of C reactive protein point-of-care testing on antibiotic prescribing for lower respiratory tract infections in nursing home residents: cluster randomised controlled trial. <i>BMJ, The</i> , 2021 , 374, n2198	5.9	4
82	Full endoscopic versus open discectomy for sciatica: randomised controlled non-inferiority trial.. <i>BMJ, The</i> , 2022 , 376, e065846	5.9	4
81	The effects of respiratory physiotherapy after lung resection: Protocol for a systematic review. <i>International Journal of Surgery Protocols</i> , 2017 , 4, 1-5	1.1	3
80	Using point-of-care C-reactive protein to guide antibiotic prescribing for lower respiratory tract infections in elderly nursing home residents (UPCARE): study design of a cluster randomized controlled trial. <i>BMC Health Services Research</i> , 2020 , 20, 149	2.9	3
79	Adding Psychosocial Factors Does Not Improve Predictive Models for People With Spinal Pain Enough to Warrant Extensive Screening for Them at Baseline. <i>Physical Therapy</i> , 2016 , 96, 1179-89	3.3	3
78	Natural History of Back Pain in Older Adults over Five Years. <i>Journal of the American Board of Family Medicine</i> , 2019 , 32, 781-789	1.6	3
77	Do socio-demographic characteristics and/or health status explain the magnitude of differences between patient and general public utility values? A chronic low back pain patients case study. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 166	3	3
76	Exercise therapy for acute non-specific low-back pain. <i>The Cochrane Library</i> , 2011 ,	5.2	3
75	Back schools for acute and subacute non-specific low-back pain 2010 ,		3
74	Spinal manipulative therapy for chronic low-back pain 2009 ,		3
73	Spinal manipulation for acute low-back pain 2010 ,		3
72	Red flags to screen for vertebral fracture in patients presenting with low-back pain 2010 ,		3
71	Conservative non-pharmacological treatment for chronic low back pain. <i>BMJ, The</i> , 2008 , 337, a974	5.9	3
70	The impact of aerobic fitness on functioning in chronic back pain. <i>European Spine Journal</i> , 2008 , 17, 475-837		3
69	A comparison of high versus low dose of exercise training in exercise-based cardiac rehabilitation: a randomized controlled trial with 12-months follow-up. <i>Clinical Rehabilitation</i> , 2020 , 34, 69-81	3.3	3
68	Reduction of routine radiographs in the follow-up of distal radius and ankle fractures: Barriers and facilitators perceived by orthopaedic trauma surgeons. <i>Journal of Evaluation in Clinical Practice</i> , 2019 , 25, 265-274	2.5	3

67	Back complaints in the elders - chiropractic (BACE-C): protocol of an international cohort study of older adults with low back pain seeking chiropractic care. <i>Chiropractic & Manual Therapies</i> , 2020 , 28, 17	1.8	3
66	Interrater agreement and reliability of clinical tests for assessment of patients with shoulder pain in primary care. <i>Physiotherapy Theory and Practice</i> , 2021 , 37, 177-196	1.5	3
65	Cross-cultural adaptation and psychometric validation of the Dutch version of the Core Outcome Measures Index for the back (COMI -back) in patients undergoing surgery for degenerative disease of the lumbar spine. <i>Brain and Spine</i> , 2021 , 1, 100004		3
64	An innovative implementation strategy to improve the use of Dutch guidelines on hypertensive disorders in pregnancy: A randomized controlled trial. <i>Pregnancy Hypertension</i> , 2018 , 14, 131-138	2.6	3
63	Two-year effectiveness of a stepped-care depression prevention intervention and predictors of incident depression in primary care patients with diabetes type 2 and/or coronary heart disease and subthreshold depression: data from the Step-Dep cluster randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e020412	3	3
62	Cost-effectiveness of full endoscopic versus open discectomy for sciatica.. <i>British Journal of Sports Medicine</i> , 2022 ,	10.3	3
61	Cost-utility analysis of antibiotic treatment in patients with chronic low back pain and Modic changes: results from a randomised, placebo-controlled trial in Norway (the AIM study). <i>BMJ Open</i> , 2020 , 10, e035461	3	2
60	Integrated care programmes for sport and work participation, performance of physical activities and quality of life among orthopaedic surgery patients: a systematic review with meta-analysis. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000664	3.4	2
59	Inter-rater reliability of a modified version of Delitto et al.'s classification-based system for low back pain: a pilot study. <i>Journal of Manual and Manipulative Therapy</i> , 2016 , 24, 98-110	1.6	2
58	Targeting interventions to patients 2013 , 195-205		2
57	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 4	8.4	2
56	The McKenzie method for (sub)acute non-specific low-back pain. <i>The Cochrane Library</i> , 2012 ,	5.2	2
55	Chronic Low Back Pain 2010 , 69-82		2
54	Why Neck Pain Patients Are Not Referred to Manual Therapy: A Qualitative Study among Dutch Primary Care Stakeholders. <i>PLoS ONE</i> , 2016 , 11, e0157465	3.7	2
53	Measurement properties of performance-based instruments to assess mental function during activity and participation in traumatic brain injury: A systematic review. <i>Scandinavian Journal of Occupational Therapy</i> , 2020 , 27, 168-183	2.1	2
52	Is reduction of routine radiograph use in patients with distal radius fractures cost effective? Analysis of data from the multicentre, randomised controlled WARRIOR trial. <i>BMJ Open</i> , 2020 , 10, e035370	3	2
51	Study protocol for a randomized controlled trial of the effectiveness of adding motivational interviewing or stratified vocational advice intervention to usual case management on return to work for people with musculoskeletal disorders. The MI-NAV study. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 496	2.8	2
50	SIZE study: study protocol of a multicentre, randomised controlled trial to compare the effectiveness of an interarcuar decompression versus extended decompression in patients with intermittent neurogenic claudication caused by lumbar spinal stenosis. <i>BMJ Open</i> , 2020 , 10, e036818	3	2

49	Omitting Routine Radiography of Traumatic Ankle Fractures After Initial 2-Week Follow-up Does Not Affect Outcomes: The WARRIOR Trial: A Multicenter Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 1588-1599	5.6	2
48	Examination of a Subgroup of Patients With Chronic Low Back Pain Likely to Benefit More From Pilates-Based Exercises Compared to an Educational Booklet. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 189-197	4.2	2
47	Measurement Properties of Isokinetic Dynamometry for Assessment of Shoulder Muscle Strength: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 510-520	2.8	2
46	Content Validity of Patient-Reported Outcome Measures of Satisfaction With Primary Care for Musculoskeletal Complaints: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 94-102	4.2	2
45	Low back pain and sciatica (chronic). <i>Clinical Evidence</i> , 2003 , 1359-76		2
44	Randomized controlled trials reflected clinical practice when comparing the course of low back pain symptoms in similar populations. <i>Journal of Clinical Epidemiology</i> , 2019 , 116, 122-132	5.7	1
43	Letter to the Editor Regarding "Percutaneous Endoscopic Lumbar Discectomy Versus Posterior Open Lumbar Microdiscectomy for the Treatment of Symptomatic Lumbar Disc Herniation: A Systemic Review and Meta-Analysis": A Critical Appraisal. <i>World Neurosurgery</i> , 2019 , 122, 715-717	2.1	1
42	Measurement properties of objective methods to assess shoulder muscle strength (a systematic review protocol). <i>Physical Therapy Reviews</i> , 2017 , 22, 238-242	0.7	1
41	Back schools for chronic non-specific low back pain 2015 ,		1
40	Economic incentives to enhance safety behaviour in workers for preventing occupational injuries. <i>The Cochrane Library</i> , 2013 ,	5.2	1
39	The McKenzie method for chronic non-specific low-back pain. <i>The Cochrane Library</i> , 2012 ,	5.2	1
38	Can EQ-5D-3L utility values of low back pain patients be validly predicted by the Oswestry Disability Index for use in cost-effectiveness analyses?. <i>Quality of Life Research</i> , 2022 , 1	3.7	1
37	Implementation of a lifestyle intervention for people with a severe mental illness (SMILE): a process evaluation.. <i>BMC Health Services Research</i> , 2022 , 22, 27	2.9	1
36	Economic Perspectives on Return to Work Interventions. <i>Handbooks in Health, Work, and Disability</i> , 2016 , 381-401		1
35	Measurement properties of handheld dynamometry for assessment of shoulder muscle strength: A systematic review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 2305-2328	4.6	1
34	Design characteristics of studies on medical practice variation of caesarean section rates: a scoping review. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 478	3.2	1
33	Surgeons preference for lumbar disk surgery: a discrete choice experiment. <i>European Spine Journal</i> , 2021 , 1	2.7	1
32	The statistical approach in trial-based economic evaluations matters: get your statistics together!. <i>BMC Health Services Research</i> , 2021 , 21, 475	2.9	1

31	Measurement properties of instruments to assess mental function during activity and participation in individuals surviving traumatic brain injury: A systematic review protocol. <i>Scandinavian Journal of Occupational Therapy</i> , 2020 , 27, 163-167	2.1	1
30	Effectiveness and cost-effectiveness of Pilates versus home-based exercises in individuals with chronic non-specific low back pain: randomised controlled trial protocol. <i>European Journal of Physiotherapy</i> , 2021 , 23, 95-101	0.5	1
29	Interpretation of trial-based economic evaluations of musculoskeletal physical therapy interventions. <i>Brazilian Journal of Physical Therapy</i> , 2021 , 25, 514-529	3.7	1
28	Do not make clinical decisions based on abstracts of healthcare research: A systematic review. <i>Journal of Clinical Epidemiology</i> , 2021 , 136-157	5.7	1
27	Patient preferences for treatment of lumbar disc herniation: a discrete choice experiment. <i>Journal of Neurosurgery: Spine</i> , 2021 , 1-9	2.8	1
26	Is antibiotic treatment effective in the management of chronic low back pain with disc herniation? Study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 759	2.8	0
25	Effectiveness and cost-effectiveness of a progressive, individualised walking and education programme for prevention of low back pain recurrence in adults: study protocol for the WalkBack randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e037149	3	0
24	Validity and reliability of the Norwegian version of the Musculoskeletal Health Questionnaire in people on sick leave. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 191	3	0
23	Responsiveness and minimal important change of the Oxford Shoulder Score, EQ-5D, and the Fear-Avoidance Belief Questionnaire Physical Activity subscale in patients undergoing arthroscopic subacromial decompression. <i>JSES International</i> , 2021 , 5, 869-874	1.2	0
22	Answer to the letter to the editor of F. M. Kovacs et al. entitled "overviews should meet the methodological standards of systematic reviews" concerning "the evidence on surgical interventions for low back disorders, an overview of systematic reviews" by Wilco C.H. Jacobs et al.; <i>Eur Spine J</i> , doi:10.1007/s00586-013-2823-4. <i>European Spine Journal</i> , 2014 , 23, 481-2	2.7	
21	Effectiveness of exercise therapy for chronic non-specific low back pain 2013 , 171-183		
20	Needle Acupuncture 2012 , 269-285		
19	Cost-effectiveness of guideline-endorsed treatments for low back pain: a systematic review. <i>Deutsche Zeitschrift Für Akupunktur</i> , 2011 , 54, 26-27	0.1	
18	Comment on Schüz et al. <i>Journal of Parenteral and Enteral Nutrition</i> , 2012 , 36, 504-505	4.2	
17	Reliability and responsiveness of the Danish version of The Chelsea Critical Care Physical Assessment tool (CPAx). <i>Physiotherapy Theory and Practice</i> , 2021 , 1-7	1.5	
16	Interpreting the MINT randomized clinical trials evaluating radiofrequency denervation for lumbar facet and sacroiliac joint pain: a reply to Provenzano. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 88-89	3.4	
15	Cost-effectiveness of adding psychomotor therapy to a multidisciplinary rehabilitation program for chronic pain. <i>Global & Regional Health Technology Assessment</i> , 2020 , 7, 124-130	0.2	
14	Cost-Effectiveness of Interventions for Prevention of Work Disability 2013 , 373-387		

13 Effectiviteit van behandelingen bij chronische lage rugpijn **2013**, 101-137

12 Effectiviteit van behandelingen bij acute lage rugpijn **2013**, 69-99

11 Kosteneffectiviteit van behandelingen van lage rugklachten **2013**, 189-203

10 Nationale en internationale richtlijnen **2013**, 139-166

9 Preventie van lage rugpijn **2013**, 21-45

8 Is het mogelijk om subgroepen van patiënten met lage rugpijn te onderscheiden? **2013**, 205-217

7 Epidemiologie van lage rugpijn **2013**, 1-20

6 Diagnostiek bij lage rugpijn **2013**, 47-67

5 Author Response. *Physical Therapy*, **2019**, 99, 120

3.3

4 Author Reply. *Value in Health*, **2021**, 24, 1235-1236

3.3

3 Contralateral surgical exploration during inguinal hernia repair in infants (HERNIIA trial): study protocol for a multi-centre, randomised controlled trial. *Trials*, **2021**, 22, 670

2.8

2 Measurement properties of performance-based instruments to assess mental function during activity and participation in persons who have survived a stroke: a systematic review protocol.. *Scandinavian Journal of Occupational Therapy*, **2022**, 1-6

2.1

1 Spinal manipulative therapy in older adults with chronic low back pain: an individual participant data meta-analysis. *European Spine Journal*,

2.7