

Ignace Vergote

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6027499/publications.pdf>

Version: 2024-02-01

396
papers

33,748
citations

8181

76
h-index

4645

170
g-index

408
all docs

408
docs citations

408
times ranked

24995
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoadjuvant Chemotherapy or Primary Surgery in Stage IIIC or IV Ovarian Cancer. <i>New England Journal of Medicine</i> , 2010, 363, 943-953.	27.0	2,066
2	Niraparib Maintenance Therapy in Platinum-Sensitive, Recurrent Ovarian Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 2154-2164.	27.0	1,860
3	Bevacizumab Combined With Chemotherapy for Platinum-Resistant Recurrent Ovarian Cancer: The AURELIA Open-Label Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 1302-1308.	1.6	1,240
4	Olaparib maintenance therapy in patients with platinum-sensitive relapsed serous ovarian cancer: a preplanned retrospective analysis of outcomes by BRCA status in a randomised phase 2 trial. <i>Lancet Oncology</i> , The, 2014, 15, 852-861.	10.7	1,237
5	Olaparib plus Bevacizumab as First-Line Maintenance in Ovarian Cancer. <i>New England Journal of Medicine</i> , 2019, 381, 2416-2428.	27.0	1,176
6	Epithelial ovarian cancer. <i>Lancet</i> , The, 2019, 393, 1240-1253.	13.7	1,039
7	ESGO/ESTRO/ESP guidelines for the management of patients with endometrial carcinoma. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 12-39.	2.5	859
8	Terms, definitions and measurements to describe the sonographic features of adnexal tumors: a consensus opinion from the International Ovarian Tumor Analysis (IOTA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 500-505.	1.7	747
9	Sentinel Node Dissection Is Safe in the Treatment of Early-Stage Vulvar Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 884-889.	1.6	684
10	ESMOâ€“ESGO consensus conference recommendations on ovarian cancer: pathology and molecular biology, early and advanced stages, borderline tumours and recurrent disease. <i>Annals of Oncology</i> , 2019, 30, 672-705.	1.2	665
11	Fulvestrant, Formerly ICI 182,780, Is as Effective as Anastrozole in Postmenopausal Women With Advanced Breast Cancer Progressing After Prior Endocrine Treatment. <i>Journal of Clinical Oncology</i> , 2002, 20, 3396-3403.	1.6	626
12	Prognostic importance of degree of differentiation and cyst rupture in stage I invasive epithelial ovarian carcinoma. <i>Lancet</i> , The, 2001, 357, 176-182.	13.7	598
13	Impact of Adjuvant Chemotherapy and Surgical Staging in Early-Stage Ovarian Carcinoma: European Organisation for Research and Treatment of Cancer-Adjuvant ChemoTherapy in Ovarian Neoplasm Trial. <i>Journal of the National Cancer Institute</i> , 2003, 95, 113-125.	6.3	597
14	Pegylated Liposomal Doxorubicin and Carboplatin Compared With Paclitaxel and Carboplatin for Patients With Platinum-Sensitive Ovarian Cancer in Late Relapse. <i>Journal of Clinical Oncology</i> , 2010, 28, 3323-3329.	1.6	500
15	Definitions for Response and Progression in Ovarian Cancer Clinical Trials Incorporating RECIST 1.1 and CA 125 Agreed by the Gynecological Cancer Intergroup (GCGI). <i>International Journal of Gynecological Cancer</i> , 2011, 21, 419-423.	2.5	500
16	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	21.4	493
17	Antitumor activity and safety of pembrolizumab in patients with advanced recurrent ovarian cancer: results from the phase II KEYNOTE-100 study. <i>Annals of Oncology</i> , 2019, 30, 1080-1087.	1.2	456
18	Simple ultrasoundâ€“based rules for the diagnosis of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 681-690.	1.7	435

#	ARTICLE	IF	CITATIONS
19	Logistic Regression Model to Distinguish Between the Benign and Malignant Adnexal Mass Before Surgery: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Journal of Clinical Oncology</i> , 2005, 23, 8794-8801.	1.6	396
20	A pan-cancer blueprint of the heterogeneous tumor microenvironment revealed by single-cell profiling. <i>Cell Research</i> , 2020, 30, 745-762.	12.0	391
21	2004 consensus statements on the management of ovarian cancer: final document of the 3rd International Gynecologic Cancer InterGroup Ovarian Cancer Consensus Conference (GCIG OCCC) Tj ETQq1 1 0.784314 rgB7@verlo	1.4	355
22	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017, 49, 680-691.	21.4	356
23	Neoadjuvant Chemotherapy or Primary Debulking Surgery in Advanced Ovarian Carcinoma: A Retrospective Analysis of 285 Patients. <i>Gynecologic Oncology</i> , 1998, 71, 431-436.	1.4	355
24	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ: British Medical Journal</i> , 2010, 341, c6839-c6839.	2.3	336
25	GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 362-370.	21.4	326
26	Neoadjuvant Chemotherapy for Newly Diagnosed, Advanced Ovarian Cancer: Society of Gynecologic Oncology and American Society of Clinical Oncology Clinical Practice Guideline. <i>Journal of Clinical Oncology</i> , 2016, 34, 3460-3473.	1.6	318
27	Fulvestrant versus anastrozole for the treatment of advanced breast carcinoma in postmenopausal women. <i>Cancer</i> , 2003, 98, 229-238.	4.1	305
28	Anti-angiopoietin therapy with trebananib for recurrent ovarian cancer (TRINOVA-1): a randomised, multicentre, double-blind, placebo-controlled phase 3 trial. <i>Lancet Oncology, The</i> , 2014, 15, 799-808.	10.7	279
29	HE4 and CA125 as a diagnostic test in ovarian cancer: prospective validation of the Risk of Ovarian Malignancy Algorithm. <i>British Journal of Cancer</i> , 2011, 104, 863-870.	6.4	270
30	Endometriosis and the development of malignant tumours of the pelvis. A review of literature. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2004, 18, 349-371.	2.8	257
31	Size of sentinel-node metastasis and chances of non-sentinel-node involvement and survival in early stage vulvar cancer: results from GROINSS-V, a multicentre observational study. <i>Lancet Oncology, The</i> , 2010, 11, 646-652.	10.7	228
32	Sentinel nodes in vulvar cancer: Long-term follow-up of the GRONingen International Study on Sentinel nodes in Vulvar cancer (GROINSS-V) I. <i>Gynecologic Oncology</i> , 2016, 140, 8-14.	1.4	226
33	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015, 47, 164-171.	21.4	221
34	Olaparib tablets as maintenance therapy in patients with platinum-sensitive relapsed ovarian cancer and a BRCA1/2 mutation (SOLO2/ENGOT-Ov21): a final analysis of a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2021, 22, 620-631.	10.7	215
35	Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 424-437.	1.3	212
36	Fifth Ovarian Cancer Consensus Conference of the Gynecologic Cancer InterGroup: recurrent disease. <i>Annals of Oncology</i> , 2017, 28, 727-732.	1.2	203

#	ARTICLE	IF	CITATIONS
37	Whole-body MRI with diffusion-weighted sequence for staging of patients with suspected ovarian cancer: a clinical feasibility study in comparison to CT and FDG-PET/CT. <i>European Radiology</i> , 2014, 24, 889-901.	4.5	189
38	Neoadjuvant chemotherapy versus debulking surgery in advanced tubo-ovarian cancers: pooled analysis of individual patient data from the EORTC 55971 and CHORUS trials. <i>Lancet Oncology</i> , The, 2018, 19, 1680-1687.	10.7	187
39	Ovarian cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2006, 60, 159-179.	4.4	186
40	Efficacy and safety of tisotumab vedotin in previously treated recurrent or metastatic cervical cancer (innovaTV 204/GOG-3023/ENGOT-cx6): a multicentre, open-label, single-arm, phase 2 study. <i>Lancet Oncology</i> , The, 2021, 22, 609-619.	10.7	186
41	Survival with Cemiplimab in Recurrent Cervical Cancer. <i>New England Journal of Medicine</i> , 2022, 386, 544-555.	27.0	182
42	Management of Borderline Ovarian Neoplasms. <i>Journal of Clinical Oncology</i> , 2007, 25, 2928-2937.	1.6	174
43	ESMO-ESGO consensus conference recommendations on ovarian cancer: pathology and molecular biology, early and advanced stages, borderline tumours and recurrent disease. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 728-760.	2.5	167
44	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	9.4	157
45	Fulvestrant versus anastrozole for the treatment of advanced breast carcinoma. <i>Cancer</i> , 2005, 104, 236-239.	4.1	154
46	Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 226-234.	1.7	154
47	Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (<sc>IOTA</sc>) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 9-20.	1.7	153
48	Trabectedin plus pegylated liposomal doxorubicin in relapsed ovarian cancer: outcomes in the partially platinum-sensitive (platinum-free interval 6-12 months) subpopulation of OVA-301 phase III randomized trial. <i>Annals of Oncology</i> , 2011, 22, 39-48.	1.2	146
49	Advanced epithelial ovarian cancer: 1998 consensus statements. <i>Annals of Oncology</i> , 1999, 10, 87-92.	1.2	146
50	Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. <i>Nature Communications</i> , 2013, 4, 1628.	12.8	144
51	Randomized Trial of Cytoreductive Surgery for Relapsed Ovarian Cancer. <i>New England Journal of Medicine</i> , 2021, 385, 2123-2131.	27.0	144
52	Genome-wide association study identifies a common variant associated with risk of endometrial cancer. <i>Nature Genetics</i> , 2011, 43, 451-454.	21.4	141
53	HOTAIR and its surrogate DNA methylation signature indicate carboplatin resistance in ovarian cancer. <i>Genome Medicine</i> , 2015, 7, 108.	8.2	138
54	Safety and dose modification for patients receiving niraparib. <i>Annals of Oncology</i> , 2018, 29, 1784-1792.	1.2	125

#	ARTICLE	IF	CITATIONS
55	A Randomized, Double-Blind, Placebo-Controlled, Phase III Study to Assess Efficacy and Safety of Weekly Farletuzumab in Combination With Carboplatin and Taxane in Patients With Ovarian Cancer in First Platinum-Sensitive Relapse. <i>Journal of Clinical Oncology</i> , 2016, 34, 2271-2278.	1.6	114
56	Port-site metastases after open laparoscopy: a study in 173 patients with advanced ovarian carcinoma. <i>International Journal of Gynecological Cancer</i> , 2005, 15, 776-779.	2.5	113
57	Obesity and survival among women with ovarian cancer: results from the Ovarian Cancer Association Consortium. <i>British Journal of Cancer</i> , 2015, 113, 817-826.	6.4	111
58	Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016, 45, 1619-1630.	1.9	111
59	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology</i> , The, 2019, 20, 448-458.	10.7	110
60	Molecular characterization of circulating tumor cells in patients with ovarian cancer improves their prognostic significance – A study of the OVCAD consortium. <i>Gynecologic Oncology</i> , 2013, 128, 15-21.	1.4	107
61	Primary surgery or neoadjuvant chemotherapy followed by interval debulking surgery in advanced ovarian cancer. <i>European Journal of Cancer</i> , 2011, 47, S88-S92.	2.8	106
62	Neoadjuvant chemotherapy in advanced ovarian cancer: On what do we agree and disagree?. <i>Gynecologic Oncology</i> , 2013, 128, 6-11.	1.4	105
63	Developing Organoids from Ovarian Cancer as Experimental and Preclinical Models. <i>Stem Cell Reports</i> , 2020, 14, 717-729.	4.8	105
64	Phase III, randomized trial of mirvetuximab soravtansine versus chemotherapy in patients with platinum-resistant ovarian cancer: primary analysis of FORWARD I. <i>Annals of Oncology</i> , 2021, 32, 757-765.	1.2	105
65	Subjective assessment by ultrasound is superior to the risk of malignancy index (RMI) or the risk of ovarian malignancy algorithm (ROMA) in discriminating benign from malignant adnexal masses. <i>European Journal of Cancer</i> , 2012, 48, 1649-1656.	2.8	104
66	ESGO/ESTRO/ESP Guidelines for the management of patients with endometrial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 153-190.	2.8	99
67	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014, 111, 680-688.	6.4	98
68	Phase 3 randomised study of canfosfamide (Telcyta®, TLK286) versus pegylated liposomal doxorubicin or topotecan as third-line therapy in patients with platinum-refractory or -resistant ovarian cancer. <i>European Journal of Cancer</i> , 2009, 45, 2324-2332.	2.8	97
69	ESGO/ESTRO/ESP guidelines for the management of patients with endometrial carcinoma. <i>Radiotherapy and Oncology</i> , 2021, 154, 327-353.	0.6	96
70	Randomized study on adjuvant chemotherapy in stage I high-risk ovarian cancer with evaluation of DNA-ploidy as prognostic instrument. <i>Annals of Oncology</i> , 2000, 11, 281-288.	1.2	95
71	Diagnostic value of whole body diffusion-weighted MRI compared to computed tomography for pre-operative assessment of patients suspected for ovarian cancer. <i>European Journal of Cancer</i> , 2017, 83, 88-98.	2.8	93
72	Lavage of the Uterine Cavity for Molecular Detection of Müllerian Duct Carcinomas: A Proof-of-Concept Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 4293-4300.	1.6	87

#	ARTICLE	IF	CITATIONS
73	Intraperitoneal Chemotherapy in Ovarian Cancer Remains Experimental. <i>Journal of Clinical Oncology</i> , 2006, 24, 4528-4530.	1.6	83
74	Platinum-Based Chemotherapy Induces Methylation Changes in Blood DNA Associated with Overall Survival in Patients with Ovarian Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 2213-2222.	7.0	83
75	Strong vaccine responses during chemotherapy are associated with prolonged cancer survival. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	83
76	MILO/ENGOT-ov11: Binimetinib Versus Physician's Choice Chemotherapy in Recurrent or Persistent Low-Grade Serous Carcinomas of the Ovary, Fallopian Tube, or Primary Peritoneum. <i>Journal of Clinical Oncology</i> , 2020, 38, 3753-3762.	1.6	82
77	Final results of a phase 3 study of trebananib plus weekly paclitaxel in recurrent ovarian cancer (TRINOVA-1): Long-term survival, impact of ascites, and progression-free survival-2. <i>Gynecologic Oncology</i> , 2016, 143, 27-34.	1.4	81
78	Chromosomal Instability in Cell-Free DNA as a Highly Specific Biomarker for Detection of Ovarian Cancer in Women with Adnexal Masses. <i>Clinical Cancer Research</i> , 2017, 23, 2223-2231.	7.0	80
79	Timing of debulking surgery in advanced ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 11-19.	2.5	79
80	Laparoscopic lower para-aortic staging lymphadenectomy in stage IB2, II, and III cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2002, 12, 22-26.	2.5	78
81	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.	12.8	78
82	Tisotumab Vedotin in Previously Treated Recurrent or Metastatic Cervical Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 1220-1228.	7.0	77
83	Phase II study on paclitaxel in patients with recurrent, metastatic or locally advanced vulvar cancer not amenable to surgery or radiotherapy: a study of the EORTC-GCG (European Organisation for Tj ETQq1 1 0.784314 rgBT /Overlock 1511-1516.	1.2	76
84	BRCA1 gene promoter methylation status in high-grade serous ovarian cancer patients – A study of the tumour Bank ovarian cancer (TOC) and ovarian cancer diagnosis consortium (OVCAD). <i>European Journal of Cancer</i> , 2014, 50, 2090-2098.	2.8	75
85	Final overall survival (OS) results from SOLO2/ENGOT-ov21: A phase III trial assessing maintenance olaparib in patients (pts) with platinum-sensitive, relapsed ovarian cancer and a BRCA mutation.. <i>Journal of Clinical Oncology</i> , 2020, 38, 6002-6002.	1.6	75
86	A randomized phase II study evaluating the combination of carboplatin-based chemotherapy with pertuzumab versus carboplatin-based therapy alone in patients with relapsed, platinum-sensitive ovarian cancer. <i>Annals of Oncology</i> , 2013, 24, 145-152.	1.2	74
87	Preoperative prediction of malignancy of ovarian tumors using least squares support vector machines. <i>Artificial Intelligence in Medicine</i> , 2003, 28, 281-306.	6.5	71
88	Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016, 45, 884-895.	1.9	71
89	Robotic retroperitoneal lower para-aortic lymphadenectomy in cervical carcinoma: First report on the technique used in 5 patients. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 783-787.	2.8	70
90	ENGOT-ov-6/TRINOVA-2: Randomised, double-blind, phase 3 study of pegylated liposomal doxorubicin plus trebananib or placebo in women with recurrent partially platinum-sensitive or resistant ovarian cancer. <i>European Journal of Cancer</i> , 2017, 70, 111-121.	2.8	70

#	ARTICLE	IF	CITATIONS
91	High-grade serous tubo-ovarian cancer refined with single-cell RNA sequencing: specific cell subtypes influence survival and determine molecular subtype classification. <i>Genome Medicine</i> , 2021, 13, 111.	8.2	70
92	Gynecologic Cancer Intergroup (GCIg) proposals for changes of the current FIGO staging system. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 143, 69-74.	1.1	69
93	Radiotherapy Versus Inguinofemoral Lymphadenectomy as Treatment for Vulvar Cancer Patients With Micrometastases in the Sentinel Node: Results of GROINSS-V II. <i>Journal of Clinical Oncology</i> , 2021, 39, 3623-3632.	1.6	69
94	Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. <i>Human Molecular Genetics</i> , 2015, 24, 5955-5964.	2.9	68
95	Trebananib or placebo plus carboplatin and paclitaxel as first-line treatment for advanced ovarian cancer (TRINOVA-3/ENGOT-ov2/GOG-3001): a randomised, double-blind, phase 3 trial. <i>Lancet Oncology</i> , 2019, 20, 862-876.	10.7	68
96	Results from neoadjuvant chemotherapy followed by surgery compared to chemoradiation for stage lb2-Ilb cervical cancer, EORTC 55994.. <i>Journal of Clinical Oncology</i> , 2019, 37, 5503-5503.	1.6	68
97	European experts consensus: BRCA/homologous recombination deficiency testing in first-line ovarian cancer. <i>Annals of Oncology</i> , 2022, 33, 276-287.	1.2	68
98	Positron Emission Tomography with FDG in the Detection of Peritoneal and Retroperitoneal Metastases of Ovarian Cancer. <i>Gynecologic and Obstetric Investigation</i> , 2003, 55, 130-134.	1.6	66
99	External Validation of Mathematical Models to Distinguish Between Benign and Malignant Adnexal Tumors: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Clinical Cancer Research</i> , 2007, 13, 4440-4447.	7.0	65
100	Myeloid Derived Suppressor Cells: Key Drivers of Immunosuppression in Ovarian Cancer. <i>Frontiers in Immunology</i> , 2019, 10, 1273.	4.8	65
101	Phase III randomized trial of second-line ixabepilone versus paclitaxel or doxorubicin in women with advanced endometrial cancer. <i>Gynecologic Oncology</i> , 2015, 138, 18-23.	1.4	64
102	Fulvestrant, a new treatment option for advanced breast cancer: tolerability versus existing agents. <i>Annals of Oncology</i> , 2006, 17, 200-204.	1.2	63
103	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015, 6, 8234.	12.8	63
104	Quality indicators for advanced ovarian cancer surgery from the European Society of Gynaecological Oncology (ESGO): 2020 update. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 436-440.	2.5	61
105	Postmenopausal Women who Progress on Fulvestrant ('Faslodex') Remain Sensitive to Further Endocrine Therapy. <i>Breast Cancer Research and Treatment</i> , 2003, 79, 207-211.	2.5	60
106	Double-Blind, Placebo-Controlled, Randomized Phase III Trial Evaluating Pertuzumab Combined With Chemotherapy for Low Tumor Human Epidermal Growth Factor Receptor 3 mRNA-Expressing Platinum-Resistant Ovarian Cancer (PENELOPE). <i>Journal of Clinical Oncology</i> , 2016, 34, 2516-2525.	1.6	60
107	Neoadjuvant Chemotherapy Is the Better Treatment Option in Some Patients With Stage IIIc to IV Ovarian Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 4076-4078.	1.6	59
108	Validating the impact of a molecular subtype in ovarian cancer on outcomes: A study of the OVCAD Consortium. <i>Cancer Science</i> , 2012, 103, 1334-1341.	3.9	59

#	ARTICLE	IF	CITATIONS
109	Fulvestrant versus anastrozole as second-line treatment of advanced breast cancer in postmenopausal women. <i>European Journal of Cancer</i> , 2002, 38, 57-58.	2.8	58
110	Phase II Feasibility Study of Sequential Couplets of Cisplatin/Topotecan Followed by Paclitaxel/Cisplatin as Primary Treatment for Advanced Epithelial Ovarian Cancer: A National Cancer Institute of Canada Clinical Trials Group Study. <i>Journal of Clinical Oncology</i> , 2000, 18, 4038-4044.	1.6	57
111	Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 345-354.	1.7	57
112	Clear Cell Carcinoma Compared to Serous Carcinoma in Early Ovarian Cancer: Same Prognosis in a Large Randomized Trial. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 88-93.	2.5	56
113	Sentinel lymph node mapping and intraoperative assessment in a prospective, international, multicentre, observational trial of patients with cervical cancer: The SENTIX trial. <i>European Journal of Cancer</i> , 2020, 137, 69-80.	2.8	56
114	Large-scale genomic instability predicts long-term outcome for women with invasive stage I ovarian cancer. <i>Annals of Oncology</i> , 2003, 14, 1494-1500.	1.2	55
115	ABCB1 (MDR1) polymorphisms and ovarian cancer progression and survival: A comprehensive analysis from the Ovarian Cancer Association Consortium and The Cancer Genome Atlas. <i>Gynecologic Oncology</i> , 2013, 131, 8-14.	1.4	55
116	PET/CT in the staging of patients with a pelvic mass suspicious for ovarian cancer. <i>Gynecologic Oncology</i> , 2013, 131, 694-700.	1.4	54
117	Overall survival results of AGO-OVAR16: A phase 3 study of maintenance pazopanib versus placebo in women who have not progressed after first-line chemotherapy for advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2019, 155, 186-191.	1.4	54
118	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020, 370, m2614.	6.0	54
119	ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 961-982.	2.5	54
120	Trabectedin plus pegylated liposomal doxorubicin in relapsed ovarian cancer delays third-line chemotherapy and prolongs the platinum-free interval. <i>Annals of Oncology</i> , 2011, 22, 49-58.	1.2	53
121	Cyclin E1 (CCNE1) as independent positive prognostic factor in advanced stage serous ovarian cancer patients – A study of the OVCAD consortium. <i>European Journal of Cancer</i> , 2014, 50, 99-110.	2.8	53
122	Second-line lenvatinib in patients with recurrent endometrial cancer. <i>Gynecologic Oncology</i> , 2020, 156, 575-582.	1.4	53
123	A randomised, double-blind, phase II study of two doses of pemetrexed in the treatment of platinum-resistant, epithelial ovarian or primary peritoneal cancer. <i>European Journal of Cancer</i> , 2009, 45, 1415-1423.	2.8	52
124	Randomized Phase III Study of Canfosfamide in Combination With Pegylated Liposomal Doxorubicin Compared With Pegylated Liposomal Doxorubicin Alone in Platinum-Resistant Ovarian Cancer. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 772-780.	2.5	52
125	Characterization of patient-derived tumor xenograft models of endometrial cancer for preclinical evaluation of targeted therapies. <i>Gynecologic Oncology</i> , 2015, 139, 118-126.	1.4	52
126	Tamoxifen Metabolism and Efficacy in Breast Cancer: A Prospective Multicenter Trial. <i>Clinical Cancer Research</i> , 2018, 24, 2312-2318.	7.0	51

#	ARTICLE	IF	CITATIONS
127	Efficacy of maintenance olaparib plus bevacizumab according to clinical risk in patients with newly diagnosed, advanced ovarian cancer in the phase III PAOLA-1/ENGOT-ov25 trial. <i>Gynecologic Oncology</i> , 2022, 164, 254-264.	1.4	51
128	Para-aortic lymph node metastases in locally advanced cervical cancer: Comparison between surgical staging and imaging. <i>Gynecologic Oncology</i> , 2015, 138, 299-303.	1.4	50
129	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 662-671.	2.3	49
130	Genomic signatures as predictive biomarkers of homologous recombination deficiency in ovarian cancer. <i>European Journal of Cancer</i> , 2017, 86, 5-14.	2.8	49
131	EORTCâ€“GCG process quality indicators for ovarian cancer surgery. <i>European Journal of Cancer</i> , 2009, 45, 517-526.	2.8	48
132	Applying the 2011 St Gallen panel of prognostic markers on a large single hospital cohort of consecutively treated primary operable breast cancers. <i>Annals of Oncology</i> , 2012, 23, 2578-2584.	1.2	46
133	Outcome and Clinical Management of 275 Patients With Advanced Ovarian Cancer International Federation of Obstetrics and Gynecology II to IV Inside the European Ovarian Cancer Translational Research Consortiumâ€”OVCAD. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 268-275.	2.5	46
134	Neoadjuvant chemotherapy followed by large cone resection as fertility-sparing therapy in stage IB cervical cancer. <i>Gynecologic Oncology</i> , 2015, 139, 447-451.	1.4	45
135	Laparoscopic versus robotic-assisted sacrocolpopexy for pelvic organ prolapse: a systematic review. <i>Gynecological Surgery</i> , 2016, 13, 115-123.	0.9	45
136	Genetic heterogeneity after first-line chemotherapy in high-grade serous ovarian cancer. <i>European Journal of Cancer</i> , 2016, 53, 51-64.	2.8	45
137	Antitumor activity and safety of pembrolizumab in patients with advanced recurrent ovarian cancer: Interim results from the phase 2 KEYNOTE-100 study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 5511-5511.	1.6	45
138	First-line treatment of ovarian cancer FIGO stages IIb-IV with paclitaxel/epirubicin/carboplatin versus paclitaxel/carboplatin. <i>International Journal of Gynecological Cancer</i> , 2003, 13, 172-177.	2.5	44
139	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015, 10, e0128106.	2.5	44
140	Methylome analysis of extreme chemoresponsive patients identifies novel markers of platinum sensitivity in high-grade serous ovarian cancer. <i>BMC Medicine</i> , 2017, 15, 116.	5.5	44
141	The genetic landscape of 87 ovarian germ cell tumors. <i>Gynecologic Oncology</i> , 2018, 151, 61-68.	1.4	44
142	Bevacizumab with or after chemotherapy for platinum-resistant recurrent ovarian cancer: exploratory analyses of the AURELIA trial. <i>Annals of Oncology</i> , 2017, 28, 1842-1848.	1.2	43
143	Circulating tumor cells: potential markers of minimal residual disease in ovarian cancer? a study of the OVCAD consortium. <i>Oncotarget</i> , 2017, 8, 106415-106428.	1.8	42
144	Influence of CA125, platelet count and neutrophil to lymphocyte ratio on the immune system of ovarian cancer patients. <i>Gynecologic Oncology</i> , 2018, 150, 31-37.	1.4	42

#	ARTICLE	IF	CITATIONS
145	<scp>ESGO</scp>/<scp>ISUOG</scp>/<scp>IOTA</scp>/<scp>ESGE</scp> Consensus Statement on preoperative diagnosis of ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 148-168.	1.7	42
146	Laparoscopic para-aortic lymphadenectomy and positron emission tomography scan as staging procedures in patients with cervical carcinoma stage IB2/IB3. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 723-729.	2.5	40
147	A randomized, double-blind, placebo-controlled phase 1b/2 study of ralimetinib, a p38 MAPK inhibitor, plus gemcitabine and carboplatin versus gemcitabine and carboplatin for women with recurrent platinum-sensitive ovarian cancer. <i>Gynecologic Oncology</i> , 2020, 156, 23-31.	1.4	40
148	Impact of secondary cytoreductive surgery on survival in patients with platinum sensitive recurrent ovarian cancer: Analysis of the CALYPSO trial. <i>Gynecologic Oncology</i> , 2015, 136, 18-24.	1.4	39
149	European Society of Gynaecological Oncology quality indicators for surgical treatment of cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 3-14.	2.5	39
150	European Network of Gynaecological Oncological Trial Groups' Requirements for Trials Between Academic Groups and Pharmaceutical Companies. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 476-478.	2.5	38
151	Somatic copy number alterations predict response to platinum therapy in epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2014, 135, 415-422.	1.4	38
152	Clinical trials in ovarian carcinoma: requirements for standard approaches and regimens. <i>Annals of Oncology</i> , 2005, 16, viii13-viii19.	1.2	37
153	The â€œLeuvenâ€ dose-dense paclitaxel/carboplatin regimen in patients with recurrent ovarian cancer. <i>Gynecologic Oncology</i> , 2007, 106, 354-361.	1.4	37
154	Hyperthermic intraperitoneal chemotherapy does not improve survival in advanced ovarian cancer. <i>Cancer</i> , 2019, 125, 4594-4597.	4.1	37
155	Preoperative diagnosis of ovarian tumors using Bayesian kernel-based methods. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 496-504.	1.7	36
156	A scoring system to differentiate malignant from benign masses in specific ultrasoundâ€based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 92-101.	1.7	36
157	Role of diaphragmatic surgery in 69 patients with ovarian carcinoma. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 363-368.	2.5	35
158	Prospective study to assess fluid accumulation and tenosynovial changes in the aromatase inhibitor-induced musculoskeletal syndrome: 2-year follow-up data. <i>Annals of Oncology</i> , 2013, 24, 350-355.	1.2	35
159	Long-term oncological safety of minimally invasive surgery in high-risk endometrial cancer. <i>European Journal of Cancer</i> , 2016, 65, 185-191.	2.8	35
160	A Phase 2, Randomized, Open-Label Study of Irosustat Versus Megestrol Acetate in Advanced Endometrial Cancer. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 258-266.	2.5	35
161	Integrative Kinome Profiling Identifies mTORC1/2 Inhibition as Treatment Strategy in Ovarian Clear Cell Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 3928-3940.	7.0	35
162	Breast cancer phenotype, nodal status and palpability may be useful in the detection of overdiagnosed screening-detected breast cancers. <i>Annals of Oncology</i> , 2013, 24, 1847-1852.	1.2	34

#	ARTICLE	IF	CITATIONS
163	Interval debulking surgery: An alternative for primary surgical debulking?. <i>Journal of Surgical Oncology</i> , 2000, 19, 49-53.	1.4	33
164	Fulvestrant is an effective and well-tolerated endocrine therapy for postmenopausal women with advanced breast cancer: results from clinical trials. <i>British Journal of Cancer</i> , 2004, 90, S11-S14.	6.4	33
165	Genome-wide Analysis Identifies Novel Loci Associated with Ovarian Cancer Outcomes: Findings from the Ovarian Cancer Association Consortium. <i>Clinical Cancer Research</i> , 2015, 21, 5264-5276.	7.0	33
166	Genetic variability in drug transport, metabolism or DNA repair affecting toxicity of chemotherapy in ovarian cancer. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, 2.	2.4	33
167	The management of borderline tumours of the ovary. <i>Current Opinion in Oncology</i> , 2006, 18, 488-493.	2.4	32
168	A Novel Approach to Predict the Likelihood of Specific Ovarian Tumor Pathology Based on Serum CA-125: A Multicenter Observational Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2420-2428.	2.5	32
169	Surgery during chemotherapy and at relapse of ovarian cancer. <i>Annals of Oncology</i> , 1999, 10, 3-7.	1.2	32
170	Diaphragmatic surgery during primary debulking in 89 patients with stage IIIBâ€“IV epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2010, 116, 489-496.	1.4	31
171	Immunosuppressive parameters in serum of ovarian cancer patients change during the disease course. <i>OncolImmunology</i> , 2016, 5, e1111505.	4.6	31
172	A Complex Network of Tumor Microenvironment in Human High-Grade Serous Ovarian Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 7621-7632.	7.0	31
173	Body Mass Index and Tumor-Infiltrating Lymphocytes in Triple-Negative Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 146-153.	6.3	31
174	Neoadjuvant chemotherapy in advanced ovarian cancer: What kind of evidence is needed to convince US gynaecological oncologists?. <i>Gynecologic Oncology</i> , 2010, 119, 1-2.	1.4	30
175	Lurbinectedin versus pegylated liposomal doxorubicin or topotecan in patients with platinum-resistant ovarian cancer: A multicenter, randomized, controlled, open-label phase 3 study (CORAIL). <i>Gynecologic Oncology</i> , 2021, 163, 237-245.	1.4	30
176	Immunological configuration of ovarian carcinoma: features and impact on disease outcome. , 2021, 9, e002873.		30
177	Randomised study of anastrozole versus tamoxifen as first-line therapy for advanced breast cancer in postmenopausal women. <i>European Journal of Cancer</i> , 2000, 36, 84-85.	2.8	29
178	A new prognostic model for FIGO stage 1 epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2007, 104, 607-611.	1.4	29
179	Progression-free survival by local investigator versus independent central review: Comparative analysis of the AGO-OVAR16 Trial. <i>Gynecologic Oncology</i> , 2015, 136, 37-42.	1.4	29
180	Exploring the clonal evolution of CD133/aldehyde-dehydrogenase-1 (ALDH1)-positive cancer stem-like cells from primary to recurrent high-grade serous ovarian cancer (HGSOC). A study of the Ovarian Cancer Therapyâ€“Innovative Models Prolong Survival (OCTIPS) Consortium. <i>European Journal of Cancer</i> , 2017, 79, 214-225.	2.8	29

#	ARTICLE	IF	CITATIONS
181	Germline polymorphisms in an enhancer of <i>PSIP1</i> are associated with progression-free survival in epithelial ovarian cancer. <i>Oncotarget</i> , 2016, 7, 6353-6368.	1.8	29
182	Network-Based Integration of GWAS and Gene Expression Identifies a <i>HOX</i> -Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1574-1584.	2.5	28
183	A comparison of fulvestrant and the third-generation aromatase inhibitors in the second-line treatment of postmenopausal women with advanced breast cancer. <i>Cancer Treatment Reviews</i> , 2005, 31, 274-282.	7.7	27
184	Evaluation of models to predict lymph node metastasis in endometrial cancer: A multicentre study. <i>European Journal of Cancer</i> , 2016, 61, 52-60.	2.8	27
185	The LACC Trial and Minimally Invasive Surgery in Cervical Cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 462-463.	0.6	27
186	Completion of radical hysterectomy does not improve survival of patients with cervical cancer and intraoperatively detected lymph node involvement: ABRAX international retrospective cohort study. <i>European Journal of Cancer</i> , 2021, 143, 88-100.	2.8	27
187	First-line treatment of advanced ovarian cancer with paclitaxel/carboplatin with or without epirubicin (TEC versus TC)â€”a gynecologic cancer intergroup study of the NSGO, EORTC GCG and NCIC CTG. <i>Annals of Oncology</i> , 2012, 23, 2613-2619.	1.2	26
188	Concordance Between Tumor and Germline <i>BRCA</i> Status in High-Grade Ovarian Carcinoma Patients in the Phase III PAOLA-1/ENGOT-ov25 Trial. <i>Journal of the National Cancer Institute</i> , 2021, 113, 917-923.	6.3	26
189	Tenckhoff tunneled peritoneal catheter placement in the palliative treatment of malignant ascites: technical results and overall clinical outcome. <i>Radiology and Oncology</i> , 2016, 50, 197-203.	1.7	26
190	An Autologous Dendritic Cell Vaccine Promotes Anticancer Immunity in Patients with Ovarian Cancer with Low Mutational Burden and Cold Tumors. <i>Clinical Cancer Research</i> , 2022, 28, 3053-3065.	7.0	26
191	The Feasibility of Open Laparoscopy in Gynecologicâ€”Oncologic Patients. <i>Gynecologic Oncology</i> , 1997, 66, 138-140.	1.4	25
192	Clinical significance of the estrogen-modifying enzymes steroid sulfatase and estrogen sulfotransferase in epithelial ovarian cancer. <i>Oncology Letters</i> , 2017, 13, 4047-4054.	1.8	25
193	Manual lymph drainage may not have a preventive effect on the development of breast cancer-related lymphoedema in the long term: a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 245-254.	1.7	25
194	Evaluation of T2-W MR imaging and diffusion-weighted imaging for the early post-treatment local response assessment of patients treated conservatively for cervical cancer: a multicentre study. <i>European Radiology</i> , 2019, 29, 309-318.	4.5	25
195	Organoids of epithelial ovarian cancer as an emerging preclinical in vitro tool: a review. <i>Journal of Ovarian Research</i> , 2019, 12, 105.	3.0	25
196	Combining conventional therapy with immunotherapy: Aâ€”risky business?. <i>European Journal of Cancer</i> , 2019, 113, 41-44.	2.8	25
197	Final results from the KEYNOTE-100 trial of pembrolizumab in patients with advanced recurrent ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, 6005-6005.	1.6	25
198	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015, 2, .	0.3	25

#	ARTICLE	IF	CITATIONS
199	Common variants at the <i>CHEK2</i> gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015, 36, 1341-1353.	2.8	24
200	Loss of 1p36.33 Frequent in Low-Grade Serous Ovarian Cancer. <i>Neoplasia</i> , 2019, 21, 582-590.	5.3	24
201	Analysis of 108 patients with endometrial carcinoma using the PROMISE classification and additional genetic analyses for MMR-D. <i>Gynecologic Oncology</i> , 2020, 157, 245-251.	1.4	24
202	Peripherally-driven myeloid NFκB and IFN/ISG responses predict malignancy risk, survival, and immunotherapy regime in ovarian cancer. , 2021, 9, e003609.		24
203	Role of Surgery in Ovarian Cancer: An Update. <i>Acta Chirurgica Belgica</i> , 2004, 104, 246-256.	0.4	23
204	Intraperitoneal Chemotherapy in Patients with Advanced Ovarian Cancer: The Con View. <i>Oncologist</i> , 2008, 13, 410-414.	3.7	23
205	Multi-center experience of robot-assisted laparoscopic para-aortic lymphadenectomy for staging of locally advanced cervical carcinoma. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 895-901.	2.8	23
206	Epidermal Growth Factor Receptor (EGFR) Pathway Biomarkers in the Randomized Phase III Trial of Erlotinib Versus Observation in Ovarian Cancer Patients with No Evidence of Disease Progression after First-Line Platinum-Based Chemotherapy. <i>Targeted Oncology</i> , 2015, 10, 583-596.	3.6	23
207	The role of HE4 for prediction of recurrence in epithelial ovarian cancer patients—results from the OVCAD study. <i>Tumor Biology</i> , 2016, 37, 3009-3016.	1.8	23
208	Dynamics of the Intratumoral Immune Response during Progression of High-Grade Serous Ovarian Cancer. <i>Neoplasia</i> , 2018, 20, 280-288.	5.3	23
209	Part I of GANNET53: A European Multicenter Phase I/II Trial of the Hsp90 Inhibitor Ganetespib Combined With Weekly Paclitaxel in Women With High-Grade, Platinum-Resistant Epithelial Ovarian Cancer—A Study of the GANNET53 Consortium. <i>Frontiers in Oncology</i> , 2019, 9, 832.	2.8	23
210	Prognostic Value of the Progesterone Receptor by Subtype in Patients with Estrogen Receptor-Positive, HER-2 Negative Breast Cancer. <i>Oncologist</i> , 2019, 24, 165-171.	3.7	23
211	Clear cell carcinoma of the endometrium. <i>Gynecologic Oncology</i> , 2022, 164, 658-666.	1.4	23
212	Treatment of patients with early epithelial ovarian cancer. <i>Current Opinion in Oncology</i> , 2003, 15, 452-455.	2.4	22
213	Plasma concentrations of the vitamin E-binding protein afamin are associated with overall and progression-free survival and platinum sensitivity in serous ovarian cancer—a study by the OVCAD consortium. <i>Gynecologic Oncology</i> , 2013, 128, 38-43.	1.4	22
214	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015, 39, 689-697.	1.3	22
215	European Network of Gynaecological Oncological Trial Groups™ Requirements for Trials Between Academic Groups and Industry Partners—First Update 2015. <i>International Journal of Gynecological Cancer</i> , 2015, 25, 1328-1330.	2.5	22
216	Morcellation of uterine leiomyomas: a plea for patient triage. <i>Lancet Oncology</i> , The, 2015, 16, 1454-1456.	10.7	22

#	ARTICLE	IF	CITATIONS
217	Tumor characteristics and outcome by androgen receptor expression in triple-negative breast cancer patients treated with neo-adjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 699-708.	2.5	22
218	Rare ovarian tumours: Epidemiology, treatment challenges in and outside a network setting. <i>European Journal of Surgical Oncology</i> , 2019, 45, 67-74.	1.0	22
219	Opposite Macrophage Polarization in Different Subsets of Ovarian Cancer: Observation from a Pilot Study. <i>Cells</i> , 2020, 9, 305.	4.1	22
220	A phase 1b, open-label study of trebananib in combination with paclitaxel and carboplatin in patients with ovarian cancer receiving interval or primary debulking surgery. <i>European Journal of Cancer</i> , 2014, 50, 2408-2416.	2.8	21
221	Preoperative HE4 and ROMA values do not improve the CA125 diagnostic value for borderline tumors of the ovary (BOT) – a study of the TOC Consortium. <i>Journal of Ovarian Research</i> , 2014, 7, 49.	3.0	21
222	Practical guidance for applying the ADNEX model from the IOTA group to discriminate between different subtypes of adnexal tumors. <i>Facts, Views & Vision in ObGyn</i> , 2015, 7, 32-41.	1.1	21
223	Time to include high-risk early ovarian cancer in randomized phase III trials of advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2006, 102, 415-417.	1.4	20
224	Should we screen for endometrial cancer?. <i>Lancet Oncology</i> , The, 2011, 12, 4-5.	10.7	20
225	Expression III: patients'™ expectations and preferences regarding physician-patient relationship and clinical management" results of the international NOGGO/ENGOT-ov4-GCIG study in 1830 ovarian cancer patients from European countries. <i>Annals of Oncology</i> , 2018, 29, 910-916.	1.2	20
226	Mitigation and management strategies for ocular events associated with tisotumab vedotin. <i>Gynecologic Oncology</i> , 2022, 165, 385-392.	1.4	20
227	The cellular ratio of immune tolerance (immunoCRIT) is a definite marker for aggressiveness of solid tumors and may explain tumor dissemination patterns. <i>Epigenetics</i> , 2013, 8, 1226-1235.	2.7	19
228	Phase II study of weekly paclitaxel/carboplatin in combination with prophylactic G-CSF in the treatment of gynecologic cancers: A study in 108 patients by the Belgian Gynaecological Oncology Group. <i>Gynecologic Oncology</i> , 2015, 138, 278-284.	1.4	19
229	Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. <i>Human Genetics</i> , 2016, 135, 741-756.	3.8	19
230	Ovarian cancer in children and adolescents: A rare disease that needs more attention. <i>Maturitas</i> , 2016, 88, 3-8.	2.4	19
231	AID/APOBEC-network reconstruction identifies pathways associated with survival in ovarian cancer. <i>BMC Genomics</i> , 2016, 17, 643.	2.8	19
232	Interrelations of Sphingolipid and Lysophosphatidate Signaling with Immune System in Ovarian Cancer. <i>Computational and Structural Biotechnology Journal</i> , 2019, 17, 537-560.	4.1	19
233	Oncologic outcome after completing or abandoning (radical) hysterectomy in patients with cervical cancer and intraoperative detection of lymph node positivity; ABRAX (ABandoning RAd hyst in cerviX) Tj ETQq1 1 0z784314 r8BT /Ov	2.8	19
234	Report of an Early Stopped Randomized Trial Comparing Cisplatin vs. Cisplatin/Ifosfamide/5-Fluorouracil in Recurrent Cervical Cancer. <i>Gynecologic and Obstetric Investigation</i> , 2005, 59, 126-129.	1.6	18

#	ARTICLE	IF	CITATIONS
235	Evaluation of paclitaxel/carboplatin in a dose dense or weekly regimen in 66 patients with recurrent or primary metastatic cervical cancer. <i>European Journal of Cancer</i> , 2012, 48, 1332-1340.	2.8	18
236	HIF1 α ; is an independent prognostic factor for overall survival in advanced primary epithelial ovarian cancer – a study of the OVCAD Consortium. <i>OncoTargets and Therapy</i> , 2014, 7, 1563.	2.0	18
237	Whole-body diffusion-weighted magnetic resonance imaging in the diagnosis of recurrent ovarian cancer: a clinical feasibility study. <i>British Journal of Radiology</i> , 2016, 89, 20160468.	2.2	18
238	Uterine and Tubal Lavage for Earlier Cancer Detection Using an Innovative Catheter: A Feasibility and Safety Study. <i>International Journal of Gynecological Cancer</i> , 2018, 28, 1692-1698.	2.5	18
239	A randomized phase III trial in patients with recurrent platinum sensitive ovarian cancer comparing efficacy and safety of paclitaxel micellar and Cremophor EL-paclitaxel. <i>Gynecologic Oncology</i> , 2020, 156, 293-300.	1.4	18
240	Population-adjusted indirect treatment comparison of the SOLO1 and PAOLA-1/ENGOT-ov25 trials evaluating maintenance olaparib or bevacizumab or the combination of both in newly diagnosed, advanced BRCA-mutated ovarian cancer. <i>European Journal of Cancer</i> , 2021, 157, 415-423.	2.8	18
241	Neoadjuvant chemotherapy for ovarian cancer. <i>Oncology</i> , 2005, 19, 1615-22; discussion 1623-30.	0.5	18
242	The dark side of ID8-Luc2: pitfalls for luciferase tagged murine models for ovarian cancer. , 2015, 3, 57.		17
243	Myeloid-derived suppressor cells at diagnosis may discriminate between benign and malignant ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1381-1388.	2.5	17
244	A Systematic Review of Estimating Breast Cancer Recurrence at the Population Level With Administrative Data. <i>Journal of the National Cancer Institute</i> , 2020, 112, 979-988.	6.3	17
245	Bayesian networks in ovarian cancer diagnosis: potentials and limitations. , 0, , .		16
246	Ovarian cancer and the immune system. <i>Gynecologic Oncology Reports</i> , 2017, 19, 57-58.	0.6	16
247	Evaluating the ovarian cancer gonadotropin hypothesis: A candidate gene study. <i>Gynecologic Oncology</i> , 2015, 136, 542-548.	1.4	15
248	Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018, 118, 1123-1129.	6.4	15
249	Lower-Limb Lymphedema after Sentinel Lymph Node Biopsy in Cervical Cancer Patients. <i>Cancers</i> , 2021, 13, 2360.	3.7	15
250	Intra-Gene DNA Methylation Variability Is a Clinically Independent Prognostic Marker in Womenâ€™s Cancers. <i>PLoS ONE</i> , 2015, 10, e0143178.	2.5	14
251	Neoadjuvant Weekly Paclitaxel-Carboplatin Is Effective in Stage Iâ€™II Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 1256-1260.	2.5	14
252	Efficacy of anti-HER2 therapy in metastatic breast cancer by discordance of HER2 expression between primary and metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 185, 183-194.	2.5	14

#	ARTICLE	IF	CITATIONS
253	First-in-human, dose-escalation, phase (ph) I trial to evaluate safety of anti-Axl antibody-drug conjugate (ADC) enapotamab vedotin (EnaV) in solid tumors.. Journal of Clinical Oncology, 2019, 37, 2525-2525.	1.6	14
254	The Use of Toll-like Receptor 4 Agonist to Reshape the Immune Signature in Ovarian Cancer. Anticancer Research, 2016, 36, 5781-5792.	1.1	14
255	Randomized CLIO/BGOG-ov10 trial of olaparib monotherapy versus physician's choice chemotherapy in relapsed ovarian cancer. Gynecologic Oncology, 2022, 165, 14-22.	1.4	14
256	A Core Invasiveness Gene Signature Reflects Epithelial-to-Mesenchymal Transition but Not Metastatic Potential in Breast Cancer Cell Lines and Tissue Samples. PLoS ONE, 2014, 9, e89262.	2.5	13
257	Variation in NF- κ B Signaling Pathways and Survival in Invasive Epithelial Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1421-1427.	2.5	13
258	Statistical controversies in clinical research: the importance of importance. Annals of Oncology, 2016, 27, 1185-1189.	1.2	13
259	Characterisation of tumour microvessel density during progression of high-grade serous ovarian cancer: clinico-pathological impact (an OCTIPS Consortium study).. British Journal of Cancer, 2018, 119, 330-338.	6.4	13
260	Increased Immunosuppression Is Related to Increased Amounts of Ascites and Inferior Prognosis in Ovarian Cancer. Anticancer Research, 2019, 39, 5953-5962.	1.1	13
261	Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. Oncotarget, 2016, 7, 72381-72394.	1.8	13
262	European Society of Gynaecological Oncology quality indicators for the surgical treatment of endometrial carcinoma. International Journal of Gynecological Cancer, 2021, 31, 1508-1529.	2.5	13
263	Cumulative dosage effect of aRAD5111/HMGA2 fusion and RAD5111 loss in a case of pseudo-Meigs' syndrome. Genes Chromosomes and Cancer, 2001, 32, 324-329.	2.8	12
264	A possible role of the cytochrome P450c17 β gene (CYP17) polymorphism in the pathobiology of uterine leiomyomas from black South African women: a pilot study. Acta Obstetrica Et Gynecologica Scandinavica, 2004, 83, 234-239.	2.8	12
265	Value of Positron Emission Tomography of the Para-Aortic Lymph Nodes in Cervical Carcinoma Stage IB2-IIIb. Journal of Clinical Oncology, 2008, 26, 5654-5655.	1.6	12
266	Concordance between CA-125 and RECIST progression in patients with germline BRCA-mutated platinum-sensitive relapsed ovarian cancer treated in the SOLO2 trial with olaparib as maintenance therapy after response to chemotherapy. European Journal of Cancer, 2020, 139, 59-67.	2.8	12
267	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 217-228.	2.5	12
268	First-in-human phase I/II dose-escalation study of IMAB027 in patients with recurrent advanced ovarian cancer (OVAR): Preliminary data of phase I part.. Journal of Clinical Oncology, 2015, 33, 5537-5537.	1.6	12
269	Screening for ovarian carcinoma: not quite there yet. Lancet Oncology, The, 2009, 10, 308-309.	10.7	11
270	Comparison of diaphragmatic surgery at primary or interval debulking in advanced ovarian carcinoma: An analysis of 163 patients. European Journal of Cancer, 2011, 47, 191-198.	2.8	11

#	ARTICLE	IF	CITATIONS
271	Immunobiochemical pathways of neopterin formation and tryptophan breakdown via indoleamine 2,3-dioxygenase correlate with circulating tumor cells in ovarian cancer patientsâ€”A study of the OVCAD consortium. <i>Gynecologic Oncology</i> , 2018, 149, 371-380.	1.4	11
272	Patient-reported outcomes and final overall survival results from the randomized phase 3 PENELOPE trial evaluating pertuzumab in low tumor human epidermal growth factor receptor 3 (HER3) mRNA-expressing platinum-resistant ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1141-1147.	2.5	11
273	Type of chemotherapy has substantial effects on the immune system in ovarian cancer. <i>Translational Oncology</i> , 2021, 14, 101076.	3.7	11
274	Role of Diaphragmatic Surgery in 69 Patients With Ovarian Carcinoma. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 481-481.	2.5	11
275	In Vitro Generation of Murine Dendritic Cells for Cancer Immunotherapy: An Optimized Protocol. <i>Anticancer Research</i> , 2016, 36, 5793-5802.	1.1	11
276	Dendritic cell-based immunotherapy in ovarian cancer. <i>OncolImmunology</i> , 2013, 2, e27059.	4.6	10
277	Roadmap for the European Network of Gynaecological Trial Groups (ENGOT) Trials. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 1339-1343.	2.5	10
278	Prognostic implications of lobular breast cancer histology: New insights from a single hospital cross-sectional study and SEER data. <i>Breast</i> , 2014, 23, 371-377.	2.2	10
279	<i>ABC</i> Variation Affects Myelosuppression, Progressionâ€free Survival and Overall Survival in Paclitaxel/Carboplatinâ€treated Ovarian Cancer Patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 277-287.	2.5	10
280	miR-203 is an independent molecular predictor of prognosis and treatment outcome in ovarian cancer: a multi-institutional study. <i>Carcinogenesis</i> , 2020, 41, 442-451.	2.8	10
281	The Long-Term Prognostic Significance of Circulating Tumor Cells in Ovarian Cancerâ€”A Study of the OVCAD Consortium. <i>Cancers</i> , 2021, 13, 2613.	3.7	10
282	The impact of olaparib dose reduction and treatment interruption on treatment outcome in the SOLO2/ENGOT-ov21 platinum-sensitive recurrent ovarian cancer. <i>Annals of Oncology</i> , 2022, 33, 593-601.	1.2	10
283	Using Bayesian neural networks with ARD input selection to detect malignant ovarian masses prior to surgery. <i>Neural Computing and Applications</i> , 2008, 17, 489-500.	5.6	9
284	The Role of Diaphragmatic Surgery During Interval Debulking After Neoadjuvant Chemotherapy. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 542-551.	2.5	9
285	Performance of the American College of Obstetricians and Gynecologists' Ovarian Tumor Referral Guidelines With a Multivariate Index Assay. <i>Obstetrics and Gynecology</i> , 2011, 118, 1179-1181.	2.4	9
286	The â€œLeuvenâ€paclitaxel/carboplatin weekly regimen in patients with recurrent ovarian cancer, a retrospective study. <i>Gynecologic Oncology</i> , 2013, 128, 34-37.	1.4	9
287	Morcellation and risk of malignancy in presumed ovarian fibromas/fibrothecomas. <i>Lancet Oncology</i> , The, 2016, 17, 273-274.	10.7	9
288	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018, 13, e0197561.	2.5	9

#	ARTICLE	IF	CITATIONS
289	Expectations and preferences of patients with primary and relapsed ovarian cancer to maintenance therapy: A NOGGO/ENGOT-ov22 and GCIg survey (Expression IV). <i>International Journal of Gynecological Cancer</i> , 2020, 30, 509-514.	2.5	9
290	Comprehensive immunomolecular profiling of endometrial carcinoma: A tertiary retrospective study. <i>Gynecologic Oncology</i> , 2021, 162, 694-701.	1.4	9
291	Prognostic nomogram for progression-free survival in patients with BRCA mutations and platinum-sensitive recurrent ovarian cancer on maintenance olaparib therapy following response to chemotherapy. <i>European Journal of Cancer</i> , 2021, 154, 190-200.	2.8	9
292	Phase II study of weekly paclitaxel carboplatin in the treatment of progressive ovarian cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 5058-5058.	1.6	9
293	Randomized phase III study comparing paclitaxel-carboplatin with paclitaxel-carboplatin in patients with recurrent platinum-sensitive epithelial ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5517-5517.	1.6	9
294	Frequency, severity and timing of common adverse events (AEs) with maintenance olaparib in patients (pts) with platinum-sensitive relapsed serous ovarian cancer (PSR SOC).. <i>Journal of Clinical Oncology</i> , 2015, 33, 5550-5550.	1.6	9
295	Neo-Adjuvant Chemotherapy Reduces, and Surgery Increases Immunosuppression in First-Line Treatment for Ovarian Cancer. <i>Cancers</i> , 2021, 13, 5899.	3.7	9
296	To the Editor. <i>Gynecologic Oncology</i> , 2001, 83, 166-167.	1.4	8
297	Metastatic breast cancer: sequencing hormonal therapy and positioning of fulvestrant. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 524-526.	2.5	8
298	The Addition of 4% Oxygen to the CO2 Pneumoperitoneum Does Not Decrease Dramatically Port Site Metastases. <i>Journal of Minimally Invasive Gynecology</i> , 2008, 15, 700-703.	0.6	8
299	Quality-of-life analysis of the MITO-8, MaNGO, BGOG-Ov1, AGO-Ovar2.16, ENGOT-Ov1, GCIg study comparing platinum-based versus non-platinum-based chemotherapy in patients with partially platinum-sensitive recurrent ovarian cancer. <i>Annals of Oncology</i> , 2018, 29, 1189-1194.	1.2	8
300	Assessment of protein biomarkers for preoperative differential diagnosis between benign and malignant ovarian tumors. <i>Gynecologic Oncology</i> , 2020, 159, 811-819.	1.4	8
301	Para-aortic lymph node surgical staging in locally-advanced cervical cancer: comparison between robotic versus conventional laparoscopy. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 466-472.	2.5	8
302	Impact of trebananib plus weekly paclitaxel on overall survival (OS) in patients (pts) with recurrent ovarian cancer and ascites: Results from the phase III TRINOVA-1 study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5503-5503.	1.6	8
303	MCM3 is a novel proliferation marker associated with longer survival for patients with tubo-ovarian high-grade serous carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 855-871.	2.8	8
304	Using artificial neural networks to predict malignancy of ovarian tumors. , 0, , .		7
305	Carboplatin and Paclitaxel in Combination With Oral Enzastaurin in Advanced Ovarian or Primary Peritoneal Cancer: Results From a Safety Lead-in Study. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 1505-1510.	2.5	7
306	Body mass index, age at breast cancer diagnosis, and breast cancer subtype: a cross-sectional study. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 189-196.	2.5	7

#	ARTICLE	IF	CITATIONS
307	Joint ENGOT and GOG Foundation requirements for trials with industry partners. <i>Gynecologic Oncology</i> , 2019, 154, 255-258.	1.4	7
308	Evaluation of surgical resection in advanced ovarian, fallopian tube, and primary peritoneal cancer: laparoscopic assessment. A European Network of Gynaecological Oncology Trial (ENGOT) group survey. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 819-824.	2.5	7
309	miR-181a overexpression predicts the poor treatment response and early progression of serous ovarian cancer patients. <i>International Journal of Cancer</i> , 2020, 147, 3560-3573.	5.1	7
310	Safety and efficiency of performing transvaginal ultrasound-guided tru-cut biopsy for pelvic masses. <i>Gynecologic Oncology</i> , 2021, 161, 845-851.	1.4	7
311	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. <i>Facts, Views & Vision in ObGyn</i> , 2021, 13, 107-130.	1.1	7
312	Radical hysterectomy without adjuvant radiotherapy in patients with cervix carcinoma FIGO 2009 IB1, with or without positive Sedlis criteria. <i>Gynecologic Oncology</i> , 2021, 162, 539-545.	1.4	7
313	AGO-OVAR 16: A phase III study to evaluate the efficacy and safety of pazopanib (PZ) monotherapy versus placebo in women who have not progressed after first line chemotherapy for epithelial ovarian, fallopian tube, or primary peritoneal cancer—Overall survival (OS) results. <i>Journal of Clinical Oncology</i> , 2018, 36, 5518-5518.	1.6	7
314	Analyses of germline variants associated with ovarian cancer survival identify functional candidates at the 1q22 and 19p12 outcome loci. <i>Oncotarget</i> , 2017, 8, 64670-64684.	1.8	7
315	Laparoscopy in gynaecologic oncology: a review. <i>Critical Reviews in Oncology/Hematology</i> , 1999, 31, 15-26.	4.4	6
316	Novel therapies, including enzastaurin, in the treatment of ovarian cancer. <i>Expert Opinion on Investigational Drugs</i> , 2014, 23, 579-598.	4.1	6
317	Combined modality adjuvant therapy for high-risk endometrial cancer. <i>Lancet Oncology</i> , The, 2016, 17, 1029-1030.	10.7	6
318	Breast cancer subtype and survival by parity and time since last birth. <i>Breast Cancer Research and Treatment</i> , 2018, 169, 481-487.	2.5	6
319	Evaluation of vitamin D biosynthesis and pathway target genes reveals UGT2A1/2 and EGFR polymorphisms associated with epithelial ovarian cancer in African American Women. <i>Cancer Medicine</i> , 2019, 8, 2503-2513.	2.8	6
320	Results from neoadjuvant chemotherapy followed by surgery compared to chemoradiation for Stage IB2-IB cervical cancer: EORTC55994. , 2019, , .		6
321	Joint ENGOT and GOG Foundation requirements for trials with industry partners. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1094-1097.	2.5	6
322	Combination of weekly paclitaxel-carboplatin plus standard bevacizumab as neoadjuvant treatment in stage IB–IIB cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 824-828.	2.5	6
323	SIENDO/ENGOT-EN5/GOG-3055: A randomized phase 3 trial of maintenance selinexor versus placebo after combination platinum-based chemotherapy in advanced or recurrent endometrial cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS5610-TPS5610.	1.6	6
324	Experience with PlasmaJet, a novel energy device, in debulking surgery in 87 patients with advanced-stage ovarian cancer. <i>Journal of Surgical Oncology</i> , 2021, 123, 1109-1114.	1.7	6

#	ARTICLE	IF	CITATIONS
325	mRNA Electroporation of Dendritic Cells with WT1, Survivin, and TriMix (a Mixture of caTLR4, CD40L,) Tj ETQq1 1 0,784314 rgBT /Over	0,9	5
326	Positive DESKTOP and Tian Scores Systems Are Adequate to Predict Optimal (R0) Secondary Debulking Surgery in Ovarian Cancer, But a Negative Score Does Not Preclude Secondary Surgery. International Journal of Gynecological Cancer, 2018, 28, 721-728.	2.5	5
327	Clinical Significance of Organic Anion Transporting Polypeptide Gene Expression in High-Grade Serous Ovarian Cancer. Frontiers in Pharmacology, 2018, 9, 842.	3.5	5
328	Tumor Growth Rate Estimates Are Independently Predictive of Therapy Response and Survival in Recurrent High-Grade Serous Ovarian Cancer Patients. Cancers, 2021, 13, 1076.	3.7	5
329	Identification of a Locus Near <i>ULK1</i> Associated With Progression-Free Survival in Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1669-1680.	2.5	5
330	18€...Efficacy of maintenance olaparib plus bevacizumab by biomarker status in clinical higher- and lower-risk patients with newly diagnosed, advanced ovarian cancer in the PAOLA-1 trial. , 2020, , .		5
331	Single agent vanucizumab (RO5520985) for platinum (Pt)-resistant recurrent ovarian cancer (OC): Results from a single arm extension phase of the phase I FIH study.. Journal of Clinical Oncology, 2015, 33, 5549-5549.	1.6	5
332	EUTROC PiSARRO: A phase Ib study combining APR-246 with standard chemotherapy in platinum sensitive relapsed high grade serous ovarian carcinoma (HGSOC).. Journal of Clinical Oncology, 2015, 33, TPS5605-TPS5605.	1.6	5
333	Phase Ib/II trial of tisotumab vedotin (TV) ± bevacizumab (BEV), pembrolizumab (PEM), or carboplatin (CBP) in recurrent or metastatic cervical cancer (innovaTV 205/ENGOT-cx8/GOG-3024).. Journal of Clinical Oncology, 2020, 38, TPS6095-TPS6095.	1.6	5
334	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. Oncotarget, 2016, 7, 69097-69110.	1.8	5
335	Importance of pathological review of gestational trophoblastic diseases: results of the Belgian Gestational Trophoblastic Diseases Registry. International Journal of Gynecological Cancer, 2022, 32, 740-745.	2.5	5
336	Endocrine treatment and prevention of breast and gynaecological cancers. European Journal of Cancer, 2002, 38, 1-11.	2.8	4
337	Controversies in surgery in ovarian cancer " what is its real role?. European Journal of Cancer, Supplement, 2003, 1, 115-125.	2.2	4
338	External validation of non-imaging models for predicting distant metastasis in patients with endometrial cancer. Gynecologic Oncology, 2016, 142, 83-88.	1.4	4
339	Central Pathology Review in SENTIX, a Prospective Observational International Study on Sentinel Lymph Node Biopsy in Patients with Early-Stage Cervical Cancer (ENGOT-CX2). Cancers, 2020, 12, 1115.	3.7	4
340	Interval debulking surgery: An alternative for primary surgical debulking?. Journal of Surgical Oncology, 2000, 19, 49-53.	1.4	4
341	Preliminary phase II results of selinexor, an oral selective inhibitor of nuclear export in patients with heavily pretreated gynecological cancers.. Journal of Clinical Oncology, 2015, 33, 5565-5565.	1.6	4
342	Prospective study evaluating the effect of impaired tamoxifen metabolism on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting.. Journal of Clinical Oncology, 2016, 34, 523-523.	1.6	4

#	ARTICLE	IF	CITATIONS
343	Prognostic factors in stage I ovarian carcinoma. <i>Verhandelingen - Koninklijke Academie Voor Geneeskunde Van België</i> , 2001, 63, 257-71; discussion 272-6.	0.2	4
344	Role of IGF-I in Primary Ovarian Cancer - A Study of the OVCAD European Consortium. <i>Anticancer Research</i> , 2016, 36, 1015-22.	1.1	4
345	Biomarker-Based Models for Preoperative Assessment of Adnexal Mass: A Multicenter Validation Study. <i>Cancers</i> , 2022, 14, 1780.	3.7	4
346	Effect of Particle Carriers for Intraperitoneal Drug Delivery on the Course of Ovarian Cancer and Its Immune Microenvironment in a Mouse Model. <i>Pharmaceutics</i> , 2022, 14, 687.	4.5	4
347	Nucleosome footprinting in plasma cell-free DNA for the pre-surgical diagnosis of ovarian cancer. <i>Npj Genomic Medicine</i> , 2022, 7, 30.	3.8	4
348	Improving outcome in the first-line management of advanced ovarian cancer. <i>European Journal of Cancer, Supplement</i> , 2007, 5, 23-28.	2.2	3
349	No Evidence That Genetic Variation in the Myeloid-Derived Suppressor Cell Pathway Influences Ovarian Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 420-424.	2.5	3
350	rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2473.	4.1	3
351	European Network of Gynaecological Oncological Trial Groupsâ€™ requirements for trials between academic groups and industry partners â€” a new Model D for drug and medical device development. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 730-734.	2.5	3
352	Definition and Independent Validation of a Proteomic-Classifer in Ovarian Cancer. <i>Cancers</i> , 2020, 12, 2519.	3.7	3
353	Curative effect of second curettage for treatment of gestational trophoblastic disease - Results of the Belgian registry for gestational trophoblastic disease. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 257, 95-99.	1.1	3
354	Immunotherapy in rare ovarian cancer. <i>Current Opinion in Oncology</i> , 2021, 33, 447-456.	2.4	3
355	INTRAPERITONEAL (IP) CISPLATIN (P) VERSUS NO FURTHER TREATMENT: 8 YEAR-RESULTS OF AN EORTCGCG RANDOMIZED PHASE III STUDY IN OVARIAN CANCER (O.C.) PATIENTS (PTS) WITH A PATHOLOGICALLY COMPLETE REMISSION (PCR) AFTER P-BASED INDUCTION CHEMOTHERAPY (CT) AND CYTOREDUCTIVE SURGERY. <i>International Journal of Gynecological Cancer</i> , 2003, 13, 8.4-8.	2.5	3
356	Efficacy and safety of chemotherapy (CT) Â± pertuzumab (P) for platinum-resistant ovarian cancer (PROC): AGO-OVAR 2.20/ENGOT-ov14/PENELOPE double-blind placebo-controlled randomized phase III trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5504-5504.	1.6	3
357	PAOLA-1: An ENGOT/GCIG phase III trial of olaparib versus placebo combined with bevacizumab as maintenance treatment in patients with advanced ovarian cancer following first-line platinum-based chemotherapy plus bevacizumab.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS5605-TPS5605.	1.6	3
358	Mirvetuximab soravtansine, a folate receptor alpha (FRÎ±)-targeting antibody-drug conjugate (ADC), in combination with bevacizumab in patients (pts) with platinum-resistant ovarian cancer: Final findings from the FORWARD II study.. <i>Journal of Clinical Oncology</i> , 2019, 37, 5520-5520.	1.6	3
359	Immunological parameters as a new lead in the diagnosis of ovarian cancer. <i>Facts, Views & Vision in ObGyn</i> , 2015, 7, 67-72.	1.1	3
360	A view on dendritic cell immunotherapy in ovarian cancer: how far have we come?. <i>Facts, Views & Vision in ObGyn</i> , 2015, 7, 73-8.	1.1	3

#	ARTICLE	IF	CITATIONS
361	Association of a Combined Cancer Exhaustion Score with Circulating Tumor Cells and Outcome in Ovarian Cancer—A Study of the OVCAD Consortium. <i>Cancers</i> , 2021, 13, 5865.	3.7	3
362	Prospective non-interventional BELOVA/BGOG-ov16 study on safety of frontline bevacizumab in elderly patients with FIGO stage IV ovarian cancer: a study of the Belgian and Luxembourg Gynaecological Oncology Group. <i>International Journal of Gynecological Cancer</i> , 2022, 32, 753-760.	2.5	3
363	RESPONSE: Re: Adjuvant Chemotherapy in Patients With Early-Stage Ovarian Cancer. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1170-1171.	6.3	2
364	Chemotherapy for cervical cancer. <i>European Clinics in Obstetrics and Gynaecology</i> , 2005, 1, 143-150.	0.4	2
365	Reactive Nodular Fibrous Pseudotumor: Case Report and Review of the Literature. <i>Case Reports in Obstetrics and Gynecology</i> , 2014, 2014, 1-4.	0.3	2
366	Final results of OV16, a phase III randomized study of sequential cisplatin-topotecan and carboplatin-paclitaxel (CP) versus CP in first-line chemotherapy for advanced epithelial ovarian cancer (EOC): A GCG study of NCIC CTG, EORTC-GCG, and GEICO.. <i>Journal of Clinical Oncology</i> , 2013, 31, 5502-5502.	1.6	2
367	Prognostic and predictive role of circulating angiopoietin-2 in multiple solid tumors: An analysis of approximately 500 patients treated with lenvatinib across tumor types.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11061-11061.	1.6	2
368	Development and validation of a prognostic nomogram to predict overall survival (OS) in platinum-resistant ovarian cancer (PROC): An AURELIA substudy.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5547-5547.	1.6	2
369	Treatment algorithm in patients with ovarian cancer. <i>Facts, Views & Vision in ObGyn</i> , 2020, 12, 227-239.	1.1	2
370	Ten years of live surgical broadcast at Charité-MAYO conferences (2010–2019): a systematic evaluation of the surgical outcome. <i>International Journal of Gynecological Cancer</i> , 2022, , ijgc-2021-003173.	2.5	2
371	Efficacy of maintenance olaparib plus bevacizumab in patients with newly diagnosed advanced ovarian cancer according to BRCA mutation genotype in the phase III PAOLA-1/ENGOT-ov25 trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 5571-5571.	1.6	2
372	Role of cytoreductive surgery for the second ovarian cancer relapse in patients previously treated with chemotherapy alone at first relapse: A subanalysis of the DESKTOP III trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 5520-5520.	1.6	2
373	Gynecologic Cancers in Pregnancy: Guidelines of an International Consensus Meeting. , 2011, , 209-227.		1
374	Diagnosing adnexal tumours before surgery: a critical appraisal of recent evidence. <i>The Obstetrician and Gynaecologist</i> , 2015, 17, 163-171.	0.4	1
375	Antiangiogenic therapies in ovarian cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2018, 11, 18-26.	0.5	1
376	Observational BGOG Study of the Results of Robot-assisted Laparoscopy in 166 Patients with FIGO 2009 Stage IA1-IB1 Cervical Cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1920-1926.	0.6	1
377	Health concerns in long-term survivors with ovarian cancer: Results of Expression VI—Carolyn meets HANNA—Holistic Analysis of Long-term survival with Ovarian Cancer—The international NOGGO, ENGOT and GCG survey.. <i>Journal of Clinical Oncology</i> , 2021, 39, 12023-12023.	1.6	1
378	Response to: Correspondence on "ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors" by Thomassin-Nagarra et al. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 1396-1397.	2.5	1

#	ARTICLE	IF	CITATIONS
379	Features of durable response and treatment efficacy for capecitabine monotherapy in advanced breast cancer: real-world evidence from a large single-centre cohort. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1041-1048.	2.5	1
380	Effect of food on the pharmacokinetics (PK) of olaparib after oral dosing of the capsule formulation.. <i>Journal of Clinical Oncology</i> , 2014, 32, 2599-2599.	1.6	1
381	New perspective on maintenance therapies for platinum- sensitive recurrent ovarian cancer in women with germline and somatic mutations in BRCA1 and BRCA2 genes. <i>Facts, Views & Vision in ObGyn</i> , 2016, 8, 161-167.	1.1	1
382	Letter to the Editor. <i>International Journal of Gynecological Cancer</i> , 2004, 14, 396-396.	2.5	0
383	Endocrine treatment and prevention of breast and gynaecological cancers. <i>European Journal of Cancer, Supplement</i> , 2004, 2, 1-14.	2.2	0
384	Clinicopathologic markers of uterine leiomyosarcoma originating from smooth muscle tumors of low malignancy. <i>European Clinics in Obstetrics and Gynaecology</i> , 2005, 1, 164-170.	0.4	0
385	OC152: Prevalence of cancer and optimal cut-off levels for mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 292-293.	1.7	0
386	OP17.01: Prospective comparison of one-step and two-step models for the classification of adnexal masses as benign or malignant. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 368-368.	1.7	0
387	OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 7-7.	1.7	0
388	OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 41-42.	1.7	0
389	OC21.02: Selection of women with an ovarian tumor for surgery in specialist centers: a comparison of two triaging protocols. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 39-39.	1.7	0
390	OC21.04: A prediction model to distinguish between benign, borderline, stage I invasive, higher stage invasive, and metastatic adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 40-40.	1.7	0
391	Reply: The performance of the risk of ovarian malignancy algorithm. <i>British Journal of Cancer</i> , 2011, 105, 187-188.	6.4	0
392	EP877â€¦Intestinal (sub)obstruction in ovarian cancer patients: management, complications and survival. , 2019, , .		0
393	An analysis of preoperatively HE4 and CA125 in matched samples of patients (pts) with benign disease and borderline ovarian tumors (BOT) with and without invasive implants (InvImp).. <i>Journal of Clinical Oncology</i> , 2013, 31, e22102-e22102.	1.6	0
394	Bevacizumab (BEV) with or after chemotherapy (CT) for platinum-resistant recurrent ovarian cancer (PROC): Exploratory analyses of the AURELIA trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5551-5551.	1.6	0
395	Part I of GANNET53: A multicenter phase I/II trial of the Hsp90 inhibitor ganetespib (G) combined with weekly paclitaxel (P) in women with high-grade serous, high-grade endometrioid, or undifferentiated, platinum-resistant epithelial ovarian, fallopian tube or primary peritoneal cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5578-5578.	1.6	0
396	First-in-human first-in-class phase I trial of murlentamab, an anti-Mullerian-hormone receptor II (AMHRII) monoclonal antibody acting through tumor-associated macrophage (TAM) engagement, as single agent and in combination with carboplatin (C) and paclitaxel (P) in AMHRII-expressing advanced/metastatic gynecological cancer patients (pts).. <i>Journal of Clinical Oncology</i> , 2019, 37, 2521-2521.	1.6	0