

Jos C Crispn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6027722/jose-c-crispin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

4,622
citations

40
h-index

67
g-index

112
ext. papers

5,339
ext. citations

6.5
avg, IF

5.57
L-index

#	Paper	IF	Citations
100	Regulation of activated T cell survival in rheumatic autoimmune diseases.. <i>Nature Reviews Rheumatology</i> , 2022 ,	8.1	2
99	Dysregulated protein kinase/phosphatase networks in SLE T cells.. <i>Clinical Immunology</i> , 2022 , 236, 108952	5.2	0
98	Orbital and periorbital inflammation in VEXAS syndrome.. <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-4	1.9	1
97	Identification of regulatory T cell molecules associated with severity of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1695-1705	5	1
96	Fas/FasL Signaling Regulates CD8 Expression During Exposure to Self-Antigens. <i>Frontiers in Immunology</i> , 2021 , 12, 635862	8.4	0
95	Common hematological values predict unfavorable outcomes in hospitalized COVID-19 patients. <i>Clinical Immunology</i> , 2021 , 225, 108682	9	3
94	T cells 2021 , 123-129		
93	UNWINDING THE LONG ROAD THAT LEADS TO UNDERSTANDING AUTOIMMUNITY. <i>Revista De Investigacion Clinica</i> , 2021 , 73, 297-301	1.6	
92	AMPK Phosphorylation Effect of Genistein Is Independent of GPR30. <i>Current Developments in Nutrition</i> , 2020 , 4, 484-484	0.4	78
91	TCR- γ CD4 CD8 double negative T cells arise from CD8 T cells. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 851-857	6.5	5
90	Serine/threonine phosphatase PP2A is essential for optimal B cell function. <i>JCI Insight</i> , 2020 , 5,	9.9	4
89	Protein phosphatase 2A B55 limits CD8+ T cell lifespan following cytokine withdrawal. <i>Journal of Clinical Investigation</i> , 2020 , 130, 5989-6004	15.9	3
88	Cancer immunosurveillance by CD8 T cells. <i>F1000Research</i> , 2020 , 9,	3.6	4
87	A parallel-group, multicenter randomized, double-blinded, placebo-controlled, phase 2/3, clinical trial to test the efficacy of pyridostigmine bromide at low doses to reduce mortality or invasive mechanical ventilation in adults with severe SARS-CoV-2 infection: the Pyridostigmine In Severe Covid-19 (PISCO) trial protocol. <i>BMC Infectious Diseases</i> , 2020 , 20, 765	4	6
86	The helminth-derived peptide GK-1 induces an anti-tumoral CD8 T cell response associated with downregulation of the PD-1/PD-L1 pathway. <i>Clinical Immunology</i> , 2020 , 212, 108240	9	2
85	Ethical Considerations in Animal Research: The Principle of 3R's. <i>Revista De Investigacion Clinica</i> , 2020 , 73, 199-209	1.6	3
84	Gene-function studies in systemic lupus erythematosus. <i>Current Opinion in Rheumatology</i> , 2019 , 31, 185-192	3.2	10

83	PPP2R2B hypermethylation causes acquired apoptosis deficiency in systemic autoimmune diseases. <i>JCI Insight</i> , 2019 , 5,	9.9	6
82	T Cells 2019 , 116-124		
81	Mechanisms of Tissue Injury in Lupus Nephritis. <i>Trends in Molecular Medicine</i> , 2018 , 24, 364-378	11.5	49
80	Intrathecal anti-suprabasin antibodies in SLE, a cause of local concern?. <i>Clinical Immunology</i> , 2018 , 193, 131-132	9	
79	Intrathecal formation of anticardiolipin antibodies in a patient with SLE-related relapsing longitudinal myelitis: a possible pathogenic connection. <i>Lupus</i> , 2018 , 27, 2292-2295	2.6	2
78	CD47 overexpression is associated with decreased neutrophil apoptosis/phagocytosis and poor prognosis in non-small-cell lung cancer patients. <i>British Journal of Cancer</i> , 2017 , 117, 385-397	8.7	48
77	SLE-Associated Defects Promote Altered T Cell Function. <i>Critical Reviews in Immunology</i> , 2017 , 37, 39-58	1.8	13
76	Add-on Pyridostigmine Enhances CD4 T-Cell Recovery in HIV-1-Infected Immunological Non-Responders: A Proof-of-Concept Study. <i>Frontiers in Immunology</i> , 2017 , 8, 1301	8.4	9
75	Expression of PD-1/PD-L1 and PD-L2 in peripheral T-cells from non-small cell lung cancer patients. <i>Oncotarget</i> , 2017 , 8, 101994-102005	3.3	57
74	ICER is requisite for Th17 differentiation. <i>Nature Communications</i> , 2016 , 7, 12993	17.4	41
73	Pro-inflammatory self-reactive T cells are found within murine TCR- α^+ CD4(-) CD8(-) PD-1(+) cells. <i>European Journal of Immunology</i> , 2016 , 46, 1383-91	6.1	26
72	Phosphatase PP2A is requisite for the function of regulatory T cells. <i>Nature Immunology</i> , 2016 , 17, 556-64	9.1	144
71	T Cells 2016 , 113-119		
70	Programmed cell death 1 and Helios distinguish TCR- α^+ double-negative (CD4-CD8-) T cells that derive from self-reactive CD8 T cells. <i>Journal of Immunology</i> , 2015 , 194, 4207-14	5.3	35
69	FRI0018 CAMK4 Inhibition Prevents Recruitment of IL-17 Producing Cells to Target Organs Through CCR6/CCL20 Axis in TH17 Driven Inflammatory Diseases. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 425.1-425	2.4	
68	Complement receptor of the immunoglobulin superfamily reduces murine lupus nephritis and cutaneous disease. <i>Clinical Immunology</i> , 2015 , 160, 286-91	9	12
67	Lessons from Sjögren syndrome etiopathogenesis: Novel cellular and molecular targets. <i>World Journal of Immunology</i> , 2015 , 5, 152	0.5	
66	Pathogenesis of lupus 2015 , 1082-1087		

65	Stat3 promotes IL-10 expression in lupus T cells through trans-activation and chromatin remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13457-62	11.5	110
64	Epigenetic regulation of cytokine expression in systemic lupus erythematosus with special focus on T cells. <i>Autoimmunity</i> , 2014 , 47, 234-41	3	42
63	THU0057 Kn-93, an Inhibitor of Calcium/Calmodulin-Dependent Protein Kinase Iv, Promotes Generation and Function of Foxp3+ Regulatory T Cells in Mrl/Lpr Mice. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 195.3-196	2.4	
62	Stat3 and Stat5 govern IL-10 expression in T cells through trans-activation and epigenetic remodelling in health and disease. <i>Molecular and Cellular Pediatrics</i> , 2014 , 1, A17	3.3	78
61	Systemic Lupus Erythematosus and Systemic Autoimmunity 2014 ,		
60	KN-93, an inhibitor of calcium/calmodulin-dependent protein kinase IV, promotes generation and function of Foxp3+ regulatory T cells in MRL/lpr mice. <i>Autoimmunity</i> , 2014 , 47, 445-50	3	51
59	cAMP responsive element modulator (CREM) [mediates chromatin remodeling of CD8 during the generation of CD3+ CD4- CD8- T cells. <i>Journal of Biological Chemistry</i> , 2014 , 289, 2361-70	5.4	51
58	CaMK4-dependent activation of AKT/mTOR and CREM-Underlies autoimmunity-associated Th17 imbalance. <i>Journal of Clinical Investigation</i> , 2014 , 124, 2234-45	15.9	136
57	Gene-function studies in systemic lupus erythematosus. <i>Nature Reviews Rheumatology</i> , 2013 , 9, 476-84	8.1	78
56	T Cells 2013 , 96-103		2
55	Brief report: increased expression of a short splice variant of CTLA-4 exacerbates lupus in MRL/lpr mice. <i>Arthritis and Rheumatism</i> , 2013 , 65, 764-9		7
54	Protein phosphatase 2A enables expression of interleukin 17 (IL-17) through chromatin remodeling. <i>Journal of Biological Chemistry</i> , 2013 , 288, 26775-84	5.4	60
53	cAMP-responsive element modulator [(CREM)]trans-represses the transmembrane glycoprotein CD8 and contributes to the generation of CD3+CD4-CD8- T cells in health and disease. <i>Journal of Biological Chemistry</i> , 2013 , 288, 31880-7	5.4	43
52	Neurocysticercosis: local and systemic immune-inflammatory features related to severity. <i>Medical Microbiology and Immunology</i> , 2012 , 201, 73-80	4	14
51	Dysregulation of the serine/threonine phosphatase PP2A contributes to autoimmunity. <i>Arthritis Research and Therapy</i> , 2012 , 14,	5.7	1
50	Human neurocysticercosis: in vivo expansion of peripheral regulatory T cells and their recruitment in the central nervous system. <i>Journal of Parasitology</i> , 2012 , 98, 142-8	0.9	34
49	Calcium/calmodulin-dependent protein kinase IV suppresses IL-2 production and regulatory T cell activity in lupus. <i>Journal of Immunology</i> , 2012 , 189, 3490-6	5.3	73
48	De Novo Donor-Specific HLA Antibody Development and Peripheral CD4(+)CD25(high) Cells in Kidney Transplant Recipients: A Place for Interaction?. <i>Journal of Transplantation</i> , 2012 , 2012, 302539	2.3	9

47	Phenotype and function of dendritic cells of patients with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2012 , 143, 45-50	9	23
46	cAMP response element modulator β controls IL2 and IL17A expression during CD4 lineage commitment and subset distribution in lupus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 16606-11	11.5	65
45	CREM β overexpression decreases IL-2 production, induces a T(H)17 phenotype and accelerates autoimmunity. <i>Journal of Molecular Cell Biology</i> , 2012 , 4, 121-3	6.3	27
44	Cutting edge: protein phosphatase 2A confers susceptibility to autoimmune disease through an IL-17-dependent mechanism. <i>Journal of Immunology</i> , 2012 , 188, 3567-71	5.3	45
43	A novel inhibitor of the alternative pathway of complement attenuates intestinal ischemia/reperfusion-induced injury. <i>Journal of Surgical Research</i> , 2011 , 167, e131-6	2.5	21
42	The Role of Interleukin-17 in Systemic Lupus Erythematosus 2011 , 391-400		1
41	T-Cells and Systemic Lupus Erythematosus 2011 , 129-142		
40	Quantitative and functional profiles of CD4+ lymphocyte subsets in systemic lupus erythematosus patients with lymphopenia. <i>Clinical and Experimental Immunology</i> , 2011 , 164, 17-25	6.2	12
39	Suppression of autoimmunity and organ pathology in lupus-prone mice upon inhibition of calcium/calmodulin-dependent protein kinase type IV. <i>Arthritis and Rheumatism</i> , 2011 , 63, 523-9		70
38	The dysregulation of cytokine networks in systemic lupus erythematosus. <i>Journal of Interferon and Cytokine Research</i> , 2011 , 31, 769-79	3.5	94
37	Induction of PP2A B α a regulator of IL-2 deprivation-induced T-cell apoptosis, is deficient in systemic lupus erythematosus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 12443-8	11.5	39
36	IL-17-producing T cells in lupus nephritis. <i>Lupus</i> , 2011 , 20, 120-4	2.6	102
35	Pathogenesis of lupus 2011 , 1289-1294.e1		1
34	IL-17 in systemic lupus erythematosus. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 943254		65
33	T cells as therapeutic targets in SLE. <i>Nature Reviews Rheumatology</i> , 2010 , 6, 317-25	8.1	193
32	Pathogenesis of human systemic lupus erythematosus: recent advances. <i>Trends in Molecular Medicine</i> , 2010 , 16, 47-57	11.5	263
31	Interleukin-17-producing T cells in lupus. <i>Current Opinion in Rheumatology</i> , 2010 , 22, 499-503	5.3	73
30	Expression of CD44 variant isoforms CD44v3 and CD44v6 is increased on T cells from patients with systemic lupus erythematosus and is correlated with disease activity. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1431-7		57

29	Acetylcholine-esterase inhibitor pyridostigmine decreases T cell overactivation in patients infected by HIV. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 749-55	1.6	12
28	Human TCR-alpha beta+ CD4- CD8- T cells can derive from CD8+ T cells and display an inflammatory effector phenotype. <i>Journal of Immunology</i> , 2009 , 183, 4675-81	5.3	121
27	Transcriptional regulation of IL-2 in health and autoimmunity. <i>Autoimmunity Reviews</i> , 2009 , 8, 190-5	13.6	84
26	Interleukin 2 and systemic lupus erythematosus: beyond the transcriptional regulatory net abnormalities. <i>Autoimmunity Reviews</i> , 2009 , 9, 34-9	13.6	40
25	IL-17 producing CD4+ T cells mediate accelerated ischemia/reperfusion-induced injury in autoimmunity-prone mice. <i>Clinical Immunology</i> , 2009 , 130, 313-21	9	70
24	Interleukin-17 and systemic lupus erythematosus: current concepts. <i>Clinical and Experimental Immunology</i> , 2009 , 157, 209-15	6.2	171
23	B cells contribute to ischemia/reperfusion-mediated tissue injury. <i>Journal of Autoimmunity</i> , 2009 , 32, 195-200	15.5	34
22	Novel molecular targets in the treatment of systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2008 , 7, 256-61	13.6	40
21	T cells and in situ cryoglobulin deposition in the pathogenesis of lupus nephritis. <i>Clinical Immunology</i> , 2008 , 128, 1-7	9	32
20	How signaling and gene transcription aberrations dictate the systemic lupus erythematosus T cell phenotype. <i>Trends in Immunology</i> , 2008 , 29, 110-5	14.4	79
19	Quantitative and qualitative normal regulatory T cells are not capable of inducing suppression in SLE patients due to T-cell resistance. <i>Lupus</i> , 2008 , 17, 289-94	2.6	98
18	Expanded double negative T cells in patients with systemic lupus erythematosus produce IL-17 and infiltrate the kidneys. <i>Journal of Immunology</i> , 2008 , 181, 8761-6	5.3	559
17	Systemic lupus erythematosus: new molecular targets. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66 Suppl 3, iii65-9	2.4	16
16	A non-allogeneic stimulus triggers the production of de novo HLA antibodies in healthy adults. <i>Transplant Immunology</i> , 2007 , 18, 166-71	1.7	27
15	The role myeloid dendritic cells play in the pathogenesis of systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2007 , 6, 450-6	13.6	36
14	Moderate and severe neutropenia in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2006 , 45, 994-8	3.9	42
13	ANCA associated glomerulonephritis in a patient with mixed connective tissue disease. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 410-1	2.4	8
12	Chronic destructive elbow arthropathy associated with hydroxyapatite crystals in a patient with systemic lupus erythematosus. <i>Journal of Clinical Rheumatology</i> , 2006 , 12, 194-5	1.1	3

11	Systemic lupus erythematosus induced by therapy with interferon-beta in a patient with multiple sclerosis. <i>Lupus</i> , 2005 , 14, 495-6	2.6	33
10	Adult-onset Still disease as the cause of fever of unknown origin. <i>Medicine (United States)</i> , 2005 , 84, 331-337		55
9	Immunoregulatory T cells in autoimmunity. <i>Autoimmunity Reviews</i> , 2004 , 3, 45-51	13.6	18
8	Class I and class II MHC polymorphisms in Mexican patients with Behçet's disease. <i>Immunology Letters</i> , 2004 , 93, 211-5	4.1	22
7	IL-10 production in B cells is confined to CD154+ cells in patients with systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2004 , 23, 379-83	15.5	24
6	Identity loss due to chronic fingertip ischemia. <i>Journal of Rheumatology</i> , 2004 , 31, 1222-4	4.1	3
5	Rheumatologic manifestations of diabetes mellitus. <i>American Journal of Medicine</i> , 2003 , 114, 753-7	2.4	70
4	Quantification of regulatory T cells in patients with systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2003 , 21, 273-6	15.5	34 ^o
3	Immunoregulatory defects in patients with systemic lupus erythematosus in clinical remission. <i>Lupus</i> , 2003 , 12, 386-93	2.6	15
2	Participation of the CD69 antigen in the T-cell activation process of patients with systemic lupus erythematosus. <i>Scandinavian Journal of Immunology</i> , 1998 , 48, 196-200	3.4	43
1	Interleukin-2 and systemic lupus erythematosus--fifteen years later. <i>Lupus</i> , 1998 , 7, 214-22	2.6	19