

Alison Beavis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/602847/alison-beavis-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-------------------------|----------------|----------------|
| 40 papers | 1,173 citations | 19 h-index | 34 g-index |
| 42 ext. papers | 1,338 ext. citations | 3.4 avg, IF | 4.2 L-index |

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 40 | An application example of the likelihood ratio approach to the evaluation of organic gunshot residues using a fictional scenario and recently published data.. <i>Forensic Science International</i> , 2022 , 335, 111267 | 2.6 | 0 |
| 39 | High-throughput screening for target compounds in smokeless powders using online-SPE tandem mass spectrometry. <i>Australian Journal of Forensic Sciences</i> , 2021 , 53, 16-26 | 1.1 | 2 |
| 38 | Interpreting the link value of similarity scores between illicit drug specimens through a dual approach, featuring deterministic and Bayesian frameworks. <i>Forensic Science International</i> , 2021 , 319, 110651 | 2.6 | 0 |
| 37 | Review of the most common chemometric techniques in illicit drug profiling. <i>Forensic Science International</i> , 2019 , 302, 109911 | 2.6 | 19 |
| 36 | An investigation on the secondary transfer of organic gunshot residues. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2019 , 59, 248-255 | 2 | 5 |
| 35 | Secondary transfer of organic gunshot residues: Empirical data to assist the evaluation of three scenarios. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2019 , 59, 58-66 | 2 | 7 |
| 34 | Thinking beyond the lab: organic gunshot residues in an investigative perspective. <i>Australian Journal of Forensic Sciences</i> , 2018 , 1-7 | 1.1 | 5 |
| 33 | A forensic investigation on the persistence of organic gunshot residues. <i>Forensic Science International</i> , 2018 , 292, 1-10 | 2.6 | 16 |
| 32 | Chiral determination and assay of optical isomers in clandestine drug laboratory samples using LC-MSMS. <i>Analytical Methods</i> , 2017 , 9, 3380-3387 | 3.2 | 3 |
| 31 | A study of transfer and prevalence of organic gunshot residues. <i>Forensic Science International</i> , 2017 , 277, 241-251 | 2.6 | 15 |
| 30 | Stability of smokeless powder compounds on collection devices. <i>Forensic Science International</i> , 2017 , 270, 55-60 | 2.6 | 14 |
| 29 | Current perspectives in the interpretation of gunshot residues in forensic science: A review. <i>Forensic Science International</i> , 2017 , 270, 1-11 | 2.6 | 54 |
| 28 | The development and comparison of collection techniques for inorganic and organic gunshot residues. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2567-76 | 4.4 | 38 |
| 27 | Forensic intelligence framework. Part II: Study of the main generic building blocks and challenges through the examples of illicit drugs and false identity documents monitoring. <i>Forensic Science International</i> , 2015 , 250, 44-52 | 2.6 | 35 |
| 26 | The use of methylamphetamine chemical profiling in an intelligence-led perspective and the observation of inhomogeneity within seizures. <i>Forensic Science International</i> , 2015 , 246, 55-64 | 2.6 | 14 |
| 25 | Qualitative analysis of seized cocaine samples using desorption electrospray ionization- mass spectrometry (DESI-MS). <i>Drug Testing and Analysis</i> , 2015 , 7, 393-400 | 3.5 | 17 |
| 24 | Development of a UHPLC method for the detection of organic gunshot residues using artificial neural networks. <i>Analytical Methods</i> , 2015 , 7, 7447-7454 | 3.2 | 20 |

| | | | |
|----|---|------|-----|
| 23 | Forensic intelligence framework--Part I: Induction of a transversal model by comparing illicit drugs and false identity documents monitoring. <i>Forensic Science International</i> , 2014 , 236, 181-90 | 2.6 | 56 |
| 22 | An ironDopamine index predicts risk of parkinsonian neurodegeneration in the substantia nigra pars compacta. <i>Chemical Science</i> , 2014 , 5, 2160-2169 | 9.4 | 82 |
| 21 | Presumptive analysis of 4-methylmethcathinone (mephedrone) using Desorption Electrospray Ionisation - Mass Spectrometry (DESI-MS). <i>Australian Journal of Forensic Sciences</i> , 2014 , 46, 411-423 | 1.1 | 6 |
| 20 | Percolation Diffusion into Self-Assembled Mesoporous Silica Microfibres. <i>Nanomaterials</i> , 2014 , 4, 157-174 | 4.4 | 22 |
| 19 | Detection of gunshot residues using mass spectrometry. <i>BioMed Research International</i> , 2014 , 2014, 965403 | 4.03 | 48 |
| 18 | Analysis of amphetamine-type substances and piperazine analogues using desorption electrospray ionisation mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 731-40 | 2.2 | 14 |
| 17 | The use of organic and inorganic impurities found in MDMA police seizures in a drug intelligence perspective. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2014 , 54, 32-41 | 2 | 27 |
| 16 | A portable explosive detector based on fluorescence quenching of pyrene deposited on coloured wax-printed BADs. <i>Lab on A Chip</i> , 2013 , 13, 4164-72 | 7.2 | 63 |
| 15 | A review of impurity profiling and synthetic route of manufacture of methylamphetamine, 3,4-methylenedioxymethylamphetamine, amphetamine, dimethylamphetamine and p-methoxyamphetamine. <i>Forensic Science International</i> , 2013 , 224, 8-26 | 2.6 | 73 |
| 14 | The use of forensic case data in intelligence-led policing: the example of drug profiling. <i>Forensic Science International</i> , 2013 , 226, 1-9 | 2.6 | 64 |
| 13 | Protocol for production of matrix-matched brain tissue standards for imaging by laser ablation-inductively coupled plasma-mass spectrometry. <i>Analytical Methods</i> , 2013 , 5, 1915 | 3.2 | 59 |
| 12 | Forensic applications of desorption electrospray ionisation mass spectrometry (DESI-MS). <i>Forensic Science International</i> , 2013 , 226, 10-21 | 2.6 | 104 |
| 11 | Three-dimensional atlas of iron, copper, and zinc in the mouse cerebrum and brainstem. <i>Analytical Chemistry</i> , 2012 , 84, 3990-7 | 7.8 | 100 |
| 10 | Screening of gunshot residues using desorption electrospray ionisation-mass spectrometry (DESI-MS). <i>Forensic Science International</i> , 2012 , 217, 101-6 | 2.6 | 51 |
| 9 | A rapid method for the in-field analysis of amphetamines employing the Agilent Bioanalyzer. <i>Analytical Methods</i> , 2011 , 3, 1535 | 3.2 | 18 |
| 8 | Analysis of amphetamine-type substances by capillary zone electrophoresis using capacitively coupled contactless conductivity detection. <i>Electrophoresis</i> , 2010 , 31, 2608-13 | 3.6 | 21 |
| 7 | False negative sentinel lymph node biopsies in melanoma may result from deficiencies in nuclear medicine, surgery, or pathology. <i>Annals of Surgery</i> , 2008 , 247, 1003-10 | 7.8 | 57 |
| 6 | Correct identification of a sentinel node postselective lymphadenectomy using antimony levels. <i>Melanoma Research</i> , 2008 , 18, 365-6 | 3.3 | |

| | | | |
|---|--|---------|----|
| 5 | Confirmation of sentinel lymph node identity by analysis of fine-needle biopsy samples using inductively coupled plasma-mass spectrometry. <i>Annals of Surgical Oncology</i> , 2008 , 15, 934-40 | 3.1 | 4 |
| 4 | Antimony concentrations in nodal tissue can confirm sentinel node identity. <i>Modern Pathology</i> , 2004 , 17, 1191-7 | 9.8 | 15 |
| 3 | Failure to remove true sentinel nodes can cause failure of the sentinel node biopsy technique: evidence from antimony concentrations in false-negative sentinel nodes from melanoma patients. <i>Annals of Surgical Oncology</i> , 2004 , 11, 174S-8S | 3.1 | 10 |
| 2 | Antimony by ICP-MS as a marker for sentinel lymph nodes in melanoma patients. <i>Analyst, The</i> , 2003 , 128, 217-9 | 5 | 15 |
| 1 | Optimization of the Separation of Amino Acids by Capillary Electrophoresis Using Artificial Neural Networks | 169-180 | |