

Björn Henrik Hansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6032117/publications.pdf>

Version: 2024-02-01

73
papers

2,527
citations

159358

30
h-index

223531

46
g-index

74
all docs

74
docs citations

74
times ranked

2321
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Application of chemical herders do not increase acute crude oil toxicity to cold-water marine species. <i>Science of the Total Environment</i> , 2022, 823, 153779. | 3.9 | 1 |
| 2 | Testing a simple energy-budget model for yolk-feeding stages of cleaner fish. <i>Ecological Modelling</i> , 2022, 469, 110005. | 1.2 | 1 |
| 3 | Microplastics do not increase bioaccumulation of petroleum hydrocarbons in Arctic zooplankton but trigger feeding suppression under co-exposure conditions. <i>Science of the Total Environment</i> , 2021, 751, 141264. | 3.9 | 26 |
| 4 | Toxicity and developmental effects of Arctic fuel oil types on early life stages of Atlantic cod (<i>Gadus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 1.9 | 12 |
| 5 | Atlantic cod (<i>Gadus morhua</i>) embryos are highly sensitive to short-term 3,4-dichloroaniline exposure. <i>Toxicology Reports</i> , 2021, 8, 1754-1761. | 1.6 | 9 |
| 6 | Exposure to low environmental copper concentrations does not affect survival and development in Atlantic cod (<i>Gadus morhua</i>) early life stages. <i>Toxicology Reports</i> , 2021, 8, 1909-1916. | 1.6 | 0 |
| 7 | Determination of C₀-C₉ alkyl phenols in produced water exposed fish eggs using gas chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8950. | 0.7 | 3 |
| 8 | Combined effects of exposure to engineered silver nanoparticles and the water-soluble fraction of crude oil in the marine copepod <i>Calanus finmarchicus</i> . <i>Aquatic Toxicology</i> , 2020, 227, 105582. | 1.9 | 5 |
| 9 | Acute and long-term effects of anionic polyacrylamide (APAM) on different developmental stages of two marine copepod species. <i>Chemosphere</i> , 2020, 257, 127259. | 4.2 | 6 |
| 10 | Comparison of artificially weathered Macondo oil with field samples and evidence that weathering does not increase environmental acute toxicity. <i>Marine Environmental Research</i> , 2020, 157, 104928. | 1.1 | 11 |
| 11 | The use of PAH, metabolite and lipid profiling to assess exposure and effects of produced water discharges on pelagic copepods. <i>Science of the Total Environment</i> , 2020, 714, 136674. | 3.9 | 12 |
| 12 | Developmental effects in fish embryos exposed to oil dispersions – The impact of crude oil micro-droplets. <i>Marine Environmental Research</i> , 2019, 150, 104753. | 1.1 | 31 |
| 13 | Modeling the toxicity of dissolved crude oil exposures to characterize the sensitivity of cod (<i>Gadus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 138, 286-294. | 2.3 | 23 |
| 14 | Embryonic exposure to produced water can cause cardiac toxicity and deformations in Atlantic cod (<i>Gadus morhua</i>) and haddock (<i>Melanogrammus aeglefinus</i>) larvae. <i>Marine Environmental Research</i> , 2019, 148, 81-86. | 1.1 | 26 |
| 15 | Acute and sub-lethal effects of an anionic polyacrylamide on sensitive early life stages of Atlantic cod (<i>Gadus morhua</i>). <i>Science of the Total Environment</i> , 2019, 652, 1062-1070. | 3.9 | 10 |
| 16 | Does Microbial Biodegradation of Water-Soluble Components of Oil Reduce the Toxicity to Early Life Stages of Fish?. <i>Environmental Science & Technology</i> , 2018, 52, 4358-4366. | 4.6 | 24 |
| 17 | Partitioning of PAHs between Crude Oil Microdroplets, Water, and Copepod Biomass in Oil-in-Seawater Dispersions of Different Crude Oils. <i>Environmental Science & Technology</i> , 2018, 52, 14436-14444. | 4.6 | 22 |
| 18 | Adhesion of mechanically and chemically dispersed crude oil droplets to eggs of Atlantic cod (<i>Gadus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 138-143. | 3.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Toxicokinetics of Crude Oil Components in Arctic Copepods. <i>Environmental Science & Technology</i> , 2018, 52, 9899-9907. | 4.6 | 24 |
| 20 | Exposure to crude oil micro-droplets causes reduced food uptake in copepods associated with alteration in their metabolic profiles. <i>Aquatic Toxicology</i> , 2017, 184, 94-102. | 1.9 | 29 |
| 21 | Characterisation of fine-grained tailings from a marble processing plant and their acute effects on the copepod <i>Calanus finmarchicus</i> . <i>Chemosphere</i> , 2017, 169, 700-708. | 4.2 | 19 |
| 22 | Modelling the dynamics of growth, development and lipid storage in the marine copepod <i>Calanus finmarchicus</i> . <i>Marine Biology</i> , 2017, 164, 1. | 0.7 | 26 |
| 23 | Maternal polycyclic aromatic hydrocarbon (PAH) transfer and effects on offspring of copepods exposed to dispersed oil with and without oil droplets. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 881-894. | 1.1 | 18 |
| 24 | Acute hydrogen peroxide (H ₂ O ₂) exposure does not cause oxidative stress in late-copepodite stage of <i>Calanus finmarchicus</i> . <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 820-829. | 1.1 | 14 |
| 25 | Automatic determination of heart rates from microscopy videos of early life stages of fish. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 932-940. | 1.1 | 10 |
| 26 | Uptake and toxicity of methylmethacrylate-based nanoplastic particles in aquatic organisms. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 1641-1649. | 2.2 | 101 |
| 27 | Stage-dependent and sex-dependent sensitivity to water-soluble fractions of fresh and weathered oil in the marine copepod <i>Calanus finmarchicus</i> . <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 728-735. | 2.2 | 23 |
| 28 | Acute toxicity of dispersed crude oil on the cold-water copepod <i>Calanus finmarchicus</i> : Elusive implications of lipid content. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 549-557. | 1.1 | 24 |
| 29 | Exposure of first-feeding cod larvae to dispersed crude oil results in similar transcriptional and metabolic responses as food deprivation. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 558-571. | 1.1 | 19 |
| 30 | Individual and molecular level effects of produced water contaminants on nauplii and adult females of <i>Calanus finmarchicus</i> . <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 585-601. | 1.1 | 19 |
| 31 | Transcriptional Profiling of Metabolic Transitions during Development and Diapause Preparation in the Copepod <i>Calanus finmarchicus</i> . <i>Integrative and Comparative Biology</i> , 2016, 56, 1157-1169. | 0.9 | 24 |
| 32 | Oil droplet ingestion and oil fouling in the copepod <i>Calanus finmarchicus</i> exposed to mechanically and chemically dispersed crude oil. <i>Environmental Toxicology and Chemistry</i> , 2015, 34, 1899-1906. | 2.2 | 36 |
| 33 | A comparison of methods for the measurement of CO ₂ and CH ₄ emissions from surface water reservoirs: Results from an international workshop held at Three Gorges Dam, June 2012. <i>Limnology and Oceanography: Methods</i> , 2015, 13, 15-29. | 1.0 | 23 |
| 34 | Chemical comparison and acute toxicity of water accommodated fraction (WAF) of source and field collected Macondo oils from the Deepwater Horizon spill. <i>Marine Pollution Bulletin</i> , 2015, 91, 222-229. | 2.3 | 56 |
| 35 | Modeling filtration of dispersed crude oil droplets by the copepod <i>Calanus finmarchicus</i> . <i>Marine Environmental Research</i> , 2015, 105, 1-7. | 1.1 | 18 |
| 36 | Capturing the life history of the marine copepod <i>Calanus sinicus</i> into a generic bioenergetics framework. <i>Ecological Modelling</i> , 2015, 299, 114-120. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Acute and long-term biological effects of mechanically and chemically dispersed oil on lump sucker (<i>Cyclopterus lumpus</i>). <i>Marine Environmental Research</i> , 2015, 105, 8-19. | 1.1 | 25 |
| 38 | Reproduction Dynamics in Copepods Following Exposure to Chemically and Mechanically Dispersed Crude Oil. <i>Environmental Science & Technology</i> , 2015, 49, 3822-3829. | 4.6 | 34 |
| 39 | Concentrations of viable oil-degrading microorganisms are increased in feces from <i>Calanus finmarchicus</i> feeding in petroleum oil dispersions. <i>Marine Pollution Bulletin</i> , 2015, 98, 69-77. | 2.3 | 20 |
| 40 | Transcriptional profiling of reproductive development, lipid storage and molting throughout the last juvenile stage of the marine copepod <i>Calanus finmarchicus</i> . <i>Frontiers in Zoology</i> , 2014, 11, 91. | 0.9 | 66 |
| 41 | Acute Toxicity of Eight Oil Spill Response Chemicals to Temperate, Boreal, and Arctic Species. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014, 77, 495-505. | 1.1 | 46 |
| 42 | Surface weathering and dispersibility of MC252 crude oil. <i>Marine Pollution Bulletin</i> , 2014, 87, 300-310. | 2.3 | 79 |
| 43 | Acute and sub-lethal response to mercury in Arctic and boreal calanoid copepods. <i>Aquatic Toxicology</i> , 2014, 155, 160-165. | 1.9 | 23 |
| 44 | Endocrine and AhR-CYP1A Pathway Responses to the Water-Soluble Fraction of Oil in Zebrafish (<i>Danio rerio</i> Hamilton). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014, 77, 506-515. | 1.1 | 14 |
| 45 | Metabolic fingerprinting of arctic copepods <i>Calanus finmarchicus</i> , <i>Calanus glacialis</i> and <i>Calanus hyperboreus</i> . <i>Polar Biology</i> , 2013, 36, 1577-1586. | 0.5 | 9 |
| 46 | Acute exposure of water soluble fractions of marine diesel on Arctic <i>Calanus glacialis</i> and boreal <i>Calanus finmarchicus</i> : Effects on survival and biomarker response. <i>Science of the Total Environment</i> , 2013, 449, 276-284. | 3.9 | 56 |
| 47 | Toxicity data for modeling impacts of oil components in an Arctic ecosystem. <i>Marine Environmental Research</i> , 2013, 90, 9-17. | 1.1 | 37 |
| 48 | Effects of dispersed oil on reproduction in the cold water copepod <i>Calanus finmarchicus</i> (Gunnerus). <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 2045-2055. | 2.2 | 39 |
| 49 | Medium-term exposure of the North Atlantic copepod <i>Calanus finmarchicus</i> (Gunnerus, 1770) to CO ₂ -acidified seawater: effects on survival and development. <i>Biogeosciences</i> , 2013, 10, 7481-7491. | 1.3 | 30 |
| 50 | Linking survival and biomarker responses over time. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 1842-1845. | 2.2 | 20 |
| 51 | Acute toxicity of naturally and chemically dispersed oil on the filter-feeding copepod <i>Calanus finmarchicus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2012, 86, 38-46. | 2.9 | 79 |
| 52 | Is chemically dispersed oil more toxic to Atlantic cod (<i>Gadus morhua</i>) larvae than mechanically dispersed oil? A transcriptional evaluation. <i>BMC Genomics</i> , 2012, 13, 702. | 1.2 | 40 |
| 53 | Chemical composition and acute toxicity in the water after in situ burning – A laboratory experiment. <i>Marine Pollution Bulletin</i> , 2012, 64, 49-55. | 2.3 | 35 |
| 54 | Ecotoxicological Mechanisms and Models in an Impact Analysis Tool for Oil Spills. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011, 74, 605-619. | 1.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Transcriptional evidence for low contribution of oil droplets to acute toxicity from dispersed oil in first feeding Atlantic cod (<i>Gadus morhua</i>) larvae. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2011, 154, 333-345. | 1.3 | 40 |
| 56 | Comparative study on acute effects of water accommodated fractions of an artificially weathered crude oil on <i>Calanus finmarchicus</i> and <i>Calanus glacialis</i> (Crustacea: Copepoda). <i>Science of the Total Environment</i> , 2011, 409, 704-709. | 3.9 | 85 |
| 57 | Gross CO ₂ and CH ₄ emissions from the Nam Ngum and Nam Leuk sub-tropical reservoirs in Lao PDR. <i>Science of the Total Environment</i> , 2011, 409, 5382-5391. | 3.9 | 65 |
| 58 | Oil droplets do not affect assimilation and survival probability of first feeding larvae of North-East Arctic cod. <i>Science of the Total Environment</i> , 2011, 412-413, 148-153. | 3.9 | 49 |
| 59 | Method for generating parameterized ecotoxicity data of dispersed oil for use in environmental modelling. <i>Marine Pollution Bulletin</i> , 2011, 62, 2106-2113. | 2.3 | 78 |
| 60 | Molecular effects of diethanolamine exposure on <i>Calanus finmarchicus</i> (Crustacea: Copepoda). <i>Aquatic Toxicology</i> , 2010, 99, 212-222. | 1.9 | 51 |
| 61 | Transcriptional effects on glutathione S-transferases in first feeding Atlantic cod (<i>Gadus morhua</i>) larvae exposed to crude oil. <i>Chemosphere</i> , 2010, 79, 905-913. | 4.2 | 40 |
| 62 | Effects of atrazine on hepatic metabolism and endocrine homeostasis in rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Toxicology and Applied Pharmacology</i> , 2009, 234, 98-106. | 1.3 | 64 |
| 63 | Chemical and toxicological characterization of an unresolved complex mixture of biodegraded crude oil. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 1815-1824. | 2.2 | 84 |
| 64 | Gene Expression of GST and CYP330A1 in Lipid-Rich and Lipid-Poor Female <i>Calanus finmarchicus</i> (Copepoda: Crustacea) Exposed to Dispersed Oil. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009, 72, 131-139. | 1.1 | 69 |
| 65 | Expression of ecdysteroids and cytochrome P450 enzymes during lipid turnover and reproduction in <i>Calanus finmarchicus</i> (Crustacea: Copepoda). <i>General and Comparative Endocrinology</i> , 2008, 158, 115-121. | 0.8 | 49 |
| 66 | Effects of naphthalene on gene transcription in <i>Calanus finmarchicus</i> (Crustacea: Copepoda). <i>Aquatic Toxicology</i> , 2008, 86, 157-165. | 1.9 | 83 |
| 67 | Suppression subtractive hybridization library prepared from the copepod <i>Calanus finmarchicus</i> exposed to a sublethal mixture of environmental stressors. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2007, 2, 250-256. | 0.4 | 37 |
| 68 | Induction and activity of oxidative stress-related proteins during waterborne Cd/Zn-exposure in brown trout (<i>Salmo trutta</i>). <i>Chemosphere</i> , 2007, 67, 2241-2249. | 4.2 | 80 |
| 69 | GILL METAL BINDING AND STRESS GENE TRANSCRIPTION IN BROWN TROUT (<i>SALMO TRUTTA</i>) EXPOSED TO METAL ENVIRONMENTS: THE EFFECT OF PRE-EXPOSURE IN NATURAL POPULATIONS. <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 944. | 2.2 | 38 |
| 70 | Antioxidative stress proteins and their gene expression in brown trout (<i>Salmo trutta</i>) from three rivers with different heavy metal levels. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2006, 143, 263-274. | 1.3 | 109 |
| 71 | Induction and activity of oxidative stress-related proteins during waterborne Cu-exposure in brown trout (<i>Salmo trutta</i>). <i>Chemosphere</i> , 2006, 65, 1707-1714. | 4.2 | 59 |
| 72 | Cold hardiness in relation to trace metal stress in the freeze-avoiding beetle <i>Tenebrio molitor</i> . <i>Journal of Insect Physiology</i> , 2006, 52, 846-853. | 0.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Evidence for oligomerization of metallothioneins in their functional state. Journal of Chromatography A, 2002, 979, 249-254. | 1.8 | 27 |