

Wataru Kudaka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6032401/publications.pdf>

Version: 2024-02-01

28
papers

214
citations

1163117

8
h-index

1125743

13
g-index

32
all docs

32
docs citations

32
times ranked

311
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic factors and optimal therapy for stages I-II neuroendocrine carcinomas of the uterine cervix: A multi-center retrospective study. <i>Gynecologic Oncology</i> , 2018, 148, 139-146.	1.4	41
2	Multimodality imaging in secondary postpartum or postabortion hemorrhage: retained products of conception and related conditions. <i>Japanese Journal of Radiology</i> , 2018, 36, 12-22.	2.4	24
3	Computed tomography-based image-guided brachytherapy for cervical cancer: correlations between dose-volume parameters and clinical outcomes. <i>Journal of Radiation Research</i> , 2018, 59, 67-76.	1.6	22
4	Long-term results and prognostic factors in patients with stage III-IVA squamous cell carcinoma of the cervix treated with concurrent chemoradiotherapy from a single institution study. <i>International Journal of Clinical Oncology</i> , 2013, 18, 916-921.	2.2	16
5	Lymphatic vessel involvement is predictive for lymph node metastasis and an important prognostic factor in endometrial cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 532-538.	2.2	12
6	Prognostic factors in patients with vulvar cancer treated with primary surgery: a single-center experience. <i>SpringerPlus</i> , 2016, 5, 125.	1.2	11
7	Definitive radiotherapy consisting of whole pelvic radiotherapy with no central shielding and CT-based intracavitary brachytherapy for cervical cancer: feasibility, toxicity, and oncologic outcomes in Japanese patients. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1977-1984.	2.2	11
8	A randomized phase II/III trial of conventional paclitaxel and carboplatin with or without bevacizumab versus dose-dense paclitaxel and carboplatin with or without bevacizumab, in stage IVB, recurrent, or persistent cervical carcinoma (JCOG1311): Primary analysis. <i>Gynecologic Oncology</i> , 2021, 162, 292-298.	1.4	9
9	Prognostic Factors and Treatment Outcome for Patients with Stage IVB Cervical Cancer. <i>Anticancer Research</i> , 2016, 36, 3471-5.	1.1	8
10	Therapy-free interval has prognostic value in patients with recurrent cervical cancer treated with chemotherapy following definitive concurrent chemoradiotherapy. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 997-1003.	1.7	7
11	A Phase II Study of Neoadjuvant Chemotherapy Followed by Extended Field Concurrent Chemoradiotherapy for Para-aortic Lymph Node Positive Cervical Cancer. <i>Anticancer Research</i> , 2020, 40, 3565-3570.	1.1	7
12	Human papillomavirus vaccine effectiveness by age at first vaccination among Japanese women. <i>Cancer Science</i> , 2022, 113, 1428-1434.	3.9	6
13	Low-Grade Endometrial Stromal Sarcoma with Intravenous and Intracardiac Extension: A Multidisciplinary Approach. <i>Case Reports in Obstetrics and Gynecology</i> , 2016, 2016, 1-6.	0.3	5
14	Concurrent weekly cisplatin versus triweekly cisplatin with radiotherapy for locally advanced squamous-cell carcinoma of the cervix: a retrospective analysis from a single institution. <i>British Journal of Radiology</i> , 2017, 90, 20170241.	2.2	5
15	Long-term Outcomes of Cervical Adenocarcinoma Treated With Concurrent Chemoradiotherapy Using Paclitaxel and Cisplatin. <i>In Vivo</i> , 2020, 34, 2739-2743.	1.3	5
16	Secondary uterine carcinosarcoma after concurrent chemoradiotherapy for cervical cancer: Case reports. <i>Gynecologic Oncology Reports</i> , 2017, 21, 81-83.	0.6	4
17	Propensity score-matched analysis of systemic chemotherapy versus salvage hysterectomy for persistent cervical cancer after definitive radiotherapy/concurrent chemoradiotherapy. <i>BMC Cancer</i> , 2020, 20, 1169.	2.6	4
18	Hysterectomy for Recurrent/Residual Cervical Cancer Following Definitive Radiotherapy. <i>In Vivo</i> , 2020, 34, 2173-2177.	1.3	4

#	ARTICLE	IF	CITATIONS
19	A case of nasal septal perforation caused by bevacizumab for advanced cervical cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 833-837.	1.3	3
20	Endometrial carcinoma with peritoneal keratin granulomas mimicking peritoneal carcinomatosis: a case report and imaging diagnosis. <i>International Cancer Conference Journal</i> , 2012, 1, 206-209.	0.5	2
21	Methotrexate-induced hemothorax in a woman with low-risk metastatic gestational trophoblastic disease. <i>Gynecologic Oncology Reports</i> , 2019, 30, 100517.	0.6	2
22	Predictive factors of posttreatment fracture by definitive radiotherapy for uterine cervical cancer. <i>Japanese Journal of Radiology</i> , 2021, 39, 93-99.	2.4	2
23	Relative dose intensity and overall treatment time in older patients with cervical cancer treated with concurrent chemoradiotherapy. <i>Journal of Geriatric Oncology</i> , 2021, 12, 332-334.	1.0	1
24	A high-risk gestational trophoblastic neoplasia derived from a complete hydatidiform mole with coexisting fetus identified by short tandem repeats analysis: A case report. <i>Case Reports in Women's Health</i> , 2021, 31, e00336.	0.5	1
25	Hyperbaric Oxygen Therapy for Suburethral Vaginal Mucosal Necrosis after Interstitial Irradiation for Recurrent Cervical Cancer. <i>Case Reports in Obstetrics and Gynecology</i> , 2021, 2021, 1-3.	0.3	1
26	Comprehensive Genomic Profiling for Therapeutic Decision and Identification of Gene Mutation in Uterine Endometrial Dedifferentiated Carcinoma. <i>Case Reports in Oncology</i> , 2022, 15, 46-55.	0.7	1
27	Combined benign Brenner tumor and clear cell adenocarcinoma of the ovary. <i>Pathology International</i> , 2016, 66, 47-49.	1.3	0
28	Propensity score-matched analysis of systemic chemotherapy versus hysterectomy for patients with residual cervical disease after definitive radiotherapy/concurrent chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2018, 36, 5527-5527.	1.6	0