
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6033073/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | NovelMLL-CBP fusion transcript in therapy-related chronic myelomonocytic leukemia with a t(11;16)<br>(q23;p13) chromosome translocation. Genes Chromosomes and Cancer, 1997, 20, 60-63.  | 2.8 | 84        |
| 2  | Unilateral lesions of mesostriatal dopaminergic pathway alters the withdrawal response of the rat hindpaw to mechanical stimulation. Neuroscience Research, 2005, 52, 31-36.   | 1.9 | 58        |
| 3  | Conditioned-fear stress increases Fos expression in monoaminergic and GABAergic neurons of the locus coeruleus and dorsal raphe nuclei. Synapse, 2002, 45, 46-51.  | 1.2 | 53        |
| 4  | Effect of intrathecal administration of hemokinin-1 on the withdrawal response to noxious thermal stimulation of the rat hind paw. Neuroscience Letters, 2006, 392, 114-117.   | 2.1 | 44        |
| 5  | Effects of intrathecal administration of newer antidepressants on mechanical allodynia in rat models of neuropathic pain. Neuroscience Research, 2009, 63, 42-46.  | 1.9 | 44        |
| 6  | Analgesic effect of milnacipran is associated with c-Fos expression in the anterior cingulate cortex in the rat neuropathic pain model. Neuroscience Research, 2009, 64, 380-384.  | 1.9 | 33        |
| 7  | Reasons for Suicide During the COVID-19 Pandemic in Japan. JAMA Network Open, 2022, 5, e2145870.   | 5.9 | 29        |
| 8  | Immunohistochemical characterisation of Fos-positive cells in brainstem monoaminergic nuclei<br>following intracranial self-stimulation of the medial forebrain bundle in the rat. European Journal<br>of Neuroscience, 2001, 13, 1600-1608.   | 2.6 | 23        |
| 9  | Serotonergic activity in the rat striatum after intrastriatal transplantation of fetal nigra as measured by microdialysis. Brain Research, 1998, 788, 207-214.   | 2.2 | 22        |
| 10 | Development of the Psychiatric Nurse Job Stressor Scale (PNJSS). Psychiatry and Clinical Neurosciences, 2011, 65, 567-575.   | 1.8 | 20        |
| 11 | Burnout in Japanese residents and its associations with temperament and character. Asian Journal of Psychiatry, 2016, 24, 5-9.   | 2.0 | 19        |
| 12 | Methamphetamine induces Fos expression in the striatum and the substantia nigra pars reticulata in a<br>rat model of Parkinson's disease. Brain Research, 1998, 809, 107-114.  | 2.2 | 17        |
| 13 | Fos expression in GABAergic cells and cells immunopositive for NMDA receptors in the inferior and superior colliculi following audiogenic seizures in rats. Synapse, 2002, 46, 100-107.  | 1.2 | 16        |
| 14 | Basal expression of c-Fos and Zif268 in the rat basal ganglia: immunohistochemical characterization of striatal Zif268-positive neurons. European Journal of Neuroscience, 2000, 12, 771-775.  | 2.6 | 14        |
| 15 | Alteration of striatal [11C]raclopride and 6-[18F]fluoro-l-3,4-dihydroxyphenylalanine uptake precedes<br>development of methamphetamine-induced rotation following unilateral 6-hydroxydopamine lesions<br>of medial forebrain bundle in rats. Neuroscience Letters, 2005, 389, 30-34. | 2.1 | 14        |
| 16 | How was cognitive behavioural therapy for mood disorder implemented in Japan? A retrospective<br>observational study using the nationwide claims database from FY2010 to FY2015. BMJ Open, 2020, 10,<br>e033365.   | 1.9 | 14        |
| 17 | Lack of glucocorticoids attenuates the self-stimulation-induced increase in the in vivo synthesis rate of dopamine but not serotonin in the rat nucleus accumbens. European Journal of Neuroscience, 2000, 12, 1495-1500.  | 2.6 | 13        |
| 18 | Differential expression of FosB, c-Fos, and Zif268 in forebrain regions after acute or chronic l-DOPA treatment in a rat model of Parkinson's disease. Neuroscience Letters, 2011, 496, 90-94.   | 2.1 | 13        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Characteristics of facial muscle activity during voluntary facial expressions: Imaging analysis of<br>facial expressions based on myogenic potential data. Neuropsychopharmacology Reports, 2019, 39,<br>183-193.              | 2.3 | 12        |
| 20 | Changes in Dopamine D <sub>2</sub> Receptors and<br>6-[ <sup>18</sup> F]Fluoro- <i>L</i> -3,4-Dihydroxyphenylalanine Uptake in the Brain of<br>6-Hydroxydopamine- Lesioned Rats. Neurodegenerative Diseases, 2004, 1, 109-112. | 1.4 | 11        |
| 21 | Long-Term Effectiveness of Cognitive Therapy for Refractory Social Anxiety Disorder: One-Year<br>Follow-Up of a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2019, 88, 244-246.                              | 8.8 | 11        |
| 22 | Role of serotonin and noradrenaline in the acute itch processing in mice. European Journal of Pharmacology, 2019, 850, 118-125.  | 3.5 | 11        |
| 23 | Nurse-led group cognitive behavioral therapy for major depressive disorder among adults in Japan: A<br>preliminary single-group study. International Journal of Nursing Sciences, 2018, 5, 218-222.                            | 1.3 | 10        |
| 24 | Dopaminergic transplants alter in vivo activity of tryptophan hydroxylase in the striatum in a rat<br>model of Parkinson's disease. Neuroscience Letters, 1996, 210, 75-78.  | 2.1 | 9         |
| 25 | Intrastriatal grafts of fetal ventral mesencephalon improve allodynia-like withdrawal response to<br>mechanical stimulation in a rat model of Parkinson's disease. Neuroscience Letters, 2014, 573, 19-23.                     | 2.1 | 9         |
| 26 | Yokukansan, a Traditional Japanese Medicine, Enhances the L-DOPA-Induced Rotational Response in<br>6-Hydroxydopamine-Lesioned Rats: Possible Inhibition of COMT. Biological and Pharmaceutical<br>Bulletin, 2016, 39, 104-113. | 1.4 | 9         |
| 27 | Jobâ€related stress in psychiatric assistant nurses. Nursing Open, 2018, 5, 15-20.   | 2.4 | 9         |
| 28 | Dopaminergic transplants suppressl-DOPA-induced Fos expression in the dopamine-depleted striatum in a rat model of Parkinson's disease. Brain Research, 1996, 727, 205-211.  | 2.2 | 8         |
| 29 | The role of spinal serotonin receptor and alpha adrenoceptor on the antiallodynic effects induced by intrathecal milnacipran in chronic constriction injury rats. European Journal of Pharmacology, 2014, 738, 57-65.          | 3.5 | 8         |
| 30 | Brain Rewarding Stimulation Reduces Extracellular Glutamate Through Glial Modulation in Medial<br>Prefrontal Cortex of Rats. Neuropsychopharmacology, 2015, 40, 2686-2695.   | 5.4 | 7         |
| 31 | Weight control in schizophrenic patients through Sakata's Charting of Daily Weight Pattern and its associations with temperament and character. Asian Journal of Psychiatry, 2014, 7, 52-57.                                   | 2.0 | 6         |
| 32 | A survey of the effects of ramelteon on benzodiazepine-dependence: Comparison between a ramelteon<br>add-on group and a continuous benzodiazepine administration group. Asian Journal of Psychiatry,<br>2018, 36, 20-24.       | 2.0 | 6         |
| 33 | Perampanel attenuates scratching behavior induced by acute or chronic pruritus in mice. Biochemical and Biophysical Research Communications, 2020, 533, 1102-1108.   | 2.1 | 6         |
| 34 | Functional MHCI deficiency induces ADHD-like symptoms with increased dopamine D1 receptor expression. Brain, Behavior, and Immunity, 2021, 97, 22-31.  | 4.1 | 6         |
| 35 | Methamphetamine-induced Fos expression in the substantia nigra pars reticulata in rats with a unilateral 6-OHDA lesion of the nigrostriatal fibers. Neuroscience Research, 1998, 30, 355-360.                                  | 1.9 | 5         |
| 36 | Effects of cabergoline and rotigotine on tacrine-induced tremulous jaw movements in rats.<br>Pharmacology Biochemistry and Behavior, 2014, 126, 103-108.   | 2.9 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Development of the School Teachers Job Stressor Scale (STJSS). Neuropsychopharmacology Reports, 2019, 39, 164-172.   | 2.3 | 5         |
| 38 | Serotonin and noradrenaline modulate chronic itch processing in mice. European Journal of Pharmacology, 2020, 883, 173319.   | 3.5 | 5         |
| 39 | Exploratory Study of Factors Influencing Job-Related Stress in Japanese Psychiatric Nurses. Nursing<br>Research and Practice, 2015, 2015, 1-7.   | 1.0 | 4         |
| 40 | Distribution of hemokinin-1 in the rat trigeminal ganglion and trigeminal sensory nuclear complex.<br>Archives of Oral Biology, 2017, 79, 62-69.   | 1.8 | 4         |
| 41 | Amphetamine-Induced Fos Expression Is Evident in γ-Aminobutyric Acid Neurons in the Globus Pallidus<br>and Entopeduncular Nucleus in Rats Treated with Intrastriatal c-fos Antisense<br>Oligodeoxynucleotides. Experimental Neurology, 2002, 175, 275-281. | 4.1 | 3         |
| 42 | Differential expression of Fos and Zif268 in the nigrostriatal system after methamphetamine administration in a rat model of Parkinson's disease. Synapse, 2008, 62, 920-926.  | 1.2 | 3         |
| 43 | Pramipexole reduces parkinsonian tremor induced by pilocarpine infusion in the rat striatum.<br>Pharmacology Biochemistry and Behavior, 2015, 131, 1-5.  | 2.9 | 3         |
| 44 | Alleviation of thalamic pain by cilostazol administration: a case report. Clinical Case Reports (discontinued), 2018, 6, 380-384.  | 0.5 | 3         |
| 45 | Time course of effects of venlafaxine on migraine and generalized pruritus in a patient with depression. Clinical Case Reports (discontinued), 2021, 9, e05088.  | 0.5 | 3         |
| 46 | Morphological changes in immunopositive cells of ionotropic glutamate receptor subunits during<br>the development of transplanted fetal ventral mesencephalic neurons. Brain Research, 2002, 940,<br>79-85.  | 2.2 | 2         |
| 47 | Partial regimen replacement with aripiprazole reduces serum prolactin in patients with a long history of schizophrenia: A case series. Asian Journal of Psychiatry, 2017, 25, 36-41.   | 2.0 | 2         |
| 48 | Clinical effectiveness of metacognitive training as a transdiagnostic program in routine clinical<br>settings: A prospective, multicenter, singleâ€group study. Japan Journal of Nursing Science, 2021, 18,<br>e12389.                                     | 1.3 | 2         |
| 49 | Roles of 5-HT3 and 5-HT7 receptors in acute pruriceptive processing in mice. European Journal of Pharmacology, 2021, 911, 174513.  | 3.5 | 2         |
| 50 | Novel MLLCBP fusion transcript in therapyâ€related chronic myelomonocytic leukemia with a t(11;16)<br>(q23;p13) chromosome translocation. Genes Chromosomes and Cancer, 1997, 20, 60-63.   | 2.8 | 2         |
| 51 | Case of reversible Mobitz type II atrioventricular block after the use of injectable antipsychotics.<br>Clinical Case Reports (discontinued), 2022, 10, e05326.  | 0.5 | 2         |
| 52 | Psychosocial interventions for community-dwelling individuals with schizophrenia: study protocol for a systematic review and meta-analysis. BMJ Open, 2022, 12, e057286.   | 1.9 | 2         |
| 53 | Differential onset time of mirtazapine on pruritus and depression in a patient receiving hemodialysis.<br>SAGE Open Medical Case Reports, 2021, 9, 2050313X2098840.  | 0.3 | 1         |
| 54 | Pharmacological characteristics of hemokinin-1-derived peptides in rat pruriceptive processing.<br>Peptides, 2020, 124, 170232.  | 2.4 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Effects of separate lesions of the hippocampus and the perirhinal cortex on performance in<br>spontaneous recognition task for object and place. Japanese Journal of Physiological Psychology and<br>Psychophysiology, 2004, 22, 257-266. | 0.1 | 0         |
| 56 | Four Cases of Ischemic Cerebral Infarction in the Chronic Stage with Aspiration Pneumonia Teated with Cilostazol. Kyushu Neuropsychiatry, 2012, 58, 14-21.  | 0.1 | 0         |
| 57 | The Efficacy of Yokukansan to Treat the Behavioral and Psychological Symptoms of Dementia Patients.<br>Kyushu Neuropsychiatry, 2012, 58, 133-141.   | 0.1 | 0         |