

Yasushi Ishida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6033073/publications.pdf>

Version: 2024-02-01

57
papers

726
citations

623734

14
h-index

580821

25
g-index

59
all docs

59
docs citations

59
times ranked

821
citing authors

#	ARTICLE	IF	CITATIONS
1	Reasons for Suicide During the COVID-19 Pandemic in Japan. <i>JAMA Network Open</i> , 2022, 5, e2145870.	5.9	29
2	Case of reversible Mobitz type II atrioventricular block after the use of injectable antipsychotics. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05326.	0.5	2
3	Psychosocial interventions for community-dwelling individuals with schizophrenia: study protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2022, 12, e057286.	1.9	2
4	Clinical effectiveness of metacognitive training as a transdiagnostic program in routine clinical settings: A prospective, multicenter, single-group study. <i>Japan Journal of Nursing Science</i> , 2021, 18, e12389.	1.3	2
5	Functional MHC1 deficiency induces ADHD-like symptoms with increased dopamine D1 receptor expression. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 22-31.	4.1	6
6	Roles of 5-HT3 and 5-HT7 receptors in acute pruriceptive processing in mice. <i>European Journal of Pharmacology</i> , 2021, 911, 174513.	3.5	2
7	Differential onset time of mirtazapine on pruritus and depression in a patient receiving hemodialysis. <i>SAGE Open Medical Case Reports</i> , 2021, 9, 2050313X2098840.	0.3	1
8	Time course of effects of venlafaxine on migraine and generalized pruritus in a patient with depression. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e05088.	0.5	3
9	Pharmacological characteristics of hemokinin-1-derived peptides in rat pruriceptive processing. <i>Peptides</i> , 2020, 124, 170232.	2.4	0
10	Perampanel attenuates scratching behavior induced by acute or chronic pruritus in mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 1102-1108.	2.1	6
11	Serotonin and noradrenaline modulate chronic itch processing in mice. <i>European Journal of Pharmacology</i> , 2020, 883, 173319.	3.5	5
12	How was cognitive behavioural therapy for mood disorder implemented in Japan? A retrospective observational study using the nationwide claims database from FY2010 to FY2015. <i>BMJ Open</i> , 2020, 10, e033365.	1.9	14
13	Development of the School Teachers Job Stressor Scale (STJSS). <i>Neuropsychopharmacology Reports</i> , 2019, 39, 164-172.	2.3	5
14	Long-Term Effectiveness of Cognitive Therapy for Refractory Social Anxiety Disorder: One-Year Follow-Up of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 244-246.	8.8	11
15	Characteristics of facial muscle activity during voluntary facial expressions: Imaging analysis of facial expressions based on myogenic potential data. <i>Neuropsychopharmacology Reports</i> , 2019, 39, 183-193.	2.3	12
16	Role of serotonin and noradrenaline in the acute itch processing in mice. <i>European Journal of Pharmacology</i> , 2019, 850, 118-125.	3.5	11
17	Alleviation of thalamic pain by cilostazol administration: a case report. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 380-384.	0.5	3
18	Job-related stress in psychiatric assistant nurses. <i>Nursing Open</i> , 2018, 5, 15-20.	2.4	9

#	ARTICLE	IF	CITATIONS
19	A survey of the effects of ramelteon on benzodiazepine-dependence: Comparison between a ramelteon add-on group and a continuous benzodiazepine administration group. <i>Asian Journal of Psychiatry</i> , 2018, 36, 20-24.	2.0	6
20	Nurse-led group cognitive behavioral therapy for major depressive disorder among adults in Japan: A preliminary single-group study. <i>International Journal of Nursing Sciences</i> , 2018, 5, 218-222.	1.3	10
21	Distribution of hemokinin-1 in the rat trigeminal ganglion and trigeminal sensory nuclear complex. <i>Archives of Oral Biology</i> , 2017, 79, 62-69.	1.8	4
22	Partial regimen replacement with aripiprazole reduces serum prolactin in patients with a long history of schizophrenia: A case series. <i>Asian Journal of Psychiatry</i> , 2017, 25, 36-41.	2.0	2
23	Burnout in Japanese residents and its associations with temperament and character. <i>Asian Journal of Psychiatry</i> , 2016, 24, 5-9.	2.0	19
24	Yokukansan, a Traditional Japanese Medicine, Enhances the L-DOPA-Induced Rotational Response in 6-Hydroxydopamine-Lesioned Rats: Possible Inhibition of COMT. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 104-113.	1.4	9
25	Exploratory Study of Factors Influencing Job-Related Stress in Japanese Psychiatric Nurses. <i>Nursing Research and Practice</i> , 2015, 2015, 1-7.	1.0	4
26	Pramipexole reduces parkinsonian tremor induced by pilocarpine infusion in the rat striatum. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 131, 1-5.	2.9	3
27	Brain Rewarding Stimulation Reduces Extracellular Glutamate Through Glial Modulation in Medial Prefrontal Cortex of Rats. <i>Neuropsychopharmacology</i> , 2015, 40, 2686-2695.	5.4	7
28	Weight control in schizophrenic patients through Sakata's Charting of Daily Weight Pattern and its associations with temperament and character. <i>Asian Journal of Psychiatry</i> , 2014, 7, 52-57.	2.0	6
29	Effects of cabergoline and rotigotine on tacrine-induced tremulous jaw movements in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 126, 103-108.	2.9	5
30	The role of spinal serotonin receptor and alpha adrenoceptor on the antiallodynic effects induced by intrathecal milnacipran in chronic constriction injury rats. <i>European Journal of Pharmacology</i> , 2014, 738, 57-65.	3.5	8
31	Intrastriatal grafts of fetal ventral mesencephalon improve allodynia-like withdrawal response to mechanical stimulation in a rat model of Parkinson's disease. <i>Neuroscience Letters</i> , 2014, 573, 19-23.	2.1	9
32	Four Cases of Ischemic Cerebral Infarction in the Chronic Stage with Aspiration Pneumonia Treated with Cilostazol. <i>Kyushu Neuropsychiatry</i> , 2012, 58, 14-21.	0.1	0
33	The Efficacy of Yokukansan to Treat the Behavioral and Psychological Symptoms of Dementia Patients. <i>Kyushu Neuropsychiatry</i> , 2012, 58, 133-141.	0.1	0
34	Differential expression of FosB, c-Fos, and Zif268 in forebrain regions after acute or chronic L-DOPA treatment in a rat model of Parkinson's disease. <i>Neuroscience Letters</i> , 2011, 496, 90-94.	2.1	13
35	Development of the Psychiatric Nurse Job Stressor Scale (PNJSS). <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 567-575.	1.8	20
36	Effects of intrathecal administration of newer antidepressants on mechanical allodynia in rat models of neuropathic pain. <i>Neuroscience Research</i> , 2009, 63, 42-46.	1.9	44

#	ARTICLE	IF	CITATIONS
37	Analgesic effect of milnacipran is associated with c-Fos expression in the anterior cingulate cortex in the rat neuropathic pain model. <i>Neuroscience Research</i> , 2009, 64, 380-384.	1.9	33
38	Differential expression of Fos and Zif268 in the nigrostriatal system after methamphetamine administration in a rat model of Parkinson's disease. <i>Synapse</i> , 2008, 62, 920-926.	1.2	3
39	Effect of intrathecal administration of hemokinin-1 on the withdrawal response to noxious thermal stimulation of the rat hind paw. <i>Neuroscience Letters</i> , 2006, 392, 114-117.	2.1	44
40	Alteration of striatal [¹¹ C]raclopride and 6-[¹⁸ F]fluoro-1-3,4-dihydroxyphenylalanine uptake precedes development of methamphetamine-induced rotation following unilateral 6-hydroxydopamine lesions of medial forebrain bundle in rats. <i>Neuroscience Letters</i> , 2005, 389, 30-34.	2.1	14
41	Unilateral lesions of mesostriatal dopaminergic pathway alters the withdrawal response of the rat hindpaw to mechanical stimulation. <i>Neuroscience Research</i> , 2005, 52, 31-36.	1.9	58
42	Changes in Dopamine D ₂ Receptors and 6-[¹⁸ F]Fluoro-1-3,4-Dihydroxyphenylalanine Uptake in the Brain of 6-Hydroxydopamine-Lesioned Rats. <i>Neurodegenerative Diseases</i> , 2004, 1, 109-112.	1.4	11
43	Effects of separate lesions of the hippocampus and the perirhinal cortex on performance in spontaneous recognition task for object and place. <i>Japanese Journal of Physiological Psychology and Psychophysiology</i> , 2004, 22, 257-266.	0.1	0
44	Amphetamine-Induced Fos Expression Is Evident in $\hat{1}^3$ -Aminobutyric Acid Neurons in the Globus Pallidus and Entopeduncular Nucleus in Rats Treated with Intrastratial c-fos Antisense Oligodeoxynucleotides. <i>Experimental Neurology</i> , 2002, 175, 275-281.	4.1	3
45	Morphological changes in immunopositive cells of ionotropic glutamate receptor subunits during the development of transplanted fetal ventral mesencephalic neurons. <i>Brain Research</i> , 2002, 940, 79-85.	2.2	2
46	Conditioned-fear stress increases Fos expression in monoaminergic and GABAergic neurons of the locus coeruleus and dorsal raphe nuclei. <i>Synapse</i> , 2002, 45, 46-51.	1.2	53
47	Fos expression in GABAergic cells and cells immunopositive for NMDA receptors in the inferior and superior colliculi following audiogenic seizures in rats. <i>Synapse</i> , 2002, 46, 100-107.	1.2	16
48	Immunohistochemical characterisation of Fos-positive cells in brainstem monoaminergic nuclei following intracranial self-stimulation of the medial forebrain bundle in the rat. <i>European Journal of Neuroscience</i> , 2001, 13, 1600-1608.	2.6	23
49	Lack of glucocorticoids attenuates the self-stimulation-induced increase in the in vivo synthesis rate of dopamine but not serotonin in the rat nucleus accumbens. <i>European Journal of Neuroscience</i> , 2000, 12, 1495-1500.	2.6	13
50	Basal expression of c-Fos and Zif268 in the rat basal ganglia: immunohistochemical characterization of striatal Zif268-positive neurons. <i>European Journal of Neuroscience</i> , 2000, 12, 771-775.	2.6	14
51	Serotonergic activity in the rat striatum after intrastratial transplantation of fetal nigra as measured by microdialysis. <i>Brain Research</i> , 1998, 788, 207-214.	2.2	22
52	Methamphetamine induces Fos expression in the striatum and the substantia nigra pars reticulata in a rat model of Parkinson's disease. <i>Brain Research</i> , 1998, 809, 107-114.	2.2	17
53	Methamphetamine-induced Fos expression in the substantia nigra pars reticulata in rats with a unilateral 6-OHDA lesion of the nigrostriatal fibers. <i>Neuroscience Research</i> , 1998, 30, 355-360.	1.9	5
54	Novel MLL-CBP fusion transcript in therapy-related chronic myelomonocytic leukemia with a t(11;16)(q23;p13) chromosome translocation. <i>Genes Chromosomes and Cancer</i> , 1997, 20, 60-63.	2.8	84

#	ARTICLE	IF	CITATIONS
55	Novel MLLCBP fusion transcript in therapy-related chronic myelomonocytic leukemia with a t(11;16) (q23;p13) chromosome translocation. <i>Genes Chromosomes and Cancer</i> , 1997, 20, 60-63.	2.8	2
56	Dopaminergic transplants alter in vivo activity of tryptophan hydroxylase in the striatum in a rat model of Parkinson's disease. <i>Neuroscience Letters</i> , 1996, 210, 75-78.	2.1	9
57	Dopaminergic transplants suppress-DOPA-induced Fos expression in the dopamine-depleted striatum in a rat model of Parkinson's disease. <i>Brain Research</i> , 1996, 727, 205-211.	2.2	8