Rebecca Elliott

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6033339/rebecca-elliott-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162	12,689	54	111
papers	citations	h-index	g-index
172	14,145 ext. citations	5	6.33
ext. papers		avg, IF	L-index

#	Paper Paper	IF	Citations
162	Cueing emotional memories during slow wave sleep modulates next-day activity in the orbitofrontal cortex and the amygdala <i>Neurolmage</i> , 2022 , 253, 119120	7.9	O
161	Cognitive function after electroconvulsive therapy for depression: relationship to clinical response. <i>Psychological Medicine</i> , 2021 , 51, 1647-1656	6.9	6
160	Complex mediating effects of rumination facets between personality traits and depressive symptoms. <i>International Journal of Psychology</i> , 2021 , 56, 721-728	1.9	O
159	Relationship Between Gender and Performance on Emotion Perception Tasks in a Latino Population. <i>International Journal of Psychological Research</i> , 2021 , 14, 106-114	0.9	
158	Emotion regulation of social exclusion: a cross-cultural study. <i>Humanities and Social Sciences Communications</i> , 2021 , 8,	2.8	2
157	Patrolling the boundaries of social domains: Neural activations to violations of expectations for romantic and work relationships. <i>Social Neuroscience</i> , 2021 , 16, 513-521	2	1
156	Positive Shifts in Emotion Evaluation Following Mindfulness-Based Cognitive Therapy (MBCT) in Remitted Depressed Participants. <i>Mindfulness</i> , 2021 , 12, 623-635	2.9	1
155	Chronic alcohol exposure differentially modulates structural and functional properties of amygdala: A cross-sectional study. <i>Addiction Biology</i> , 2021 , 26, e12980	4.6	1
154	The impact of COVID-19 social isolation on aspects of emotional and social cognition. <i>Cognition and Emotion</i> , 2021 , 1-10	2.3	7
153	Disturbances across whole brain networks during reward anticipation in an abstinent addiction population. <i>NeuroImage: Clinical</i> , 2020 , 27, 102297	5.3	5
152	Stevia Beverage Consumption prior to Lunch Reduces Appetite and Total Energy Intake without Affecting Glycemia or Attentional Bias to Food Cues: A Double-Blind Randomized Controlled Trial in Healthy Adults. <i>Journal of Nutrition</i> , 2020 , 150, 1126-1134	4.1	6
151	Big Five personality facets explaining variance in anxiety and depressive symptoms in a community sample. <i>Journal of Affective Disorders</i> , 2020 , 274, 515-521	6.6	2
150	Agency and intentionality-dependent experiences of moral emotions. <i>Personality and Individual Differences</i> , 2020 , 164, 110125	3.3	6
149	Improving emotion regulation of social exclusion in depression-prone individuals: a tDCS study targeting right VLPFC. <i>Psychological Medicine</i> , 2020 , 50, 2768-2779	6.9	12
148	The right VLPFC and downregulation of social pain: A TMS study. Human Brain Mapping, 2020 , 41, 1362-	15331	14
147	COVID-19 induced social isolation; implications for understanding social cognition in mental health. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	10
146	Changes in the neural correlates of self-blame following mindfulness-based cognitive therapy in remitted depressed participants. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 304, 111152	2.9	6

(2018-2020)

145	Neural substrates of expectancy violation associated with social feedback in individuals with subthreshold depression. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	3	
144	The role of neuropsychological mechanisms in implementation intentions to reduce alcohol consumption among heavy drinkers: a randomized trial. <i>Journal of Behavioral Medicine</i> , 2020 , 43, 576-5	88 ^{.6}	3	
143	Neural substrates for anticipation and consumption of social and monetary incentives in depression. <i>Social Cognitive and Affective Neuroscience</i> , 2019 , 14, 815-826	4	19	
142	Childhood Adversity Moderates the Effects of Epigenetic Regulatory Polymorphisms on Rumination. <i>Frontiers in Psychiatry</i> , 2019 , 10, 394	5	6	
141	Regional default mode network connectivity in major depressive disorder: modulation by acute intravenous citalopram. <i>Translational Psychiatry</i> , 2019 , 9, 116	8.6	21	
140	Altered cognitive function in systemic lupus erythematosus and associations with inflammation and functional and structural brain changes. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 934-940	2.4	29	
139	Neural pathways of maternal responding: systematic review and meta-analysis. <i>Archives of Womenns Mental Health</i> , 2019 , 22, 179-187	5	19	
138	Frontal haemodynamic responses in depression and the effect of electroconvulsive therapy. Journal of Psychopharmacology, 2019 , 33, 1003-1014	4.6	3	
137	Attentional bias to food varies as a function of metabolic state independent of weight status. <i>Appetite</i> , 2019 , 143, 104388	4.5	8	
136	Factors associated with depression in people with inflammatory bowel disease: The relationship between active disease and biases in neurocognitive processing. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13647	4	9	
135	Psychometric Properties and Validation of the EMOTICOM Test Battery in a Healthy Danish Population. <i>Frontiers in Psychology</i> , 2019 , 10, 2660	3.4	4	
134	Naltrexone differentially modulates the neural correlates of motor impulse control in abstinent alcohol-dependent and polysubstance-dependent individuals. <i>European Journal of Neuroscience</i> , 2019 , 50, 2311-2321	3.5	5	
133	Critical role of the right VLPFC in emotional regulation of social exclusion: a tDCS study. <i>Social Cognitive and Affective Neuroscience</i> , 2018 , 13, 357-366	4	30	
132	Long-term maintenance and effects of exercise in early psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 578-585	3.3	15	
131	Exercise as an intervention for first-episode psychosis: a feasibility study. <i>Microbial Biotechnology</i> , 2018 , 12, 307-315	3.3	66	
130	Naltrexone ameliorates functional network abnormalities in alcohol-dependent individuals. <i>Addiction Biology</i> , 2018 , 23, 425-436	4.6	23	
129	Time-dependent neuronal changes associated with craving in opioid dependence: an fMRI study. <i>Addiction Biology</i> , 2018 , 23, 1168-1178	4.6	17	
128	Neuroticism predicts the impact of serotonin challenges on fear processing in subgenual anterior cingulate cortex. <i>Scientific Reports</i> , 2018 , 8, 17889	4.9	8	

127	Differences in neural and cognitive response to emotional faces in middle-aged dizygotic twins at familial risk of depression. <i>Psychological Medicine</i> , 2017 , 47, 2345-2357	6.9	7
126	Challenges in implementing an exercise intervention within residential psychiatric care: A mixed methods study. <i>Mental Health and Physical Activity</i> , 2017 , 12, 141-146	5	12
125	Ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT): a multicentre, double-blind, randomised, parallel-group, superiority trial. <i>Lancet Psychiatry,the</i> , 2017 , 4, 365-377	23.3	54
124	A novel resting-state functional magnetic resonance imaging signature of resilience to recurrent depression. <i>Psychological Medicine</i> , 2017 , 47, 597-607	6.9	13
123	Acute D3 Antagonist GSK598809 Selectively Enhances Neural Response During Monetary Reward Anticipation in Drug and Alcohol Dependence. <i>Neuropsychopharmacology</i> , 2017 , 42, 1049-1057	8.7	20
122	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 546-556	1.3	189
121	Effects of naltrexone are influenced by childhood adversity during negative emotional processing in addiction recovery. <i>Translational Psychiatry</i> , 2017 , 7, e1054	8.6	17
120	The ICCAM platform study: An experimental medicine platform for evaluating new drugs for relapse prevention in addiction. Part B: fMRI description. <i>Journal of Psychopharmacology</i> , 2017 , 31, 3-16	, 4.6	13
119	Acute naltrexone does not remediate fronto-striatal disturbances in alcoholic and alcoholic polysubstance-dependent populations during a monetary incentive delay task. <i>Addiction Biology</i> , 2017 , 22, 1576-1589	4.6	15
118	Cooperative Behavior in the Ultimatum Game and Prisoner's Dilemma Depends on PlayersT Contributions. <i>Frontiers in Psychology</i> , 2017 , 8, 1017	3.4	7
117	Adolescent Major Depressive Disorder: Neuroimaging Evidence of Sex Difference during an Affective Go/No-Go Task. <i>Frontiers in Psychiatry</i> , 2017 , 8, 119	5	12
116	Decreased Openness to Experience Is Associated with Migraine-Type Headaches in Subjects with Lifetime Depression. <i>Frontiers in Neurology</i> , 2017 , 8, 270	4.1	10
115	Aberrant brain responses to emotionally valent words is normalised after cognitive behavioural therapy in female depressed adolescents. <i>Journal of Affective Disorders</i> , 2016 , 189, 54-61	6.6	11
114	Rumination in migraine: Mediating effects of brooding and reflection between migraine and psychological distress. <i>Psychology and Health</i> , 2016 , 31, 1481-1497	2.9	14
113	Subgenual Cingulate-Amygdala Functional Disconnection and Vulnerability to Melancholic Depression. <i>Neuropsychopharmacology</i> , 2016 , 41, 2082-90	8.7	19
112	An investigation into aripiprazole partial Diagonist effects within the dorsolateral prefrontal cortex during working memory in healthy volunteers. <i>Psychopharmacology</i> , 2016 , 233, 1415-26	4.7	9
111	Multivariate and repeated measures (MRM): A new toolbox for dependent and multimodal group-level neuroimaging data. <i>NeuroImage</i> , 2016 , 132, 373-389	7.9	31
110	The effects and determinants of exercise participation in first-episode psychosis: a qualitative study. <i>BMC Psychiatry</i> , 2016 , 16, 36	4.2	44

(2014-2016)

109	Natural variation in maternal sensitivity is reflected in maternal brain responses to infant stimuli. <i>Behavioral Neuroscience</i> , 2016 , 130, 500-10	2.1	26
108	EMOTICOM: A Neuropsychological Test Battery to Evaluate Emotion, Motivation, Impulsivity, and Social Cognition. <i>Frontiers in Behavioral Neuroscience</i> , 2016 , 10, 25	3.5	47
107	Effects of acute tryptophan depletion on central processing of CT-targeted and discriminatory touch in humans. <i>European Journal of Neuroscience</i> , 2016 , 44, 2072-83	3.5	13
106	Striatal hypoactivation and cognitive slowing in patients with partially remitted and remitted major depression. <i>PsyCh Journal</i> , 2016 , 5, 191-205	1.4	10
105	Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: a potential risk mechanism for depression. <i>Translational Psychiatry</i> , 2016 , 6, e745	8.6	14
104	Impulsivity in abstinent alcohol and polydrug dependence: a multidimensional approach. <i>Psychopharmacology</i> , 2016 , 233, 1487-99	4.7	21
103	Common genetic variation associated with increased susceptibility to prostate cancer does not increase risk of radiotherapy toxicity. <i>British Journal of Cancer</i> , 2016 , 114, 1165-74	8.7	12
102	Social cognition in multiple sclerosis: A systematic review and meta-analysis. <i>Neurology</i> , 2016 , 87, 1727-	-16.36	91
101	Cognitive dysfunction and functional magnetic resonance imaging in systemic lupus erythematosus. <i>Lupus</i> , 2015 , 24, 1239-47	2.6	18
100	Social-economical decision making in current and remitted major depression. <i>Psychological Medicine</i> , 2015 , 45, 1301-13	6.9	29
99	The Imperial College Cambridge Manchester (ICCAM) platform study: An experimental medicine platform for evaluating new drugs for relapse prevention in addiction. Part A: Study description. <i>Journal of Psychopharmacology</i> , 2015 , 29, 943-60	4.6	21
98	Neural origins of psychosocial functioning impairments in major depression. <i>Lancet Psychiatry,the</i> , 2015 , 2, 835-43	23.3	19
97	Study protocol for the randomised controlled trial: Ketamine augmentation of ECT to improve outcomes in depression (Ketamine-ECT study). <i>BMC Psychiatry</i> , 2015 , 15, 257	4.2	10
96	A systematic review and meta-analysis of exercise interventions in schizophrenia patients. <i>Psychological Medicine</i> , 2015 , 45, 1343-61	6.9	324
95	Variability in the effect of 5-HTTLPR on depression in a large European population: the role of age, symptom profile, type and intensity of life stressors. <i>PLoS ONE</i> , 2015 , 10, e0116316	3.7	21
94	Empathy, ToM, and self-other differentiation: an fMRI study of internal states. <i>Social Neuroscience</i> , 2014 , 9, 50-62	2	23
93	P.2.b.018 Impaired face emotion recognition in depression: the influence of pharmacological and psychological factors. <i>European Neuropsychopharmacology</i> , 2014 , 24, S388	1.2	
92	Does oxytocin modulate variation in maternal caregiving in healthy new mothers?. <i>Brain Research</i> , 2014 , 1580, 143-50	3.7	33

91	Increased amygdala response to shame in remitted major depressive disorder. PLoS ONE, 2014, 9, e869	09.7	28
90	Neuronal nitric oxide synthase (NOS1) polymorphisms interact with financial hardship to affect depression risk. <i>Neuropsychopharmacology</i> , 2014 , 39, 2857-66	8.7	22
89	TOMM40 rs2075650 may represent a new candidate gene for vulnerability to major depressive disorder. <i>Neuropsychopharmacology</i> , 2014 , 39, 1743-53	8.7	12
88	Temporal discounting in major depressive disorder. <i>Psychological Medicine</i> , 2014 , 44, 1825-34	6.9	95
87	Enhanced subgenual cingulate response to altruistic decisions in remitted major depressive disorder. <i>NeuroImage: Clinical</i> , 2014 , 4, 701-10	5.3	13
86	The neural basis of maternal bonding. <i>PLoS ONE</i> , 2014 , 9, e88436	3.7	40
85	Serotonin 2A receptors contribute to the regulation of risk-averse decisions. <i>NeuroImage</i> , 2013 , 83, 35-	4 4 .9	28
84	Playing it safe but losing anywayserotonergic signaling of negative outcomes in dorsomedial prefrontal cortex in the context of risk-aversion. <i>European Neuropsychopharmacology</i> , 2013 , 23, 919-30	1.2	33
83	Serotonin 2A receptors, citalopram and tryptophan-depletion: a multimodal imaging study of their interactions during response inhibition. <i>Neuropsychopharmacology</i> , 2013 , 38, 996-1005	8.7	32
82	Acute serotonin 2A receptor blocking alters the processing of fearful faces in the orbitofrontal cortex and amygdala. <i>Journal of Psychopharmacology</i> , 2013 , 27, 903-14	4.6	16
81	Dopaminergic influences on executive function and impulsive behaviour in impulse control disorders in Parkinson's disease. <i>Journal of Neuropsychology</i> , 2013 , 7, 306-25	2.6	34
80	State-dependent changes in hippocampal grey matter in depression. <i>Molecular Psychiatry</i> , 2013 , 18, 120	65 -7 .2	205
79	The role of self-blaming moral emotions in major depression and their impact on social-economical decision making. <i>Frontiers in Psychology</i> , 2013 , 4, 310	3.4	25
78	A temporal analysis of the central neural processing of itch. <i>British Journal of Dermatology</i> , 2012 , 166, 994-1001	4	25
77	Sample size estimation for comparing parameters using dynamic causal modeling. <i>Brain Connectivity</i> , 2012 , 2, 80-90	2.7	14
76	Cognitive mechanisms of treatment in depression. <i>Neuropsychopharmacology</i> , 2012 , 37, 117-36	8.7	319
75	Apathy and impulse control disorders in Parkinson's disease: a direct comparison. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 198-203	3.6	43
74	Genetic variants in the catechol-o-methyltransferase gene are associated with impulsivity and executive function: relevance for major depression. <i>American Journal of Medical Genetics Part B:</i> Neuropsychiatric Genetics, 2012 , 159B, 928-40	3.5	12

(2011-2012)

73	Reversed frontotemporal connectivity during emotional face processing in remitted depression. <i>Biological Psychiatry</i> , 2012 , 72, 604-11	7.9	48
72	Detection of the acute effects of hydrocortisone in the hippocampus using pharmacological fMRI. <i>European Neuropsychopharmacology</i> , 2012 , 22, 867-74	1.2	18
71	The detrimental effects of emotional process dysregulation on decision-making in substance dependence. <i>Frontiers in Integrative Neuroscience</i> , 2012 , 6, 101	3.2	25
70	Reduced medial prefrontal responses to social interaction images in remitted depression. <i>Archives of General Psychiatry</i> , 2012 , 69, 37-45		31
69	Increased amygdala responses to sad but not fearful faces in major depression: relation to mood state and pharmacological treatment. <i>American Journal of Psychiatry</i> , 2012 , 169, 841-50	11.9	135
68	The CREB1-BDNF-NTRK2 pathway in depression: multiple gene-cognition-environment interactions. <i>Biological Psychiatry</i> , 2011 , 69, 762-71	7.9	117
67	Mirtazapine antagonises the subjective, hormonal and neuronal effects of m-chlorophenylpiperazine (mCPP) infusion: a pharmacological-challenge fMRI (phMRI) study. <i>NeuroImage</i> , 2011 , 58, 497-507	7.9	13
66	The effect of acute citalopram on face emotion processing in remitted depression: a pharmacoMRI study. <i>European Neuropsychopharmacology</i> , 2011 , 21, 140-8	1.2	39
65	The HTR1A and HTR1B receptor genes influence stress-related information processing. <i>European Neuropsychopharmacology</i> , 2011 , 21, 129-39	1.2	28
64	A functional magnetic resonance imaging paradigm of expressed emotion in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 25-9	1.8	15
63	State-dependent alteration in face emotion recognition in depression. <i>British Journal of Psychiatry</i> , 2011 , 198, 302-8	5.4	87
62	Abnormal sensitivity to negative feedback in late-life depression. <i>Psychiatry and Clinical Neurosciences</i> , 2011 , 65, 333-40	6.2	5
61	Neural correlates of choice behavior related to impulsivity and venturesomeness. <i>Neuropsychologia</i> , 2011 , 49, 2311-20	3.2	30
60	Optimism Facilitates the Utilisation of Prior Cues. European Journal of Personality, 2011 , 25, 424-430	5.1	3
59	Testing the cognitive effort hypothesis of cognitive impairment in major depression. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 74-80	2.3	27
58	Affective cognition and its disruption in mood disorders. <i>Neuropsychopharmacology</i> , 2011 , 36, 153-82	8.7	217
57	Interaction between a history of depression and rumination on neural response to emotional faces. <i>Psychological Medicine</i> , 2011 , 41, 1845-55	6.9	44
56	Attenuated responses to emotional expressions in women with generalized anxiety disorder. <i>Psychological Medicine</i> , 2011 , 41, 1009-18	6.9	66

55	Cell-type-specific type I interferon antagonism influences organ tropism of murine coronavirus. Journal of Virology, 2011 , 85, 10058-68	6.6	54
54	Hedonic and informational functions of the human orbitofrontal cortex. <i>Cerebral Cortex</i> , 2010 , 20, 198-	2 <u>9.4</u>	71
53	Risk-taking behavior in a gambling task associated with variations in the tryptophan hydroxylase 2 gene: relevance to psychiatric disorders. <i>Neuropsychopharmacology</i> , 2010 , 35, 1109-19	8.7	28
52	A comparison of permutation and parametric testing for between group effective connectivity differences using DCM. <i>NeuroImage</i> , 2010 , 50, 509-15	7.9	8
51	Neuronal correlates and serotonergic modulation of behavioural inhibition and reward in healthy and antisocial individuals. <i>Journal of Psychiatric Research</i> , 2010 , 44, 123-31	5.2	51
50	CNR1 gene is associated with high neuroticism and low agreeableness and interacts with recent negative life events to predict current depressive symptoms. <i>Neuropsychopharmacology</i> , 2009 , 34, 2019	9-27 9-27	130
49	Self-reported Rumination as Trait Marker for Depression: Evidence from Functional Neuroimaging. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
48	Self-reported Rumination as Trait Marker for Depression: Evidence from Functional Neuroimaging. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
47	Diminished neural and cognitive responses to facial expressions of disgust in patients with psoriasis: a functional magnetic resonance imaging study. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 2613-9	4.3	32
46	Brain imaging correlates of cognitive impairment in depression. <i>Frontiers in Human Neuroscience</i> , 2009 , 3, 30	3.3	33
45	Medial orbitofrontal cortex codes relative rather than absolute value of financial rewards in humans. <i>European Journal of Neuroscience</i> , 2008 , 27, 2213-8	3.5	91
44	Assessing human 5-HT function in vivo with pharmacoMRI. <i>Neuropharmacology</i> , 2008 , 55, 1029-37	5.5	61
43	Arthritic pain is processed in brain areas concerned with emotions and fear. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1345-54		158
42	Neuronal correlates of reward and loss in Cluster B personality disorders: a functional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 151-67	2.9	64
41	Increased Parietal and Frontal Activation after Remission from Recurrent Major Depression: A Repeated fMRI Study. <i>Cognitive Therapy and Research</i> , 2007 , 31, 147-160	2.7	11
40	Citalopram modulation of neuronal responses to aversive face emotions: a functional MRI study. <i>NeuroReport</i> , 2007 , 18, 1351-5	1.7	107
39	Neuronal correlates of theory of mind and empathy: a functional magnetic resonance imaging study in a nonverbal task. <i>NeuroImage</i> , 2006 , 29, 90-8	7.9	730
38	Co-operation with another player in a financially rewarded guessing game activates regions implicated in theory of mind. <i>Social Neuroscience</i> , 2006 , 1, 385-95	2	35

(2002-2006)

37	Serotonergic modulation of neuronal responses to behavioural inhibition and reinforcing stimuli: an fMRI study in healthy volunteers. <i>European Journal of Neuroscience</i> , 2006 , 23, 552-60	3.5	84
36	The effect of citalopram pretreatment on neuronal responses to neuropsychological tasks in normal volunteers: an FMRI study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1724-34	8.7	216
35	Role of the orbitofrontal cortex in reinforcement processing and inhibitory control: evidence from functional magnetic resonance imaging studies in healthy human subjects. <i>International Review of Neurobiology</i> , 2005 , 65, 89-116	4.4	68
34	Attention to pain localization and unpleasantness discriminates the functions of the medial and lateral pain systems. <i>European Journal of Neuroscience</i> , 2005 , 21, 3133-42	3.5	239
33	Neuronal effects of acute citalopram detected by pharmacoMRI. <i>Psychopharmacology</i> , 2005 , 180, 680-6	4.7	99
32	Lack of behavioural effects after acute tyrosine depletion in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2005 , 19, 5-11	4.6	27
31	Neural response to emotional prosody in schizophrenia and in bipolar affective disorder. <i>British Journal of Psychiatry</i> , 2004 , 184, 223-30	5.4	107
30	Neurobiological substrates of antisocial and borderline personality disorder: preliminary results of a functional fMRI study. <i>Criminal Behaviour and Mental Health</i> , 2004 , 14, 39-54	1.4	109
29	Abnormal ventral frontal response during performance of an affective go/no go task in patients with mania. <i>Biological Psychiatry</i> , 2004 , 55, 1163-70	7.9	181
28	Instrumental responding for rewards is associated with enhanced neuronal response in subcortical reward systems. <i>NeuroImage</i> , 2004 , 21, 984-90	7.9	104
27	Prediction error for free monetary reward in the human prefrontal cortex. <i>NeuroImage</i> , 2004 , 23, 777-8	6 7.9	129
26	The neural basis of maternal responsiveness to infants: an fMRI study. <i>NeuroReport</i> , 2004 , 15, 1825-9	1.7	180
25	Differential response patterns in the striatum and orbitofrontal cortex to financial reward in humans: a parametric functional magnetic resonance imaging study. <i>Journal of Neuroscience</i> , 2003 , 23, 303-7	6.6	432
24	Response inhibition and impulsivity: an fMRI study. <i>Neuropsychologia</i> , 2003 , 41, 1959-66	3.2	441
23	The neural response to emotional prosody, as revealed by functional magnetic resonance imaging. <i>Neuropsychologia</i> , 2003 , 41, 1410-21	3.2	287
22	Executive functions and their disorders. British Medical Bulletin, 2003, 65, 49-59	5.4	482
21	The neural basis of mood-congruent processing biases in depression. <i>Archives of General Psychiatry</i> , 2002 , 59, 597-604		355
20	5-HT(2C) receptor activation by m-chlorophenylpiperazine detected in humans with fMRI. <i>NeuroReport</i> , 2002 , 13, 1547-51	1.7	66

19	fMRI and cognitive dysfunction in schizophrenia. <i>Trends in Cognitive Sciences</i> , 2001 , 5, 71-81	14	65
18	Selective attention to emotional stimuli in a verbal go/no-go task: an fMRI study. <i>NeuroReport</i> , 2000 , 11, 1739-44	1.7	159
17	Dissociable neural responses in human reward systems. <i>Journal of Neuroscience</i> , 2000 , 20, 6159-65	6.6	595
16	Dissociable functions in the medial and lateral orbitofrontal cortex: evidence from human neuroimaging studies. <i>Cerebral Cortex</i> , 2000 , 10, 308-17	5.1	654
15	Ventromedial prefrontal cortex mediates guessing. <i>Neuropsychologia</i> , 1999 , 37, 403-11	3.2	168
14	The neuropsychological profile in unipolar depression. <i>Trends in Cognitive Sciences</i> , 1998 , 2, 447-54	14	131
13	The neural response in short-term visual recognition memory for perceptual conjunctions. <i>NeuroImage</i> , 1998 , 7, 14-22	7.9	22
12	Activation of different anterior cingulate foci in association with hypothesis testing and response selection. <i>NeuroImage</i> , 1998 , 8, 17-29	7.9	148
11	Specific Neuropsychological Deficits in Schizophrenic Patients with Preserved Intellectual Function. <i>Cognitive Neuropsychiatry</i> , 1998 , 3, 45-69	2	72
10	Abnormal neural response to feedback on planning and guessing tasks in patients with unipolar depression. <i>Psychological Medicine</i> , 1998 , 28, 559-71	6.9	145
9	Abnormal response to negative feedback in unipolar depression: evidence for a diagnosis specific impairment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997 , 63, 74-82	5.5	203
8	Prefrontal dysfunction in depressed patients performing a complex planning task: a study using positron emission tomography. <i>Psychological Medicine</i> , 1997 , 27, 931-42	6.9	224
7	Differential neural response to positive and negative feedback in planning and guessing tasks. <i>Neuropsychologia</i> , 1997 , 35, 1395-404	3.2	171
6	Effects of methylphenidate on spatial working memory and planning in healthy young adults. <i>Psychopharmacology</i> , 1997 , 131, 196-206	4.7	316
5	Neuropsychologydementia and affective disorders. British Medical Bulletin, 1996, 52, 627-43	5.4	24
4	Neuropsychological impairments in unipolar depression: the influence of perceived failure on subsequent performance. <i>Psychological Medicine</i> , 1996 , 26, 975-89	6.9	373
3	The neuropsychology of schizophrenia: relations with clinical and neurobiological dimensions. <i>Psychological Medicine</i> , 1995 , 25, 581-94	6.9	74
2	Neuropsychological evidence for frontostriatal dysfunction in schizophrenia. <i>Psychological Medicine</i> , 1995 , 25, 619-30	6.9	243

1 Introducing Neuropsychology

6