

Fabio Luis Souza-Duran

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6034106/fabio-luis-souza-duran-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96 papers	3,339 citations	29 h-index	55 g-index
115 ext. papers	4,121 ext. citations	4.8 avg, IF	4.4 L-index

#	Paper	IF	Citations
96	Myelin imaging measures as predictors of cognitive impairment in MS patients: A hybrid PET-MRI study.. <i>Multiple Sclerosis and Related Disorders</i> , 2022 , 57, 103331	4	2
95	The Association Between Acquired Color Deficiency and PET Imaging of Neurodegeneration in Mild Cognitive Impairment and Alzheimer Disease. 2022 , 63, 20		
94	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
93	Hippocampal subregional volume changes in elders classified using positron emission tomography-based Alzheimer's biomarkers of amyloid deposition and neurodegeneration. <i>Journal of Neuroscience Research</i> , 2021 , 99, 481-501	4.4	3
92	Prefrontal resting-state connectivity and antidepressant response: no associations in the ELECT-TDCS trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 123-134	5.1	1
91	Gray Matter Volume in Elderly adults With ADHD: Associations of Symptoms and Comorbidities With Brain Structures. <i>Journal of Attention Disorders</i> , 2021 , 25, 829-838	3.7	4
90	Callosal abnormalities, altered cortisol levels, and neurocognitive deficits associated with early maltreatment among adolescents: A voxel-based diffusion-tensor imaging study. <i>Brain and Behavior</i> , 2021 , 11, e02009	3.4	1
89	Cortical surface abnormalities are different depending on the stage of schizophrenia: A cross-sectional vertexwise mega-analysis of thickness, area and gyrification. <i>Schizophrenia Research</i> , 2021 , 236, 104-114	3.6	1
88	imaging evidence of poor cognitive resilience to Alzheimer's disease pathology in subjects with very low cognitive reserve from a low-middle income environment. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12122	5.2	2
87	Brain PET amyloid and neurodegeneration biomarkers in the context of the 2018 NIA-AA research framework: an individual approach exploring clinical-biomarker mismatches and sociodemographic parameters. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2666-2680	8.8	12
86	Differences in Total Brain Volume between Sexes in a Cognitively Unimpaired Elderly Population. <i>Clinics</i> , 2020 , 75, e2245	2.3	2
85	Fully Automated Habenula Segmentation Provides Robust and Reliable Volume Estimation Across Large Magnetic Resonance Imaging Datasets, Suggesting Intriguing Developmental Trajectories in Psychiatric Disease. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 923-929	3.4	8
84	Mnemonic strategy training modulates functional connectivity at rest in mild cognitive impairment: Results from a randomized controlled trial. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12075	6	1
83	Author response: Insular and anterior cingulate cortex deep stimulation for central neuropathic pain: Disassembling the percept of pain. <i>Neurology</i> , 2020 , 94, 721-722	6.5	0
82	Relationship Between PET-Assessed Amyloid Burden and Visual and Verbal Episodic Memory Performance in Elderly Subjects. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 229-244	4.3	4
81	Training gains and transfer effects after mnemonic strategy training in mild cognitive impairment: A fMRI study. <i>International Journal of Psychophysiology</i> , 2020 , 154, 15-26	2.9	9
80	Gray and white matter alterations in cocaine addiction: Clinical and methodological aspects. <i>Addiction Biology</i> , 2020 , 25, e12773	4.6	

79	Psychiatric neuroimaging research in Brazil: historical overview, current challenges, and future opportunities. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 43, 83-101	2.6	
78	Antidepressant effects of tDCS are associated with prefrontal gray matter volumes at baseline: Evidence from the ELECT-TDCS trial. <i>Brain Stimulation</i> , 2019 , 12, 1197-1204	5.1	22
77	Insular and anterior cingulate cortex deep stimulation for central neuropathic pain: Disassembling the percept of pain. <i>Neurology</i> , 2019 , 92, e2165-e2175	6.5	29
76	The role of neurocognitive functioning, substance use variables and the DSM-5 severity scale in cocaine relapse: A prospective study. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 255-261	4.9	6
75	[C]PIB PET imaging can detect white and grey matter demyelination in a non-human primate model of progressive multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 35, 108-115	4	7
74	Altered structural brain asymmetry in autism spectrum disorder in a study of 54 datasets. <i>Nature Communications</i> , 2019 , 10, 4958	17.4	72
73	Topography of 11C-Pittsburgh compound B uptake in Alzheimer's disease: a voxel-based investigation of cortical and white matter regions. <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 101-111	2.6	11
72	Reduced Gray Matter Volume of the Thalamus and Hippocampal Region in Elderly Healthy Adults with no Impact of APOE e4: A Longitudinal Voxel-Based Morphometry Study. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 757-771	4.3	9
71	Grey and white matter volumes either in treatment-naïve or hormone-treated transgender women: a voxel-based morphometry study. <i>Scientific Reports</i> , 2018 , 8, 736	4.9	23
70	Corpus callosum volumes in the 5 years following the first-episode of schizophrenia: Effects of antipsychotics, chronicity and maturation. <i>NeuroImage: Clinical</i> , 2018 , 18, 932-942	5.3	9
69	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
68	Aerobic training modulates salience network and default mode network metabolism in subjects with mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2018 , 19, 616-624	5.3	2
67	Support vector machine-based classification of neuroimages in Alzheimer's disease: direct comparison of FDG-PET, rCBF-SPECT and MRI data acquired from the same individuals. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 181-191	2.6	18
66	Selecting the most relevant brain regions to discriminate Alzheimer's disease patients from healthy controls using multiple kernel learning: A comparison across functional and structural imaging modalities and atlases. <i>NeuroImage: Clinical</i> , 2018 , 17, 628-641	5.3	27
65	Cortical and Subcortical Brain Morphometry Differences Between Patients With Autism Spectrum Disorder and Healthy Individuals Across the Lifespan: Results From the ENIGMA ASD Working Group. <i>American Journal of Psychiatry</i> , 2018 , 175, 359-369	11.9	188
64	Cognitive and Brain Activity Changes After Mnemonic Strategy Training in Amnesic Mild Cognitive Impairment: Evidence From a Randomized Controlled Trial. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 342	5.3	8
63	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163	11.5	182
62	Structural brain abnormalities in patients with type I bipolar disorder and suicidal behavior. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 265, 9-17	2.9	18

61	Neurobiological support to the diagnosis of ADHD in stimulant-naïve adults: pattern recognition analyses of MRI data. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 623-636	6.5	9
60	Gray Matter, Lateral Ventricle Volumes, and Executive Functioning in Cannabis Users with First-Episode Psychosis 2017 , e53-e63		
59	Prefrontal-Parietal White Matter Volumes in Healthy Elderlies Are Decreased in Proportion to the Degree of Cardiovascular Risk and Related to Inhibitory Control Deficits. <i>Frontiers in Psychology</i> , 2017 , 8, 57	3.4	1
58	High frequency of silent brain infarcts associated with cognitive deficits in an economically disadvantaged population. <i>Clinics</i> , 2017 , 72, 474-480	2.3	10
57	Patterns of regional gray matter loss at different stages of schizophrenia: A multisite, cross-sectional VBM study in first-episode and chronic illness. <i>NeuroImage: Clinical</i> , 2016 , 12, 1-15	5.3	77
56	Gray matter brain volumes in childhood-maltreated patients with bipolar disorder type I: A voxel-based morphometric study. <i>Journal of Affective Disorders</i> , 2016 , 197, 74-80	6.6	24
55	Neural correlates of hallucinations in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 1-5	2.6	14
54	The influence of lithium on hippocampal volume in elderly bipolar patients: a study using voxel-based morphometry. <i>Translational Psychiatry</i> , 2016 , 6, e846	8.6	11
53	Whole-exome sequencing in obsessive-compulsive disorder identifies rare mutations in immunological and neurodevelopmental pathways. <i>Translational Psychiatry</i> , 2016 , 6, e764	8.6	45
52	A voxel-based morphometry study of gray matter correlates of facial emotion recognition in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 158-64	2.9	17
51	Mapping brain volumetric abnormalities in never-treated pathological gamblers. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 208-13	2.9	17
50	What determines continuing grey matter changes in first-episode schizophrenia and affective psychosis?. <i>Psychological Medicine</i> , 2015 , 45, 817-28	6.9	22
49	Effects of Aerobic Training on Cognition and Brain Glucose Metabolism in Subjects with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 747-60	4.3	21
48	Gray matter volumes in patients with bipolar disorder and their first-degree relatives. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 188-93	2.9	9
47	Brain metabolism and cerebrospinal fluid biomarkers profile of non-amnesic mild cognitive impairment in comparison to amnesic mild cognitive impairment and normal older subjects. <i>Alzheimer's Research and Therapy</i> , 2015 , 7, 58	9	21
46	ORBITOFRONTAL THICKNESS AS A MEASURE FOR TREATMENT RESPONSE PREDICTION IN OBSESSIVE-COMPULSIVE DISORDER. <i>Depression and Anxiety</i> , 2015 , 32, 900-8	8.4	14
45	Relationship between Brain Age-Related Reduction in Gray Matter and Educational Attainment. <i>PLoS ONE</i> , 2015 , 10, e0140945	3.7	22
44	Preserved white matter in unmedicated pediatric bipolar disorder. <i>Neuroscience Letters</i> , 2014 , 579, 41-53	3.3	13

43	Structural brain abnormalities in patients with Parkinson's disease with visual hallucinations: a comparative voxel-based analysis. <i>Brain and Cognition</i> , 2014 , 87, 97-103	2.7	30
42	Multimodal magnetic resonance imaging study of treatment-naïve adults with attention-deficit/hyperactivity disorder. <i>PLoS ONE</i> , 2014 , 9, e110199	3.7	15
41	Framingham Coronary Heart Disease Risk Score Can be Predicted from Structural Brain Images in Elderly Subjects. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 300	5.3	5
40	The link between cardiovascular risk, Alzheimer's disease, and mild cognitive impairment: support from recent functional neuroimaging studies. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 344-57	2.6	7
39	PET and SPECT Studies of Ageing and Cardiovascular Risk Factors for Alzheimer's Disease 2014 , 481-503		
38	Cardiovascular risk in cognitively preserved elderly is associated with glucose hypometabolism in the posterior cingulate cortex and precuneus regardless of brain atrophy and apolipoprotein gene variations. <i>Age</i> , 2013 , 35, 777-92		13
37	Differential prefrontal gray matter correlates of treatment response to fluoxetine or cognitive-behavioral therapy in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2013 , 23, 569-80	1.2	46
36	Cannabis use, cognition and brain structure in first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 147, 209-15	3.6	40
35	Structural brain changes as biomarkers and outcome predictors in patients with late-life depression: a cross-sectional and prospective study. <i>PLoS ONE</i> , 2013 , 8, e80049	3.7	26
34	Obsessive-compulsive symptom dimensions correlate to specific gray matter volumes in treatment-naïve patients. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1635-42	5.2	48
33	Voxelwise evaluation of white matter volumes in first-episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 198-205	2.9	14
32	Corpus callosum volumes in recent-onset schizophrenia are correlated to positive symptom severity after 1 year of follow-up. <i>Schizophrenia Research</i> , 2012 , 137, 258-9	3.6	9
31	Longitudinal brain volumetric changes during one year in non-elderly healthy adults: a voxel-based morphometry study. <i>Brazilian Journal of Medical and Biological Research</i> , 2012 , 45, 516-23	2.8	4
30	Gray matter volumes in obsessive-compulsive disorder before and after fluoxetine or cognitive-behavior therapy: a randomized clinical trial. <i>Neuropsychopharmacology</i> , 2012 , 37, 734-45	8.7	89
29	Longitudinal follow-up of cavum septum pellucidum and adhesio interthalamica alterations in first-episode psychosis: a population-based MRI study. <i>Psychological Medicine</i> , 2012 , 42, 2523-34	6.9	25
28	Relationship between regional brain volumes and cognitive performance in the healthy aging: an MRI study using voxel-based morphometry. <i>Journal of Alzheimer's Disease</i> , 2012 , 31, 45-58	4.3	19
27	Age-related gray matter volume changes in the brain during non-elderly adulthood. <i>Neurobiology of Aging</i> , 2011 , 32, 354-68	5.6	120
26	Effect of temporal lobe structure volume on memory in elderly depressed patients. <i>Neurobiology of Aging</i> , 2011 , 32, 1857-67	5.6	18

25	Subtle gray matter changes in temporo-parietal cortex associated with cardiovascular risk factors. <i>Journal of Alzheimer's Disease</i> , 2011 , 27, 575-89	4.3	19
24	A population-based morphometric MRI study in patients with first-episode psychotic bipolar disorder: comparison with geographically matched healthy controls and major depressive disorder subjects. <i>Bipolar Disorders</i> , 2011 , 13, 28-40	3.8	38
23	Neural basis of anxiolytic effects of cannabidiol (CBD) in generalized social anxiety disorder: a preliminary report. <i>Journal of Psychopharmacology</i> , 2011 , 25, 121-30	4.6	304
22	Age-related metabolic profiles in cognitively healthy elders: results from a voxel-based [18F]fluorodeoxyglucose-positron-emission tomography study with partial volume effects correction. <i>American Journal of Neuroradiology</i> , 2011 , 32, 560-5	4.4	36
21	Lack of progression of brain abnormalities in first-episode psychosis: a longitudinal magnetic resonance imaging study. <i>Psychological Medicine</i> , 2011 , 41, 1677-89	6.9	45
20	Lateral ventricle differences between first-episode schizophrenia and first-episode psychotic bipolar disorder: A population-based morphometric MRI study. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 873-87	3.8	19
19	Volume reduction of the corpus callosum and its relationship with deficits in interhemispheric transfer of information in recent-onset psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 1-9	2.9	16
18	The drug-naïve OCD patients imaging genetics, cognitive and treatment response study: methods and sample description. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 349-53	2.6	16
17	Brain structural variability due to aging and gender in cognitively healthy Elders: results from the Sao Paulo Ageing and Health study. <i>American Journal of Neuroradiology</i> , 2009 , 30, 1850-6	4.4	53
16	Treatment of resistant obsessive-compulsive disorder with ventral capsular/ventral striatal gamma capsulotomy: a pilot prospective study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009 , 21, 381-92	2.7	90
15	State-dependent microstructural white matter changes in bipolar I depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 316-28	5.1	91
14	Association between symptom severity and internal capsule volume in obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2009 , 452, 68-71	3.3	31
13	Cognitive performance is related to cortical grey matter volumes in early stages of schizophrenia: a population-based study of first-episode psychosis. <i>Schizophrenia Research</i> , 2009 , 113, 200-9	3.6	38
12	Regional gray matter abnormalities in panic disorder: a voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 21-9	2.9	114
11	Gamma ventral capsulotomy for treatment of resistant obsessive-compulsive disorder: a structural MRI pilot prospective study. <i>Neuroscience Letters</i> , 2008 , 447, 138-42	3.3	32
10	Correlation between voxel based morphometry and manual volumetry in magnetic resonance images of the human brain. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008 , 80, 149-56	1.4	17
9	Voxel-based investigations of regional cerebral blood flow abnormalities in Alzheimer's disease using a single-detector SPECT system. <i>Clinics</i> , 2007 , 62, 377-84	2.3	8
8	Volumetric reduction of the corpus callosum in Alzheimer's disease in vivo as assessed with voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 154, 59-68	2.9	61

7	Multivariate Statistical Differences of MRI Samples of the Human Brain. <i>Journal of Mathematical Imaging and Vision</i> , 2007 , 29, 95-106	1.6	20
6	Grey matter abnormalities in Brazilians with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s117-22	5.4	54
5	Extracting Discriminative Information from Medical Images: A Multivariate Linear Approach 2006 ,		1
4	Association between major depressive symptoms in heart failure and impaired regional cerebral blood flow in the medial temporal region: a study using 99m Tc-HMPAO single photon emission computerized tomography (SPECT). <i>Psychological Medicine</i> , 2006 , 36, 597-608	6.9	23
3	Relationship between regional cerebral blood flow and separate symptom clusters of major depression: a single photon emission computed tomography study using statistical parametric mapping. <i>Neuroscience Letters</i> , 2005 , 384, 265-70	3.3	78
2	Regional gray matter abnormalities in obsessive-compulsive disorder: a voxel-based morphometry study. <i>Biological Psychiatry</i> , 2005 , 58, 479-87	7.9	182
1	Altered structural brain asymmetry in autism spectrum disorder: large-scale analysis via the ENIGMA Consortium		3