

Sumer Baltaci

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6034673/sumer-baltaci-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

992
citations

18
h-index

26
g-index

102
ext. papers

1,112
ext. citations

2.7
avg, IF

3.68
L-index

#	Paper	IF	Citations
92	Failure of ureteral replacement with Gore-Tex tube grafts. <i>Urology</i> , 1998 , 51, 400-3	1.6	52
91	Computerized tomography for detecting perivesical infiltration and lymph node metastasis in invasive bladder carcinoma. <i>Urologia Internationalis</i> , 2008 , 81, 399-402	1.9	47
90	Microvessel density as a prognostic marker in bladder carcinoma: correlation with tumor grade, stage and prognosis. <i>International Urology and Nephrology</i> , 2004 , 36, 401-5	2.3	47
89	Significance of thrombocytosis for determining prognosis in patients with localized renal cell carcinoma. <i>Urology</i> , 2004 , 63, 447-50	1.6	45
88	Efficacy of transrectal ultrasonography in the evaluation of hematospermia. <i>Clinical Imaging</i> , 2004 , 28, 286-90	2.7	39
87	Tadalafil rehabilitation therapy preserves penile size after bilateral nerve sparing radical retropubic prostatectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011 , 37, 336-44; discussion 344-6	2	32
86	Use of color Doppler sonography in the evaluation of varicoceles. <i>European Urology</i> , 1993 , 24, 221-5	10.2	31
85	Isolated local recurrence of renal cell carcinoma after radical nephrectomy: experience with 10 cases. <i>Urology</i> , 2003 , 61, 926-9	1.6	30
84	Color flow Doppler sonography in the diagnosis of vesicoureteric reflux. <i>European Urology</i> , 1994 , 26, 93-7	10.2	30
83	The prognostic significance of advanced age in patients with bladder cancer treated with radical cystectomy. <i>BJU International</i> , 2009 , 103, 480-3	5.6	29
82	Microvessel density and regulators of angiogenesis in malignant and nonmalignant prostate tissue. <i>International Urology and Nephrology</i> , 2007 , 39, 841-50	2.3	28
81	Significance of the interval between first and second transurethral resection on recurrence and progression rates in patients with high-risk non-muscle-invasive bladder cancer treated with maintenance intravesical Bacillus Calmette-Guérin. <i>BJU International</i> , 2015 , 116, 721-6	5.6	27
80	Comparison of radical and partial nephrectomy in terms of renal function: a retrospective cohort study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 24-9		25
79	Effectiveness of antibiotics given to asymptomatic men for an increased prostate specific antigen. <i>Journal of Urology</i> , 2009 , 181, 128-32	2.5	24
78	Gemcitabine plus vinorelbine chemotherapy in patients with advanced bladder carcinoma who are medically unsuitable for or who have failed cisplatin-based chemotherapy. <i>European Urology</i> , 2003 , 44, 682-6	10.2	22
77	The prognostic significance of preoperative leukocytosis and neutrophil-to-lymphocyte ratio in patients who underwent radical cystectomy for bladder cancer. <i>Canadian Urological Association Journal</i> , 2015 , 9, E789-94	1.2	20
76	Validation of 2001 Partin tables in Turkey: a multicenter study. <i>European Urology</i> , 2005 , 47, 185-9	10.2	19

75	Extracorporeal shockwave lithotripsy in anomalous kidneys. <i>Journal of Endourology</i> , 1994 , 8, 179-81	2.7	19
74	How significant is upgrade in Gleason score between prostate biopsy and radical prostatectomy pathology while discussing less invasive treatment options?. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 177-82	1.6	16
73	Clear cell adenocarcinoma of the tunica vaginalis of the testis with an adjacent uterus-like tissue. <i>Pathology International</i> , 2004 , 54, 641-7	1.8	16
72	Thrombospondin-1, vascular endothelial growth factor expression and microvessel density in renal cell carcinoma and their relationship with multifocality. <i>European Urology</i> , 2003 , 44, 76-81; discussion 81	10.2	16
71	Clear cell adenocarcinoma of the male urethra. <i>International Journal of Urology</i> , 2003 , 10, 348-9	2.3	15
70	Significance of second transurethral resection on patient outcomes in muscle-invasive bladder cancer patients treated with bladder-preserving multimodal therapy. <i>World Journal of Urology</i> , 2016 , 34, 847-51	4	14
69	Comparison of clinical and urodynamic outcome in orthotopic ileocaecal and ileal neobladder. <i>European Urology</i> , 2003 , 43, 258-62	10.2	14
68	Evaluation of cellular immunity following bacillus Calmette-Guérin therapy in patients with superficial bladder cancer. <i>Urologia Internationalis</i> , 1995 , 54, 137-41	1.9	14
67	Significance of tumor size in renal cell cancer with perinephric fat infiltration: is TNM staging system adequate for predicting prognosis?. <i>Urology Journal</i> , 2013 , 10, 774-9	0.9	14
66	A prospective randomized multicenter study of Turkish Society of Urooncology comparing two different mechanical bowel preparation methods for radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 664-70	2.8	13
65	Results of the ureteral reimplantation with serous-lined extramural tunnel in orthotopic ileal W-neobladder. <i>International Journal of Urology</i> , 2004 , 11, 368-73	2.3	13
64	Prediction of response to androgen deprivation therapy and castration resistance in primary metastatic prostate cancer. <i>Urologia Internationalis</i> , 2012 , 88, 25-33	1.9	12
63	The long core needle with an end-cut technique for prostate biopsy: does it really have advantages when compared with standard needles?. <i>European Urology</i> , 2004 , 45, 287-91	10.2	12
62	Do blood groups have effect on prognosis of patients undergoing radical cystectomy?. <i>International Urology and Nephrology</i> , 2014 , 46, 1521-6	2.3	11
61	The value of perioperative mitomycin C instillation in improving subsequent bacillus calmette-guerin instillation efficacy in intermediate and high-risk patients with non-muscle invasive bladder cancer: a prospective randomized study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012 , 38, 474-9	2	11
60	Reliability of frozen section examination of obturator lymph nodes and impact on lymph node dissection borders during radical cystectomy: results of a prospective multicentre study by the Turkish Society of Urooncology. <i>BJU International</i> , 2011 , 107, 547-53	5.6	10
59	Validation of two preoperative Kattan nomograms predicting recurrence after radical prostatectomy for localized prostate cancer in Turkey: a multicenter study of the Uro-oncology Society. <i>Urology</i> , 2009 , 74, 1289-95	1.6	10
58	Prostatic ductal adenocarcinoma showing Bcl-2 expression. <i>International Journal of Urology</i> , 2004 , 11, 805-8	2.3	10

57	The prognostic value of proliferating cell nuclear antigen, Ki-67 and nucleolar organizer region in transitional cell carcinoma of the bladder. <i>International Urology and Nephrology</i> , 2002 , 33, 59-66	2.3	10
56	Clinical experience with inflatable and malleable penile implants in 104 patients. <i>Urologia Internationalis</i> , 1996 , 56, 100-4	1.9	10
55	Diuretic agent and normal saline infusion technique for ultrasound-guided percutaneous nephrostomies in nondilated pelvicaliceal systems. <i>CardioVascular and Interventional Radiology</i> , 2013 , 36, 492-7	2.7	8
54	Prognostic significance of hydronephrosis in bladder cancer treated by radical cystectomy. <i>Urologia Internationalis</i> , 2009 , 83, 285-8	1.9	8
53	Evaluation of urinary glycosaminoglycan excretion in patients with renal cell carcinoma. <i>European Urology</i> , 1997 , 31, 54-7	10.2	8
52	Should we rely on Doppler ultrasound for evaluation of testicular solid lesions?. <i>World Journal of Urology</i> , 2018 , 36, 1263-1266	4	7
51	An unusual cause of infantile gynecomastia: sertoli cell tumor. <i>Journal of Pediatric Hematology/Oncology</i> , 2011 , 33, 238-40	1.2	7
50	Reliability of frozen section examination of external iliac, hypogastric, and obturator lymph nodes during radical cystectomy: a multicenter study. <i>Urology</i> , 2007 , 69, 83-6	1.6	7
49	Long-term outcome of a patient with intrascrotal extratesticular malignant schwannoma. <i>Urologia Internationalis</i> , 1998 , 60, 202-4	1.9	7
48	Intrascrotal extratesticular malignant schwannoma. <i>European Urology</i> , 1992 , 21, 340-2	10.2	7
47	Does skip metastasis or other lymph node parameters have additional effects on survival of patients undergoing radical cystectomy for bladder cancer?. <i>Korean Journal of Urology</i> , 2015 , 56, 357-64		6
46	Time between first and second transurethral resection of bladder tumors in patients with high-grade T1 tumors: is it a risk factor for residual tumor detection?. <i>Urologia Internationalis</i> , 2013 , 91, 182-6	1.9	6
45	Invasive bladder carcinoma in a patient with Behçet's disease. <i>International Journal of Urology</i> , 2003 , 10, 669-71	2.3	6
44	Use of percent free prostate-specific antigen density to improve the specificity for detecting prostate cancer in patients with normal rectal examinations and intermediate prostate-specific antigen levels. <i>Urologia Internationalis</i> , 2003 , 70, 36-41	1.9	6
43	Transrectal sonographic features of prostatic intraepithelial neoplasia: correlation with pathologic findings. <i>Journal of Clinical Ultrasound</i> , 2005 , 33, 5-9	1	6
42	Conformal radiotherapy in primary non-Hodgkin's lymphoma of the male urethra. <i>International Urology and Nephrology</i> , 2001 , 33, 537-9	2.3	6
41	Intrarenal lipoma: report of a case. <i>Urologia Internationalis</i> , 1989 , 44, 113-5	1.9	6
40	Contrast effects of autophagy in the treatment of bladder cancer. <i>Experimental Biology and Medicine</i> , 2021 , 246, 354-367	3.7	6

39	Evaluation of increased preoperative serum high sensitive C-reactive protein and procalcitonin levels on grade and stage of clear cell renal cell carcinoma. <i>Clinical Nephrology</i> , 2015 , 83, 225-30	2.1	5
38	Value of selective upper tract cytology for recognition of upper tract tumors after treatment of superficial bladder cancer. <i>International Journal of Urology</i> , 2003 , 10, 243-6	2.3	5
37	Spontaneous bladder rupture due to chronic cystitis 20 years after cystolithotomy. <i>Urologia Internationalis</i> , 2002 , 69, 327-8	1.9	5
36	Bilateral Leydig cell tumors with unilateral cryptorchidism. Case report. <i>Scandinavian Journal of Urology and Nephrology</i> , 1994 , 28, 433-4		5
35	Prognostic impact of epidermal growth factor receptor on clear cell renal cell carcinoma: Does it change with different expression patterns?. <i>Indian Journal of Pathology and Microbiology</i> , 2016 , 59, 35-40 ^{0.6}		5
34	Follow-up of the transrectal ultrasonographic features of the prostate after biopsy: does any ultrasonographically detectable lesion form secondary to the first biopsy?. <i>Journal of Ultrasound in Medicine</i> , 2005 , 24, 1659-63	2.9	4
33	Combined interferon alpha with levamisole in patients with metastatic renal cell carcinoma. <i>International Urology and Nephrology</i> , 2001 , 33, 457-9	2.3	4
32	Leiomyoma of the epididymis. <i>International Urology and Nephrology</i> , 2000 , 32, 95-6	2.3	4
31	Factors Affecting Surgical Margin Positivity after Radical Prostatectomy in the Turkish Population: A Multicenter Study of the Urooncology Association. <i>Urologia Internationalis</i> , 2020 , 104, 724-730	1.9	3
30	Immunohistochemical determination of p53 protein in prostatic cancer and prostatic intraepithelial neoplasms. <i>Urologia Internationalis</i> , 1997 , 58, 199-202	1.9	3
29	Collecting duct carcinoma. <i>Urologia Internationalis</i> , 2001 , 67, 86-90	1.9	3
28	A nonrefluxing, serous lined extramural tunnel for ureteroileal anastomosis in ileal conduit urinary diversion: first clinical experience in 10 patients. <i>Journal of Urology</i> , 2001 , 166, 898-901	2.5	3
27	The effect of body mass index on oncological and surgical outcomes in patients undergoing radical cystectomy for bladder cancer: A multicentre study of the association of urooncology, Turkey. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13750	2.9	3
26	An Unusual Manifestation of Renal Angiomyolipoma: Pulmonary Fat Embolism. <i>Urology</i> , 2015 , 86, e13-5	1.6	2
25	The Effect of Diagnostic Ureterorenoscopy on Intravesical Recurrence in Patients Undergoing Nephroureterectomy for Primary Upper Tract Urinary Carcinoma. <i>Urologia Internationalis</i> , 2021 , 105, 291-297	1.9	2
24	Serum testosterone levels, testis volume, and the risk of prostate cancer: are these factors related?. <i>Turk Uroloji Dergisi</i> , 2013 , 39, 12-5		2
23	The role of adjuvant chemotherapy in patients with locally advanced (pT3, pT4a) and/or lymph node-positive bladder cancer. <i>International Urology and Nephrology</i> , 2010 , 42, 959-64	2.3	2
22	Comparison of TRUS and combined MRI-targeted plus systematic prostate biopsy for the concordance between biopsy and radical prostatectomy pathology. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13797	2.9	2

21	Predicting factors of acute kidney injury after partial nephrectomy and its impact on long-term renal function: A multicentre study of the Turkish Urooncology Association. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14751	2.9	2
20	Coexistence of papillary renal cell carcinoma and gastrointestinal stromal tumor in a case. <i>Turkish Journal of Gastroenterology</i> , 2007 , 18, 47-9	1	2
19	Bowel preparation and peri-operative management for radical cystectomy in Turkey: Turkish Urooncology Association multicenter survey. <i>Urology Journal</i> , 2011 , 8, 113-9	0.9	2
18	Prospective evaluation of kidney displacement during supine mini-percutaneous nephrolithotomy: Incidence, significance, and analysis of predictive factors. <i>Canadian Urological Association Journal</i> , 2018 , 12, E475-E479	1.2	1
17	Effect of premicturitional bladder volume on the accuracy of postvoid residual urine volume measurement by transabdominal ultrasonography: rate of bladder fullness is of great importance for preventing false-positive residue diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2006 , 25, 831-4; quiz 835-6	2.9	1
16	Construction of a continent outlet using an ileal valve, an in vivo animal model. <i>Urological Research</i> , 2003 , 31, 194-7		1
15	Ureteral displacement due to congenital psoas muscle hypertrophy. <i>Urologia Internationalis</i> , 1990 , 45, 376-7	1.9	1
14	Ta grade 3/high grade non-invasive bladder cancer: Should we perform a second TUR?. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13924	2.9	1
13	The evaluation of acute kidney injury due to ischemia by urinary neutrophil gelatinase-induced lipocalin (uNGAL) measurement in patients who underwent partial nephrectomy. <i>International Urology and Nephrology</i> , 2021 , 53, 393-400	2.3	1
12	The effect of renal artery-only or renal artery-vein clamping during partial nephrectomy on short and long-term functional results: Is clamping technique important?. <i>International Urology and Nephrology</i> , 2021 , 53, 1317-1323	2.3	1
11	Perioperative adverse events and functional outcomes following open and robot-assisted prostatectomy in patients over age 70. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14754	2.9	1
10	Effect of Treatment Modality on Long Term Renal Functions in Patients With Muscle Invasive Bladder Cancer. <i>Urology Journal</i> , 2019 , 16, 274-278	0.9	1
9	The Effect of Time to Castration Resistance on Overall Survival and Success of Docetaxel Treatment in Castration Resistant Prostate Cancer Patients. <i>Urology Journal</i> , 2019 , 16, 453-457	0.9	1
8	How accurate is radiological imaging for perirenal fat and renal vein invasion in renal cell carcinoma?. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14359	2.9	0
7	Prognostic Factors: Does It Really Matter if New Drugs for Targeted Therapy Will Be Used?. <i>European Urology Supplements</i> , 2009 , 8, 478-482	0.9	
6	Management of ureterointestinal obstruction and extensive loss of the ureter by creating a pedicle tube graft from the orthotopic neobladder. <i>Urologia Internationalis</i> , 1999 , 62, 99-101	1.9	
5	The effect of risk factors on surgical and oncological results in high-risk prostate cancer: A multicentre study of the urooncology society, Turkey. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14281	2.9	
4	Sextant Biopsy-Based Criteria for Clinically Insignificant Prostate Cancer Are Also Valid for the 12-Core Prostate Biopsy Scheme: A Multicenter Study of Urooncology Association, Turkey. <i>Urologia Internationalis</i> , 2021 , 1-9	1.9	

- 3 In the Age of Immunotherapy, How Can We Translate the CARMENA Results into Practice?.
European Urology Oncology, **2021**, 4, 515-516 6.7
- 2 Individual-risk-score for urinary tract malignancy in patients with microscopic hematuria.
International Journal of Clinical Practice, **2021**, 75, e14662 2.9
- 1 Comparison of Microscopic Hematuria Guidelines as Applied in 1018 Patients With Microscopic Hematuria. *Urology*, **2021**, 154, 28-32 1.6