

Takanori Kubo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6037006/publications.pdf>

Version: 2024-02-01

59
papers

747
citations

516215

16
h-index

610482

24
g-index

66
all docs

66
docs citations

66
times ranked

1025
citing authors

#	ARTICLE	IF	CITATIONS
1	All-trans retinoic acid enhances cytotoxic effect of T cells with an anti-CD38 chimeric antigen receptor in acute myeloid leukemia. <i>Clinical and Translational Immunology</i> , 2016, 5, e116.	1.7	47
2	Modified 27-nt dsRNAs with Dramatically Enhanced Stability in Serum and Long-Term RNAi Activity. <i>Oligonucleotides</i> , 2007, 17, 445-464.	2.7	46
3	Synergistic and persistent effect of cell immunotherapy with anti-CD19 or anti-CD38 chimeric receptor in conjunction with rituximab on B-cell non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2010, 151, 37-46.	1.2	43
4	Entry Inhibition of Influenza Viruses with High Mannose Binding Lectin ESA-2 from the Red Alga <i>Eucheuma serra</i> through the Recognition of Viral Hemagglutinin. <i>Marine Drugs</i> , 2015, 13, 3454-3465.	2.2	41
5	Agr2 Mediates Paracrine Effects on Stromal Fibroblasts That Promote Invasion by Gastric Signet-Ring Carcinoma Cells. <i>Cancer Research</i> , 2015, 75, 356-366.	0.4	31
6	High Mannose-Binding Antiviral Lectin PFL from <i>Pseudomonas fluorescens</i> Pf0-1 Promotes Cell Death of Gastric Cancer Cell MKN28 via Interaction with $\alpha 2$ -Integrin. <i>PLoS ONE</i> , 2012, 7, e45922.	1.1	31
7	Chemically modified symmetric and asymmetric duplex RNAs: An enhanced stability to nuclease degradation and gene silencing effect. <i>Biochemical and Biophysical Research Communications</i> , 2008, 365, 54-61.	1.0	28
8	Inhibitory Effects of Isoflavones on Tumor Growth and Cachexia in Newly Established Cachectic Mouse Models Carrying Human Stomach Cancers. <i>Nutrition and Cancer</i> , 2013, 65, 578-589.	0.9	27
9	Palmitic Acid-Conjugated 21-Nucleotide siRNA Enhances Gene-Silencing Activity. <i>Molecular Pharmaceutics</i> , 2011, 8, 2193-2203.	2.3	26
10	Amino-Modified and Lipid-Conjugated Dicer-Substrate siRNA Enhances RNAi Efficacy. <i>Bioconjugate Chemistry</i> , 2012, 23, 164-173.	1.8	26
11	Controlled intracellular localization and enhanced antisense effect of oligonucleotides by chemical conjugation. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 3257.	1.5	25
12	An orthotopic implantation mouse model of human malignant pleural mesothelioma for <i>in vivo</i> photon counting analysis and evaluation of the effect of α therapy. <i>International Journal of Cancer</i> , 2010, 126, 2835-2846.	2.3	24
13	Synthesis of DNA-Peptide Conjugates by Solid-Phase Fragment Condensation. <i>Organic Letters</i> , 2003, 5, 2623-2626.	2.4	23
14	Antisense inhibition of Bcr-Abl/c-Abl synthesis promotes telomerase activity and upregulates tankyrase in human leukemia cells. <i>FEBS Letters</i> , 2004, 564, 73-84.	1.3	19
15	Lipid-Conjugated 27-Nucleotide Double-Stranded RNAs with Dicer-Substrate Potency Enhance RNAi-Mediated Gene Silencing. <i>Molecular Pharmaceutics</i> , 2012, 9, 1374-1383.	2.3	19
16	Efficient cleavage of RNA, enhanced cellular uptake, and controlled intracellular localization of conjugate DNAzymes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 167-170.	1.0	17
17	siRNAs conjugated with aromatic compounds induce RISC-mediated antisense strand selection and strong gene-silencing activity. <i>Biochemical and Biophysical Research Communications</i> , 2012, 426, 571-577.	1.0	17
18	Gene-Silencing Potency of Symmetric and Asymmetric Lipid-Conjugated siRNAs and Its Correlation with Dicer Recognition. <i>Bioconjugate Chemistry</i> , 2013, 24, 2045-2057.	1.8	15

#	ARTICLE	IF	CITATIONS
19	SPECIFIC BINDING AND STABILIZATION OF DNA AND PHOSPHOROTHIOATE DNA BY AMPHIPHILIC α -HELICAL PEPTIDES. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001, 20, 1313-1316.	0.4	14
20	Visualization of the Redox Status of Cytosolic Glutathione Using the Organelle- and Cytoskeleton-Targeted Redox Sensors. <i>Antioxidants</i> , 2020, 9, 129.	2.2	14
21	High mannose-binding <i>Pseudomonas fluorescens</i> lectin (PFL) downregulates cell surface integrin/EGFR and induces autophagy in gastric cancer cells. <i>BMC Cancer</i> , 2016, 16, 63.	1.1	13
22	Carrier PNA for shRNA delivery into cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3410-3413.	1.0	11
23	NRF2 and HSF1 coordinately regulate heme oxygenase-1 expression. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 7-11.	1.0	11
24	Synthesis of DNA Conjugates by Solid Phase Fragment Condensation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 1451-1453.	0.4	9
25	Enhancement of in vitro cell motility and invasiveness of human malignant pleural mesothelioma cells through the HIF-1 α -MUC1 pathway. <i>Cancer Letters</i> , 2013, 339, 82-92.	3.2	9
26	Antisense effects of DNA-peptide conjugates. <i>Nucleic Acids Symposium Series</i> , 2003, 3, 179-180.	0.3	8
27	Enhancement of Gene Silencing Effect and Membrane Permeability by Peptide-Conjugated 27-Nucleotide Small Interfering RNA. <i>Molecules</i> , 2012, 17, 11089-11102.	1.7	8
28	Marked antitumor effect of NK012, a SN-38-incorporating micelle formulation, in a newly developed mouse model of liver metastasis resulting from gastric cancer. <i>Therapeutic Delivery</i> , 2014, 5, 129-138.	1.2	8
29	Convergent synthesis of 4,6-unsubstituted 5-acyl-2-phenyldihydropyrimidines by substitution reactions of Weinreb amide group of tetrahydropyrimidines. <i>Tetrahedron Letters</i> , 2016, 57, 4492-4495.	0.7	8
30	Convergent synthesis of 4,6-unsubstituted 5-acyl-2-aminodihydropyrimidines using Weinreb amide. <i>Tetrahedron Letters</i> , 2017, 58, 4236-4239.	0.7	8
31	Establishment of a novel cell line from a rare human duodenal poorly differentiated neuroendocrine carcinoma. <i>Oncotarget</i> , 2018, 9, 36503-36514.	0.8	8
32	A NOVEL APPROACH FOR THE SOLID PHASE SYNTHESIS OF DNA-PEPTIDE CONJUGATES. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001, 20, 1321-1324.	0.4	7
33	ADAR2 Regulates Malignant Behaviour of Mesothelioma Cells Independent of RNA-editing Activity. <i>Anticancer Research</i> , 2020, 40, 1307-1314.	0.5	7
34	Sixteen Different Types of Lipid-Conjugated siRNAs Containing Saturated and Unsaturated Fatty Acids and Exhibiting Enhanced RNAi Potency. <i>ACS Chemical Biology</i> , 2021, 16, 150-164.	1.6	7
35	AMPHIPHILIC β -SHEET PEPTIDES CAN BIND TO DOUBLE AND TRIPLE STRANDED DNA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001, 20, 1317-1320.	0.4	6
36	Enhancement of gene silencing potency and nuclease stability by chemically modified duplex RNA. <i>Nucleic Acids Symposium Series</i> , 2007, 51, 407-408.	0.3	6

#	ARTICLE	IF	CITATIONS
37	Highly Efficient Gene Suppression by Chemically Modified 27 Nucleotide Double-Stranded RNAs. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 1346-1350.	0.8	6
38	<i>In Vivo</i> RNAi Efficacy of Palmitic Acid- ϵ -Conjugated Dicer-Substrate siRNA in a Subcutaneous Tumor Mouse Model. <i>Chemical Biology and Drug Design</i> , 2016, 87, 811-823.	1.5	6
39	Antitumor effect of palmitic acid- ϵ -conjugated DsiRNA for colon cancer in a mouse subcutaneous tumor model. <i>Chemical Biology and Drug Design</i> , 2019, 93, 570-581.	1.5	6
40	Synthesis of 6-unsubstituted 2-oxo, 2-thioxo, and 2-amino-3,4-dihydropyrimidines and their antiproliferative effect on HL-60 cells. <i>Tetrahedron Letters</i> , 2020, 61, 151967.	0.7	6
41	Development and characterization of a cancer cachexia model employing a rare human duodenal neuroendocrine carcinoma-originating cell line. <i>Oncotarget</i> , 2019, 10, 2435-2450.	0.8	6
42	Synthesis of 4,4-Disubstituted 3,4-Dihydropyrimidin-2(1 <i>H</i>)-ones and -thiones, the Corresponding Products of Biginelli Reaction Using Ketone, and Their Antiproliferative Effect on HL-60 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2022, 70, 111-119.	0.6	6
43	DNA Conjugates as Novel Functional Oligonucleotides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 1359-1361.	0.4	5
44	Control of Intracellular Delivery of Oligonucleotides by Conjugation with Signal Peptides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 1367-1369.	0.4	5
45	Atypical protein-kinase C?, but neither conventional Ca ²⁺ -dependent protein-kinase C isoenzymes nor Ca ²⁺ -calmodulin, participates in regulation of telomerase activity in Burkitt's lymphoma cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2004, 54, 161-72.	1.1	5
46	High Mannose Binding Lectin (PFL) from <i>Pseudomonas fluorescens</i> Down-Regulates Cancer-Associated Integrins and Immune Checkpoint Ligand B7-H4. <i>Cancers</i> , 2019, 11, 604.	1.7	5
47	Properties of Conjugate DNA Enzymes. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 1491-1493.	0.4	4
48	Delivery of Antisense Oligonucleotides to Nuclear Telomere RNA by Use of a Complex between Polysaccharide and Polynucleotide. <i>Bulletin of the Chemical Society of Japan</i> , 2007, 80, 1091-1098.	2.0	4
49	Development and Biological Analysis of a Novel Orthotopic Peritoneal Dissemination Mouse Model Generated Using a Pancreatic Ductal Adenocarcinoma Cell Line. <i>Pancreas</i> , 2019, 48, 315-322.	0.5	4
50	Synthesis of novel 6-unsubstituted 2-aminodihydropyrimidines by Sc(OTf) ₃ -mediated amination and their antiproliferative effect on HL-60 cells. <i>Tetrahedron Letters</i> , 2021, 65, 152760.	0.7	4
51	Heme oxygenase-1 induction by heat shock in rat hepatoma cell line is regulated by the coordinated function of HSF1, NRF2, AND BACH1. <i>Journal of Biochemistry</i> , 2021, 170, 501-510.	0.9	3
52	Conjugate DNAzymes. <i>Nucleic Acids Symposium Series</i> , 2003, 3, 177-178.	0.3	1
53	Novel Synthesis of 2'-O Modified Oligonucleotides by Solid Phase Fragment Condensation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 1447-1449.	0.4	1
54	Control of intracellular delivery of oligonucleotides by signal peptides and genetic expression in human cells. <i>Nucleic Acids Symposium Series</i> , 2004, 48, 303-304.	0.3	1

#	ARTICLE	IF	CITATIONS
55	Dual-labeled telomere sensing probes for quantification of telomerase activity assay. Journal of Proteomics, 2007, 70, 503-506.	2.4	1
56	Controlled Intracellular Localization of Oligonucleotides by Chemical Conjugation. , 2005, , 187-197.		1
57	Control of intracellular delivery and inhibition of genetic expression by DNA-peptide conjugates. Nucleic Acids Symposium Series, 2003, 3, 237-238.	0.3	0
58	Precisely controlled intracellular delivery of DNA-peptide conjugates. Nucleic Acids Symposium Series, 2004, 48, 99-100.	0.3	0
59	Synthesis, Biological Properties and Antisense Effects of Oligonucleotide-Petide Conjugates. Frontiers in Organic Chemistry, 2005, 1, 229-241.	0.0	0