Mark Wheatley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/603753/publications.pdf

Version: 2024-02-01

1039880 1474057 9 588 9 9 citations h-index g-index papers 9 9 9 655 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Structural analysis of a nanoparticle containing a lipid bilayer used for detergent-free extraction of membrane proteins. Nano Research, 2015, 8, 774-789.	5.8	161
2	G-protein coupled receptor solubilization and purification for biophysical analysis and functional studies, in the total absence of detergent. Bioscience Reports, 2015, 35, .	1.1	150
3	An acid-compatible co-polymer for the solubilization of membranes and proteins into lipid bilayer-containing nanoparticles. Nanoscale, 2018, 10, 10609-10619.	2.8	91
4	A Key Role for Transmembrane Prolines in Calcitonin Receptor-Like Receptor Agonist Binding and Signalling: Implications for Family B G-Protein-Coupled Receptors. Molecular Pharmacology, 2005, 67, 20-31.	1.0	59
5	GPCR–styrene maleic acid lipid particles (GPCR–SMALPs): their nature and potential. Biochemical Society Transactions, 2016, 44, 619-623.	1.6	40
6	Single molecule binding of a ligand to a G-protein-coupled receptor in real time using fluorescence correlation spectroscopy, rendered possible by nano-encapsulation in styrene maleic acid lipid particles. Nanoscale, 2020, 12, 11518-11525.	2.8	37
7	Ligand-induced conformational changes in a SMALP-encapsulated GPCR Biochimica Et Biophysica Acta - Biomembranes, 2020, 1862, 183235.	1.4	24
8	Interactions between RAMP2 and CRF receptors: The effect of receptor subtypes, splice variants and cell context. Biochimica Et Biophysica Acta - Biomembranes, 2019, 1861, 997-1003.	1.4	16
9	Differences in SMA-like polymer architecture dictate the conformational changes exhibited by the membrane protein rhodopsin encapsulated in lipid nano-particles. Nanoscale, 2021, 13, 13519-13528.	2.8	10