

Bu B Yeap

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6038404/bu-b-yeap-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181 papers	5,569 citations	40 h-index	69 g-index
196 ext. papers	6,871 ext. citations	5 avg, IF	5.77 L-index

#	Paper	IF	Citations
181	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	40	530
180	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 52-60	27.4	365
179	Low free testosterone predicts frailty in older men: the health in men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3165-72	5.6	191
178	Lower testosterone levels predict incident stroke and transient ischemic attack in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2353-9	5.6	190
177	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2010 , 163, 265-72	6.5	136
176	Low free testosterone predicts mortality from cardiovascular disease but not other causes: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 179-89	5.6	133
175	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e100409	3.7	131
174	In older men an optimal plasma testosterone is associated with reduced all-cause mortality and higher dihydrotestosterone with reduced ischemic heart disease mortality, while estradiol levels do not predict mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E9-18	5.6	128
173	Differential posttranscriptional regulation of androgen receptor gene expression by androgen in prostate and breast cancer cells. <i>Endocrinology</i> , 1999 , 140, 3282-91	4.8	128
172	Low free testosterone concentration as a potentially treatable cause of depressive symptoms in older men. <i>Archives of General Psychiatry</i> , 2008 , 65, 283-9		121
171	Reference ranges and determinants of testosterone, dihydrotestosterone, and estradiol levels measured using liquid chromatography-tandem mass spectrometry in a population-based cohort of older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4030-9	5.6	113
170	Novel binding of HuR and poly(C)-binding protein to a conserved UC-rich motif within the 3' untranslated region of the androgen receptor messenger RNA. <i>Journal of Biological Chemistry</i> , 2002 , 277, 27183-92	5.4	113
169	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. <i>European Journal of Endocrinology</i> , 2007 , 156, 585-94	6.5	107
168	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2009 , 161, 591-8	6.5	96
167	Effects of testosterone treatment on glucose metabolism and symptoms in men with type 2 diabetes and the metabolic syndrome: a systematic review and meta-analysis of randomized controlled clinical trials. <i>Clinical Endocrinology</i> , 2015 , 83, 344-51	3.4	84
166	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2008 , 158, 785-92	6.5	82
165	Higher serum undercarboxylated osteocalcin and other bone turnover markers are associated with reduced diabetes risk and lower estradiol concentrations in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 63-71	5.6	76

164	Testosterone and ill-health in aging men. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2009 , 5, 113-21		68
163	Integrative Modeling of Quantitative Plasma Lipoprotein, Metabolic, and Amino Acid Data Reveals a Multiorgan Pathological Signature of SARS-CoV-2 Infection. <i>Journal of Proteome Research</i> , 2020 , 19, 4442-4454	5.6	67
162	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018 , 112, 1-11	5	64
161	In older men, higher plasma testosterone or dihydrotestosterone is an independent predictor for reduced incidence of stroke but not myocardial infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4565-73	5.6	64
160	Endocrine Society of Australia position statement on male hypogonadism (part 1): assessment and indications for testosterone therapy. <i>Medical Journal of Australia</i> , 2016 , 205, 173-8	4	60
159	Depression, frailty, and all-cause mortality: a cohort study of men older than 75 years. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 296-300	5.9	59
158	Low vitamin D status is an independent predictor of increased frailty and all-cause mortality in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3821-8	5.6	59
157	Testosterone treatment to prevent or revert type 2 diabetes in men enrolled in a lifestyle programme (T4DM): a randomised, double-blind, placebo-controlled, 2-year, phase 3b trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 32-45	18.1	58
156	Associations between testosterone levels and incident prostate, lung, and colorectal cancer. A population-based study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1319-29	4	56
155	Androgens and cardiovascular disease. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2010 , 17, 269-76	4	55
154	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. <i>Clinical Endocrinology</i> , 2008 , 68, 404-12	3.4	54
153	Thyroid hormone: Influences on mood and cognition in adults. <i>Maturitas</i> , 2015 , 81, 266-75	5	51
152	Higher free thyroxine levels predict increased incidence of dementia in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E2230-7	5.6	51
151	Associations of total testosterone, sex hormone-binding globulin, calculated free testosterone, and luteinizing hormone with prevalence of abdominal aortic aneurysm in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1123-30	5.6	50
150	The androgen receptor mRNA. <i>BioEssays</i> , 2004 , 26, 672-82	4.1	50
149	Mortality among people with severe mental disorders who reach old age: a longitudinal study of a community-representative sample of 37,892 men. <i>PLoS ONE</i> , 2014 , 9, e111882	3.7	50
148	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2013 , 169, 401-8	6.5	49
147	Interaction between testosterone and apolipoprotein E epsilon4 status on cognition in healthy older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1168-72	5.6	49

146	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. <i>Psychoneuroendocrinology</i> , 2016 , 64, 57-65	5	47
145	Sex differences in vascular endothelial function and health in humans: impacts of exercise. <i>Experimental Physiology</i> , 2016 , 101, 230-42	2.4	42
144	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016 , 86, 3-9	5	42
143	Differential associations of testosterone, dihydrotestosterone and oestradiol with physical, metabolic and health-related factors in community-dwelling men aged 17-97 years from the Busselton Health Survey. <i>Clinical Endocrinology</i> , 2014 , 81, 100-8	3.4	41
142	The effects of sodium-glucose cotransporter 2 inhibitors on left ventricular function: current evidence and future directions. <i>ESC Heart Failure</i> , 2019 , 6, 927-935	3.7	40
141	Thyroid hormones and depression: the Health in Men study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 763-70	6.5	40
140	Reference intervals for bone turnover markers and their association with incident hip fractures in older men: the Health in Men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 90-9	5.6	39
139	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2009 , 70, 455-63	3.4	39
138	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 569-77	6.5	38
137	Higher luteinizing hormone is associated with poor memory recall: the health in men study. <i>Journal of Alzheimer's Disease</i> , 2010 , 19, 943-51	4.3	38
136	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2012 , 76, 741-8	3.4	37
135	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018 , 74, 585-594	10.2	36
134	Do low testosterone levels contribute to ill-health during male ageing?. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2012 , 49, 168-82	9.4	36
133	IGF1 and its binding proteins 3 and 1 are differentially associated with metabolic syndrome in older men. <i>European Journal of Endocrinology</i> , 2010 , 162, 249-57	6.5	35
132	Risk of dementia and death in community-dwelling older men with bipolar disorder. <i>British Journal of Psychiatry</i> , 2016 , 209, 121-6	5.4	35
131	Higher ferritin levels, but not serum iron or transferrin saturation, are associated with Type 2 diabetes mellitus in adult men and women free of genetic haemochromatosis. <i>Clinical Endocrinology</i> , 2015 , 82, 525-32	3.4	34
130	Higher serum testosterone and dihydrotestosterone, but not oestradiol, are independently associated with favourable indices of lung function in community-dwelling men. <i>Clinical Endocrinology</i> , 2015 , 83, 268-76	3.4	33
129	Undercarboxylated Osteocalcin: Experimental and Human Evidence for a Role in Glucose Homeostasis and Muscle Regulation of Insulin Sensitivity. <i>Nutrients</i> , 2018 , 10,	6.7	32

128	Endocrine Society of Australia position statement on male hypogonadism (part 2): treatment and therapeutic considerations. <i>Medical Journal of Australia</i> , 2016 , 205, 228-31	4	32
127	Epidemiological and Mendelian Randomization Studies of Dihydrotestosterone and Estradiol and Leukocyte Telomere Length in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1299-306	5.6	32
126	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015 , 81, 36-41	5	31
125	Hormonal changes and their impact on cognition and mental health of ageing men. <i>Maturitas</i> , 2014 , 79, 227-35	5	30
124	Testosterone and cardiovascular disease risk. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2015 , 22, 193-202	4	30
123	Associations of IGF1 and IGFBPs 1 and 3 with all-cause and cardiovascular mortality in older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 715-23	6.5	28
122	How many older people are frail? Using multiple imputation to investigate frailty in the population. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 439.e1-7	5.9	23
121	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 412-20	3.9	23
120	Lower TSH and higher free thyroxine predict incidence of prostate but not breast, colorectal or lung cancer. <i>European Journal of Endocrinology</i> , 2017 , 177, 297-308	6.5	23
119	Validity of self-reported versus hospital-coded diagnosis of stroke: a cross-sectional and longitudinal study. <i>Cerebrovascular Diseases</i> , 2014 , 37, 256-62	3.2	23
118	In older men, lower plasma 25-hydroxyvitamin D is associated with reduced incidence of prostate, but not colorectal or lung cancer. <i>PLoS ONE</i> , 2014 , 9, e99954	3.7	23
117	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018 , 98, 139-147	5	22
116	Clinical practice update on testosterone therapy for male hypogonadism: Contrasting perspectives to optimize care. <i>Clinical Endocrinology</i> , 2019 , 90, 56-65	3.4	22
115	Diabetes, myocardial infarction and stroke are distinct and duration-dependent predictors of subsequent cardiovascular events and all-cause mortality in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1038-47	5.6	21
114	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3934-42	5.6	21
113	Neutral associations of testosterone, dihydrotestosterone and estradiol with fatal and non-fatal cardiovascular events, and mortality in men aged 17-97 years. <i>Clinical Endocrinology</i> , 2016 , 85, 575-82	3.4	21
112	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21
111	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. <i>Clinical Endocrinology</i> , 2018 , 88, 88-95	3.4	20

110	Testosterone treatment in older men: clinical implications and unresolved questions from the Testosterone Trials. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 659-672	18.1	20
109	Incomplete Systemic Recovery and Metabolic Phenoreversion in Post-Acute-Phase Nonhospitalized COVID-19 Patients: Implications for Assessment of Post-Acute COVID-19 Syndrome. <i>Journal of Proteome Research</i> , 2021 , 20, 3315-3329	5.6	20
108	Suicide in older men: The health in men cohort study (HIMS). <i>Preventive Medicine</i> , 2016 , 93, 33-38	4.3	19
107	Circulating insulin-like growth factor-I, total and free testosterone concentrations and prostate cancer risk in 200 000 men in UK Biobank. <i>International Journal of Cancer</i> , 2021 , 148, 2274-2288	7.5	19
106	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. <i>Environment International</i> , 2019 , 125, 430-436	12.9	18
105	Oral contraception does not alter typical post-exercise interleukin-6 and hepcidin levels in females. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 8-12	4.4	18
104	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. <i>Clinical Endocrinology</i> , 2018 , 89, 93-99	3.4	17
103	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1215-23	3.9	17
102	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
101	Insulin resistance and depressive symptoms in older men: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 872-80	6.5	16
100	Hormones and health outcomes in aging men. <i>Experimental Gerontology</i> , 2013 , 48, 677-81	4.5	16
99	Testosterone therapy to prevent type 2 diabetes mellitus in at-risk men (T4DM): Design and implementation of a double-blind randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 772-780	6.7	16
98	Recruitment of men to a multi-centre diabetes prevention trial: an evaluation of traditional and online promotional strategies. <i>Trials</i> , 2019 , 20, 366	2.8	15
97	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of IGF1. <i>Clinical Endocrinology</i> , 2018 , 88, 333-340	3.4	15
96	Long-term Exposure to Low Air Pollutant Concentrations and the Relationship with All-Cause Mortality and Stroke in Older Men. <i>Epidemiology</i> , 2019 , 30 Suppl 1, S82-S89	3.1	15
95	Osteocalcin and its forms across the lifespan in adult men. <i>Bone</i> , 2020 , 130, 115085	4.7	15
94	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. <i>Hormones and Cancer</i> , 2017 , 8, 119-126	5	14
93	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. <i>European Journal of Endocrinology</i> , 2012 , 166, 191-7	6.5	14

92	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1613-1619	3.9	13
91	Hospital costs associated with depression in a cohort of older men living in Western Australia. <i>General Hospital Psychiatry</i> , 2014 , 36, 33-7	5.6	12
90	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. <i>Clinical Endocrinology</i> , 2013 , 79, 725-32	3.4	12
89	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015 , 10, e0134475	3.7	12
88	Prevalence and prognosis of a low serum testosterone in men with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2016 , 85, 444-52	3.4	12
87	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017 , 101, 1-5	5	11
86	An individual participant data analysis of prospective cohort studies on the association between subclinical thyroid dysfunction and depressive symptoms. <i>Scientific Reports</i> , 2020 , 10, 19111	4.9	11
85	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019 , 49, 232-242	6.9	11
84	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017 , 22, 570-578	4.6	10
83	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 444-449	6.4	10
82	Reported high salt intake is associated with increased prevalence of abdominal aortic aneurysm and larger aortic diameter in older men. <i>PLoS ONE</i> , 2014 , 9, e102578	3.7	10
81	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e625-e637	5.6	10
80	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGF-II, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019 , 145, 3244-3256	7.5	9
79	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019 , 128, 4-9	5	9
78	Hormones and cardiovascular disease in older men. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 326-33	5.9	9
77	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9
76	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016 , 251, 19-24	3.1	8
75	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019 , 90, 375-383	3.4	8

74	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	7
73	Dihydrotestosterone and cancer risk. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2018 , 25, 209-217	4	7
72	Bone turnover markers: Defining a therapeutic target. <i>Clinical Biochemistry</i> , 2017 , 50, 162-163	3.5	7
71	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015 , 15, 164	4.1	7
70	Serum endostatin concentrations are higher in men with symptoms of intermittent claudication. <i>Disease Markers</i> , 2014 , 2014, 298239	3.2	7
69	Testosterone and its metabolites: differential associations with cardiovascular and cerebrovascular events in men. <i>Asian Journal of Andrology</i> , 2018 , 20, 109-114	2.8	7
68	Effect of Testosterone Treatment on Bone Microarchitecture and Bone Mineral Density in Men: A 2-Year RCT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3143-e3158	5.6	7
67	Sociodemographic, lifestyle and medical influences on serum testosterone and sex hormone-binding globulin in men from UK Biobank. <i>Clinical Endocrinology</i> , 2021 , 94, 290-302	3.4	7
66	Effects of androgen deprivation therapy on telomere length. <i>Clinical Endocrinology</i> , 2017 , 87, 381-385	3.4	6
65	Lower Circulating Androgens Are Associated with Overall Cancer Risk and Prostate Cancer Risk in Men Aged 25-84 Years from the Busselton Health Study. <i>Hormones and Cancer</i> , 2018 , 9, 391-398	5	6
64	Greater physical activity and higher androgen concentrations are independently associated with lower cardiometabolic risk in men. <i>Clinical Endocrinology</i> , 2017 , 87, 466-474	3.4	6
63	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over: The HIMS (Health in Men Study). <i>Hypertension</i> , 2017 , 69, 1053-1059	8.5	5
62	Circulating osteocalcin is unrelated to glucose homeostasis in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 948-951	3.2	5
61	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. <i>PLoS ONE</i> , 2016 , 11, e0163781	3.7	5
60	Single-dose prednisolone alters endocrine and haematologic responses and exercise performance in men. <i>Endocrine Connections</i> , 2019 , 8, 111-119	3.5	5
59	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020 , 182, 23-33	6.5	5
58	Osteocalcin and measures of adiposity: a systematic review and meta-analysis of observational studies. <i>Archives of Osteoporosis</i> , 2020 , 15, 145	2.9	5
57	Icosapent ethyl for dyslipidaemia in patients with diabetes and coronary artery disease: Act now to reduce it. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1734-1736	6.7	4

56	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018 , 254, 316-321	3.2	4
55	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018 , 239, 269-273	6.6	4
54	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study.. <i>Alzheimer's and Dementia</i> , 2022 ,	1.2	4
53	Testosterone therapy and mortality in US veterans. <i>Asian Journal of Andrology</i> , 2012 , 14, 667-8	2.8	4
52	Optical coherence tomography: a novel imaging approach to visualize and quantify cutaneous microvascular structure and function in patients with diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	4
51	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019 , 90, 562-569	3.4	4
50	Dyslipidaemia in adults with type 1 diabetes-when to treat?. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3090	7.5	4
49	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. <i>Aging and Mental Health</i> , 2020 , 24, 627-633	3.5	4
48	Association of Thyroid Dysfunction With Cognitive Function: An Individual Participant Data Analysis. <i>JAMA Internal Medicine</i> , 2021 , 181, 1440-1450	11.5	4
47	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018 , 241, 269-274	6.6	3
46	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. <i>Clinical Endocrinology</i> , 2017 , 86, 278-285	3.4	3
45	Longitudinal changes in serum testosterone and sex hormone-binding globulin in men aged 40-69 years from the UK Biobank. <i>Clinical Endocrinology</i> , 2021 ,	3.4	3
44	Visualizing and quantifying cutaneous microvascular reactivity in humans by use of optical coherence tomography: impaired dilator function in diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 319, E923-E931	6	3
43	Effects of testosterone treatment, with and without exercise training, on ambulatory blood pressure in middle-aged and older men. <i>Clinical Endocrinology</i> , 2021 , 95, 176-186	3.4	3
42	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021 , 145, 6-11	5	3
41	Investigating the effect of an education program on diabetes and lipid lowering medication usage following coronary artery bypass graft surgery. <i>Internal Medicine Journal</i> , 2021 ,	1.6	3
40	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 408-414	3.9	3
39	U-shaped association of vigorous physical activity with risk of metabolic syndrome in men with low lean mass, and no interaction of physical activity and serum 25-hydroxyvitamin D with metabolic syndrome risk. <i>Internal Medicine Journal</i> , 2020 , 50, 460-469	1.6	3

38	Empagliflozin and left ventricular diastolic function following an acute coronary syndrome in patients with type 2 diabetes. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 517-527	2.5	3
37	Telephone call reminders did not increase screening uptake more than SMS reminders: a recruitment study within a trial. <i>Journal of Clinical Epidemiology</i> , 2019 , 112, 45-52	5.7	2
36	Association of depression with sexual and daily activities: a community study of octogenarian men. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 234-42	6.5	2
35	"Men's health--a little in the shadow": a formative evaluation of medical curriculum enhancement with men's health teaching and learning. <i>BMC Medical Education</i> , 2015 , 15, 210	3.3	2
34	Glycaemic control in patients with type 1 diabetes after provision of public hospital-funded insulin pumps. <i>Medical Journal of Australia</i> , 2009 , 191, 291-291	4	2
33	Short-term outcomes following coronary artery bypass graft surgery in insulin treated and non-insulin treated diabetes: A tertiary hospital experience in Australia. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020 , 14, 455-458	8.9	2
32	Testosterone and exercise: effects on fitness, body composition, and strength in middle-to-older aged men with low-normal serum testosterone levels. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H1985-H1998	5.2	2
31	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 164-171	6.4	2
30	Lipoprotein(a) in Patients With Type 2 Diabetes and Premature Coronary Artery Disease in the Coronary Care Unit. <i>Heart Lung and Circulation</i> , 2021 , 30, 734-740	1.8	2
29	Controversies in type 2 diabetes - An update. <i>Australian Family Physician</i> , 2009 , 38, 22-5		2
28	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3172	7.5	1
27	Priorities and practicalities of prescribing diabetes medicines with cardiovascular and renal protective effects: an Australian perspective. <i>Internal Medicine Journal</i> , 2020 , 50, 1423-1429	1.6	1
26	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	1
25	Osteocalcin: an endocrine link between bone and glucose metabolism. <i>Expert Review of Endocrinology and Metabolism</i> , 2011 , 6, 177-185	4.1	1
24	Testosterone, Diabetes Risk, and Diabetes Prevention in Men.. <i>Endocrinology and Metabolism Clinics of North America</i> , 2022 , 51, 157-172	5.5	1
23	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. <i>PLoS ONE</i> , 2021 , 16, e0248931	3.7	1
22	Psychological flexibility is associated with less diabetes distress and lower glycated haemoglobin in adults with type 1 diabetes. <i>Internal Medicine Journal</i> , 2021 ,	1.6	1
21	Testosterone and Exercise in Middle-to-Older Aged Men: Combined and Independent Effects on Vascular Function. <i>Hypertension</i> , 2021 , 77, 1095-1105	8.5	1

20	Diabetic kidney disease in type 2 diabetes: a review of pathogenic mechanisms, patient-related factors and therapeutic options. <i>PeerJ</i> , 2021 , 9, e11070	3.1	1
19	Associations of Osteocalcin Forms With Metabolic Syndrome and Its Individual Components in Older Men: The Health In Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3506-e3518 ¹	5.6	1
18	Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men.. <i>Annals of Internal Medicine</i> , 2021 ,	8	1
17	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis.. <i>Journal of Affective Disorders</i> , 2022 , 309, 314-323	6.6	1
16	Neither Hormonal Factors Nor AGEs Explain Lower Prostate Cancer Risk in Older Men With Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 6017-6024	5.6	0
15	Reduction in femoral neck and total hip bone mineral density following hospitalisation for diabetes-related foot ulceration. <i>Scientific Reports</i> , 2021 , 11, 22742	4.9	0
14	Hearing impairment and frailty in later life: The Health in Men Study (HIMS).. <i>Maturitas</i> , 2022 , 156, 30-36	5	0
13	Managing inpatient hyperglycaemia and initiating sodium-glucose cotransporter 2 inhibitor therapy in the setting of diabetes and acute coronary syndrome. <i>Internal Medicine Journal</i> , 2021 , 51, 428-432	1.6	0
12	A 5 α -reductase (SRD5A2) polymorphism is associated with serum testosterone and sex hormone-binding globulin in men, while aromatase (CYP19A1) polymorphisms are associated with oestradiol and luteinizing hormone reciprocally. <i>Clinical Endocrinology</i> , 2019 , 90, 301-311	3.4	0
11	Androgens and Heart Failure: New Observations Illuminating an Aging Conundrum. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1476-e1478	5.6	0
10	Attainment of Lipid Targets Following Coronary Artery Bypass Graft Surgery: Can We Do Better?. <i>Journal of Lipid and Atherosclerosis</i> , 2022 , 11, 187	3	0
9	Testosterone and Cardiovascular Effects 2017 , 299-318		
8	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 684-685	5.6	
7	Hypogonadism and Testosterone Therapy in Elderly Men 2019 , 729-738		
6	A high-volume, low-cost approach to participant screening and enrolment: Experiences from the T4DM diabetes prevention trial. <i>Clinical Trials</i> , 2019 , 16, 589-598	2.2	
5	Testosterone and growth hormone in older men: for better or for worse?. <i>Expert Review of Endocrinology and Metabolism</i> , 2009 , 4, 321-323	4.1	
4	Effect of Testosterone Treatment on Cardiovascular Events in Men: Protocol for a Systematic Literature Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2020 , 9, e15163	2	
3	Plasma Testosterone and Dihydrotestosterone as Markers of Heart Disease and Mortality in Older Men 2015 , 1-23		

2 Plasma Testosterone and Dihydrotestosterone as Markers of Heart Disease and Mortality in Older Men **2016**, 425-447

1 Real-world barriers and safety of initiating sodium-glucose co-transporter 2 inhibitor treatment immediately following an acute cardiac event in people with diabetes. *Journal of Diabetes and Its Complications*, **2021**, 35, 108057 3.2