Bu B Yeap

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6038404/bu-b-yeap-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181 5,569 40 69 g-index

196 6,871 5 5.77 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
181	Testosterone, Diabetes Risk, and Diabetes Prevention in Men Endocrinology and Metabolism Clinics of North America, 2022 , 51, 157-172	5.5	1
180	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study <i>Alzheimerrs and Dementia</i> , 2022 ,	1.2	4
179	Hearing impairment and frailty in later life: The Health in Men Study (HIMS) <i>Maturitas</i> , 2022 , 156, 30-36	55	O
178	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis <i>Journal of Affective Disorders</i> , 2022 , 309, 314-323	6.6	1
177	Attainment of Lipid Targets Following Coronary Artery Bypass Graft Surgery: Can We Do Better?. Journal of Lipid and Atherosclerosis, 2022 , 11, 187	3	O
176	Longitudinal changes in serum testosterone and sex hormone-binding globulin in men aged 40-69 years from the UK Biobank. <i>Clinical Endocrinology</i> , 2021 ,	3.4	3
175	Reduction in femoral neck and total hip bone mineral density following hospitalisation for diabetes-related foot ulceration. <i>Scientific Reports</i> , 2021 , 11, 22742	4.9	O
174	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e625-e637	5.6	10
173	Effects of testosterone treatment, with and without exercise training, on ambulatory blood pressure in middle-aged and older men. <i>Clinical Endocrinology</i> , 2021 , 95, 176-186	3.4	3
172	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. <i>PLoS ONE</i> , 2021 , 16, e0248931	3.7	1
171	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021 , 145, 6-11	5	3
170	Psychological flexibility is associated with less diabetes distress and lower glycated haemoglobin in adults with type 1 diabetes. <i>Internal Medicine Journal</i> , 2021 ,	1.6	1
169	Managing inpatient hyperglycaemia and initiating sodium-glucose cotransporter 2 inhibitor therapy in the setting of diabetes and acute coronary syndrome. <i>Internal Medicine Journal</i> , 2021 , 51, 428-432	1.6	O
168	Effect of Testosterone Treatment on Bone Microarchitecture and Bone Mineral Density in Men: A 2-Year RCT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3143-e3158	5.6	7
167	Testosterone and Exercise in Middle-to-Older Aged Men: Combined and Independent Effects on Vascular Function. <i>Hypertension</i> , 2021 , 77, 1095-1105	8.5	1
166	Diabetic kidney disease in type 2 diabetes: a review of pathogenic mechanisms, patient-related factors and therapeutic options. <i>PeerJ</i> , 2021 , 9, e11070	3.1	1
165	Incomplete Systemic Recovery and Metabolic Phenoreversion in Post-Acute-Phase Nonhospitalized COVID-19 Patients: Implications for Assessment of Post-Acute COVID-19 Syndrome. <i>Journal of Proteome Research</i> , 2021 , 20, 3315-3329	5.6	20

Associations of Osteocalcin Forms With Metabolic Syndrome and Its Individual Components in 164 Older Men: The Health In Men Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3506-23518 Investigating the effect of an education program on diabetes and lipid lowering medication usage 1.6 163 following coronary artery bypass graft surgery. Internal Medicine Journal, 2021, Testosterone and exercise: effects on fitness, body composition, and strength in middle-to-older 162 aged men with low-normal serum testosterone levels. American Journal of Physiology - Heart and 5.2 2 Circulatory Physiology, **2021**, 320, H1985-H1998 U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality 161 in Older Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, **2021**, 76, 164-17^{6.4} Sociodemographic, lifestyle and medical influences on serum testosterone and sex 160 3.4 7 hormone-binding globulin in men from UK Biobank. Clinical Endocrinology, 2021, 94, 290-302 Lipoprotein(a) in Patients With Type 2 Diabetes and Premature Coronary Artery Disease in the 1.8 159 2 Coronary Care Unit. Heart Lung and Circulation, 2021, 30, 734-740 Circulating insulin-like growth factor-I, total and free testosterone concentrations and prostate 158 19 7.5 cancer risk in 200 000 men in UK Biobank. International Journal of Cancer, 2021, 148, 2274-2288 Testosterone treatment to prevent or revert type 2 diabetes in men enrolled in a lifestyle programme (T4DM): a randomised, double-blind, placebo-controlled, 2-year, phase 3b trial. Lancet 58 157 18.1 Diabetes and Endocrinology, the, 2021, 9, 32-45 Empagliflozin and left ventricular diastolic function following an acute coronary syndrome in 156 2.5 3 patients with type 2 diabetes. International Journal of Cardiovascular Imaging, 2021, 37, 517-527 Androgens and Heart Failure: New Observations Illuminating an Aging Conundrum. Journal of 5.6 155 Clinical Endocrinology and Metabolism, 2021, 106, e1476-e1478 Association of Thyroid Dysfunction With Cognitive Function: An Individual Participant Data 154 11.5 4 Analysis. JAMA Internal Medicine, 2021, 181, 1440-1450 Real-world barriers and safety of initiating sodium-glucose co-transporter 2 inhibitor treatment immediately following an acute cardiac event in people with diabetes. Journal of Diabetes and Its 153 3.2 Complications, 2021, 35, 108057 Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident 8 152 1 Cardiovascular Events in Middle-Aged to Older Men.. Annals of Internal Medicine, 2021, Priorities and practicalities of prescribing diabetes medicines with cardiovascular and renal 1.6 151 protective effects: an Australian perspective. Internal Medicine Journal, 2020, 50, 1423-1429 An individual participant data analysis of prospective cohort studies on the association between 150 4.9 11 subclinical thyroid dysfunction and depressive symptoms. Scientific Reports, 2020, 10, 19111 U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with 5.6 149 7 Incidence of Fractures in Men. Journal of Clinical Endocrinology and Metabolism, 2020, 105, Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of 148 6.5 5 biological age, in men. European Journal of Endocrinology, 2020, 182, 23-33 Effect of Testosterone Treatment on Cardiovascular Events in Men: Protocol for a Systematic Literature Review and Meta-Analysis. JMIR Research Protocols, 2020, 9, e15163

146	Visualizing and quantifying cutaneous microvascular reactivity in humans by use of optical coherence tomography: impaired dilator function in diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 319, E923-E931	6	3
145	Short-term outcomes following coronary artery bypass graft surgery in insulin treated and non-insulin treated diabetes: A tertiary hospital experience in Australia. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020 , 14, 455-458	8.9	2
144	Optical coherence tomography: a novel imaging approach to visualize and quantify cutaneous microvascular structure and function in patients with diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	4
143	Osteocalcin and measures of adiposity: a systematic review and meta-analysis of observational studies. <i>Archives of Osteoporosis</i> , 2020 , 15, 145	2.9	5
142	Integrative Modeling of Quantitative Plasma Lipoprotein, Metabolic, and Amino Acid Data Reveals a Multiorgan Pathological Signature of SARS-CoV-2 Infection. <i>Journal of Proteome Research</i> , 2020 , 19, 4442-4454	5.6	67
141	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. <i>Aging and Mental Health</i> , 2020 , 24, 627-633	3.5	4
140	U-shaped association of vigorous physical activity with risk of metabolic syndrome in men with low lean mass, and no interaction of physical activity and serum 25-hydroxyvitamin D with metabolic syndrome risk. <i>Internal Medicine Journal</i> , 2020 , 50, 460-469	1.6	3
139	Osteocalcin and its forms across the lifespan in adult men. <i>Bone</i> , 2020 , 130, 115085	4.7	15
138	Neither Hormonal Factors Nor AGEs Explain Lower Prostate Cancer Risk in Older Men With Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 6017-6024	5.6	0
137	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 684-685	5.6	
136	Recruitment of men to a multi-centre diabetes prevention trial: an evaluation of traditional and online promotional strategies. <i>Trials</i> , 2019 , 20, 366	2.8	15
135	Telephone call reminders did not increase screening uptake more than SMS reminders: a recruitment study within a trial. <i>Journal of Clinical Epidemiology</i> , 2019 , 112, 45-52	5.7	2
134	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3172	7.5	1
133	Icosapent ethyl for dyslipidaemia in patients with diabetes and coronary artery disease: Act now to reduce it. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1734-1736	6.7	4
132	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGF-II, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019 , 145, 3244-3256	7.5	9
131	Hypogonadism and Testosterone Therapy in Elderly Men 2019 , 729-738		
130	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. <i>Environment International</i> , 2019 , 125, 430-436	12.9	18
129	The effects of sodium-glucose cotransporter 2 inhibitors on left ventricular function: current evidence and future directions. <i>ESC Heart Failure</i> , 2019 , 6, 927-935	3.7	40

(2018-2019)

128	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019 , 128, 4-9	5	9
127	A high-volume, low-cost approach to participant screening and enrolment: Experiences from the T4DM diabetes prevention trial. <i>Clinical Trials</i> , 2019 , 16, 589-598	2.2	
126	Single-dose prednisolone alters endocrine and haematologic responses and exercise performance in men. <i>Endocrine Connections</i> , 2019 , 8, 111-119	3.5	5
125	Long-term Exposure to Low Air Pollutant Concentrations and the Relationship with All-Cause Mortality and Stroke in Older Men. <i>Epidemiology</i> , 2019 , 30 Suppl 1, S82-S89	3.1	15
124	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019 , 90, 562-569	3.4	4
123	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 408-414	3.9	3
122	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
121	Dyslipidaemia in adults with type 1 diabetes-when to treat?. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3090	7.5	4
120	A 5Freductase (SRD5A2) polymorphism is associated with serum testosterone and sex hormone-binding globulin in men, while aromatase (CYP19A1) polymorphisms are associated with oestradiol and luteinizing hormone reciprocally. <i>Clinical Endocrinology</i> , 2019 , 90, 301-311	3.4	0
119	Clinical practice update on testosterone therapy for male hypogonadism: Contrasting perspectives to optimize care. <i>Clinical Endocrinology</i> , 2019 , 90, 56-65	3.4	22
118	Testosterone therapy to prevent type 2 diabetes mellitus in at-risk men (T4DM): Design and implementation of a double-blind randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 772-780	6.7	16
117	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019 , 90, 375-383	3.4	8
116	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019 , 49, 232-242	6.9	11
115	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. <i>Clinical Endocrinology</i> , 2018 , 89, 93-99	3.4	17
114	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The,</i> 2018 , 391, 1513-1523	40	530
113	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018 , 112, 1-11	5	64
112	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of IGF1. <i>Clinical Endocrinology</i> , 2018 , 88, 333-340	3.4	15
111	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018 , 254, 316-321	3.2	4

110	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. <i>Clinical Endocrinology</i> , 2018 , 88, 88-95	3.4	20
109	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018 , 74, 585-594	10.2	36
108	Undercarboxylated Osteocalcin: Experimental and Human Evidence for a Role in Glucose Homeostasis and Muscle Regulation of Insulin Sensitivity. <i>Nutrients</i> , 2018 , 10,	6.7	32
107	Testosterone treatment in older men: clinical implications and unresolved questions from the Testosterone Trials. <i>Lancet Diabetes and Endocrinology, the</i> , 2018 , 6, 659-672	18.1	20
106	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1613-1619	3.9	13
105	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018 , 239, 269-273	6.6	4
104	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018 , 98, 139-147	5	22
103	Lower Circulating Androgens Are Associated with Overall Cancer Risk and Prostate Cancer Risk in Men Aged 25-84 Years from the Busselton Health Study. <i>Hormones and Cancer</i> , 2018 , 9, 391-398	5	6
102	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018 , 241, 269-274	6.6	3
101	Dihydrotestosterone and cancer risk. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2018 , 25, 209-217	4	7
100	Testosterone and its metabolites: differential associations with cardiovascular and cerebrovascular events in men. <i>Asian Journal of Andrology</i> , 2018 , 20, 109-114	2.8	7
99	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21
98	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017 , 22, 570-578	4.6	10
97	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. <i>Hormones and Cancer</i> , 2017 , 8, 119-126	5	14
96	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over: The HIMS (Health in Men Study). <i>Hypertension</i> , 2017 , 69, 1053-1059	8.5	5
95	Circulating osteocalcin is unrelated to glucose homoeostasis in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 948-951	3.2	5
94	Effects of androgen deprivation therapy on telomere length. Clinical Endocrinology, 2017, 87, 381-385	3.4	6
93	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017 , 101, 1-5	5	11

92 Testosterone and Cardiovascular Effects **2017**, 299-318

91	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 444-449	6.4	10
90	Body Mass Index and Vascular Disease in Men Aged 65[Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	1
89	Lower TSH and higher free thyroxine predict incidence of prostate but not breast, colorectal or lung cancer. <i>European Journal of Endocrinology</i> , 2017 , 177, 297-308	6.5	23
88	Greater physical activity and higher androgen concentrations are independently associated with lower cardiometabolic risk in men. <i>Clinical Endocrinology</i> , 2017 , 87, 466-474	3.4	6
87	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 91Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9
86	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. <i>Clinical Endocrinology</i> , 2017 , 86, 278-285	3.4	3
85	Bone turnover markers: Defining a therapeutic target. <i>Clinical Biochemistry</i> , 2017 , 50, 162-163	3.5	7
84	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016 , 251, 19-24	3.1	8
83	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 412-20	3.9	23
82	Sex differences in vascular endothelial function and health in humans: impacts of exercise. <i>Experimental Physiology</i> , 2016 , 101, 230-42	2.4	42
81	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016 , 86, 3-9	5	42
80	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. <i>Psychoneuroendocrinology</i> , 2016 , 64, 57-65	5	47
79	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. <i>PLoS ONE</i> , 2016 , 11, e0163781	3.7	5
78	Plasma Testosterone and Dihydrotestosterone as Markers of Heart Disease and Mortality in Older Men 2016 , 425-447		
77	Endocrine Society of Australia position statement on male hypogonadism (part 2): treatment and therapeutic considerations. <i>Medical Journal of Australia</i> , 2016 , 205, 228-31	4	32
76	Endocrine Society of Australia position statement on male hypogonadism (part 1): assessment and indications for testosterone therapy. <i>Medical Journal of Australia</i> , 2016 , 205, 173-8	4	60
75	Prevalence and prognosis of a low serum testosterone in men with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2016 , 85, 444-52	3.4	12

74	Neutral associations of testosterone, dihydrotestosterone and estradiol with fatal and non-fatal cardiovascular events, and mortality in men aged 17-97 years. <i>Clinical Endocrinology</i> , 2016 , 85, 575-82	3.4	21
73	Epidemiological and Mendelian Randomization Studies of Dihydrotestosterone and Estradiol and Leukocyte Telomere Length in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1299-	3 6 6	32
72	Suicide in older men: The health in men cohort study (HIMS). Preventive Medicine, 2016, 93, 33-38	4.3	19
71	Risk of dementia and death in community-dwelling older men with bipolar disorder. <i>British Journal of Psychiatry</i> , 2016 , 209, 121-6	5.4	35
70	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 52-60	27.4	365
69	Insulin resistance and depressive symptoms in older men: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 872-80	6.5	16
68	How many older people are frail? Using multiple imputation to investigate frailty in the population. Journal of the American Medical Directors Association, 2015 , 16, 439.e1-7	5.9	23
67	Depression, frailty, and all-cause mortality: a cohort study of men older than 75 years. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 296-300	5.9	59
66	Thyroid hormone: Influences on mood and cognition in adults. <i>Maturitas</i> , 2015 , 81, 266-75	5	51
65	Diabetes, myocardial infarction and stroke are distinct and duration-dependent predictors of subsequent cardiovascular events and all-cause mortality in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1038-47	5.6	21
64	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015 , 81, 36-41	5	31
63	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3934-42	5.6	21
62	Oral contraception does not alter typical post-exercise interleukin-6 and hepcidin levels in females. Journal of Science and Medicine in Sport, 2015 , 18, 8-12	4.4	18
61	Association of depression with sexual and daily activities: a community study of octogenarian men. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 234-42	6.5	2
60	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015 , 15, 164	4.1	7
59	"Men' healtha little in the shadow": a formative evaluation of medical curriculum enhancement with men' health teaching and learning. <i>BMC Medical Education</i> , 2015 , 15, 210	3.3	2
58	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1215-23	3.9	17
57	Higher serum testosterone and dihydrotestosterone, but not oestradiol, are independently associated with favourable indices of lung function in community-dwelling men. <i>Clinical Endocrinology</i> , 2015 , 83, 268-76	3.4	33

56	Testosterone and cardiovascular disease risk. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2015 , 22, 193-202	4	30
55	Effects of testosterone treatment on glucose metabolism and symptoms in men with type 2 diabetes and the metabolic syndrome: a systematic review and meta-analysis of randomized controlled clinical trials. <i>Clinical Endocrinology</i> , 2015 , 83, 344-51	3.4	84
54	Higher ferritin levels, but not serum iron or transferrin saturation, are associated with Type 2 diabetes mellitus in adult men and women free of genetic haemochromatosis. <i>Clinical Endocrinology</i> , 2015 , 82, 525-32	3.4	34
53	Reference intervals for bone turnover markers and their association with incident hip fractures in older men: the Health in Men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 90-9	5.6	39
52	Higher serum undercarboxylated osteocalcin and other bone turnover markers are associated with reduced diabetes risk and lower estradiol concentrations in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 63-71	5.6	76
51	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015 , 10, e0134475	3.7	12
50	Plasma Testosterone and Dihydrotestosterone as Markers of Heart Disease and Mortality in Older Men 2015 , 1-23		
49	In older men an optimal plasma testosterone is associated with reduced all-cause mortality and higher dihydrotestosterone with reduced ischemic heart disease mortality, while estradiol levels do not predict mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E9-18	5.6	128
48	Differential associations of testosterone, dihydrotestosterone and oestradiol with physical, metabolic and health-related factors in community-dwelling men aged 17-97 years from the Busselton Health Survey. <i>Clinical Endocrinology</i> , 2014 , 81, 100-8	3.4	41
47	Hormones and cardiovascular disease in older men. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 326-33	5.9	9
46	Hospital costs associated with depression in a cohort of older men living in Western Australia. <i>General Hospital Psychiatry</i> , 2014 , 36, 33-7	5.6	12
45	Hormonal changes and their impact on cognition and mental health of ageing men. <i>Maturitas</i> , 2014 , 79, 227-35	5	30
44	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e100409	3.7	131
43	In older men, higher plasma testosterone or dihydrotestosterone is an independent predictor for reduced incidence of stroke but not myocardial infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4565-73	5.6	64
42	Serum endostatin concentrations are higher in men with symptoms of intermittent claudication. <i>Disease Markers</i> , 2014 , 2014, 298239	3.2	7
41	Validity of self-reported versus hospital-coded diagnosis of stroke: a cross-sectional and longitudinal study. <i>Cerebrovascular Diseases</i> , 2014 , 37, 256-62	3.2	23
40	In older men, lower plasma 25-hydroxyvitamin D is associated with reduced incidence of prostate, but not colorectal or lung cancer. <i>PLoS ONE</i> , 2014 , 9, e99954	3.7	23
39	Reported high salt intake is associated with increased prevalence of abdominal aortic aneurysm and larger aortic diameter in older men. <i>PLoS ONE</i> , 2014 , 9, e102578	3.7	10

38	Mortality among people with severe mental disorders who reach old age: a longitudinal study of a community-representative sample of 37,892 men. <i>PLoS ONE</i> , 2014 , 9, e111882	3.7	50
37	Hormones and health outcomes in aging men. Experimental Gerontology, 2013, 48, 677-81	4.5	16
36	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. <i>Clinical Endocrinology</i> , 2013 , 79, 725-32	3.4	12
35	Low vitamin D status is an independent predictor of increased frailty and all-cause mortality in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3821-8	5.6	59
34	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2013 , 169, 401-8	6.5	49
33	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2012 , 76, 741-8	3.4	37
32	Reference ranges and determinants of testosterone, dihydrotestosterone, and estradiol levels measured using liquid chromatography-tandem mass spectrometry in a population-based cohort of older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4030-9	5.6	113
31	Do low testosterone levels contribute to ill-health during male ageing?. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2012 , 49, 168-82	9.4	36
30	Higher free thyroxine levels predict increased incidence of dementia in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E2230-7	5.6	51
29	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. <i>European Journal of Endocrinology</i> , 2012 , 166, 191-7	6.5	14
28	Associations between testosterone levels and incident prostate, lung, and colorectal cancer. A population-based study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1319-29	4	56
27	Low free testosterone predicts mortality from cardiovascular disease but not other causes: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 179-89	5.6	133
26	Testosterone therapy and mortality in US veterans. Asian Journal of Andrology, 2012, 14, 667-8	2.8	4
25	Associations of IGF1 and IGFBPs 1 and 3 with all-cause and cardiovascular mortality in older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 715-23	6.5	28
24	Osteocalcin: an endocrine link between bone and glucose metabolism. <i>Expert Review of Endocrinology and Metabolism</i> , 2011 , 6, 177-185	4.1	1
23	Thyroid hormones and depression: the Health in Men study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 763-70	6.5	40
22	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 569-77	6.5	38
21	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2010 , 163, 265-72	6.5	136

(2004-2010)

20	IGF1 and its binding proteins 3 and 1 are differentially associated with metabolic syndrome in older men. <i>European Journal of Endocrinology</i> , 2010 , 162, 249-57	6.5	35
19	Associations of total testosterone, sex hormone-binding globulin, calculated free testosterone, and luteinizing hormone with prevalence of abdominal aortic aneurysm in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1123-30	5.6	50
18	Low free testosterone predicts frailty in older men: the health in men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3165-72	5.6	191
17	Androgens and cardiovascular disease. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2010 , 17, 269-76	4	55
16	Higher luteinizing hormone is associated with poor memory recall: the health in men study. <i>Journal of Alzheimern</i> Disease, 2010 , 19, 943-51	4.3	38
15	Testosterone and ill-health in aging men. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2009 , 5, 113-21		68
14	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2009 , 161, 591-8	6.5	96
13	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2009 , 70, 455-63	3.4	39
12	Lower testosterone levels predict incident stroke and transient ischemic attack in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2353-9	5.6	190
11	Testosterone and growth hormone in older men: for better or for worse?. <i>Expert Review of Endocrinology and Metabolism</i> , 2009 , 4, 321-323	4.1	
10	Glycaemic control in patients with type 1 diabetes after provision of public hospital-funded insulin pumps. <i>Medical Journal of Australia</i> , 2009 , 191, 291-291	4	2
9	Controversies in type 2 diabetes - An update. Australian Family Physician, 2009, 38, 22-5		2
8	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. <i>Clinical Endocrinology</i> , 2008 , 68, 404-12	3.4	54
7	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2008 , 158, 785-92	6.5	82
	Low free testosterone concentration as a potentially treatable cause of depressive symptoms in		
6	older men. Archives of General Psychiatry, 2008 , 65, 283-9		121
5		6.5	107
	older men. <i>Archives of General Psychiatry</i> , 2008 , 65, 283-9 In men older than 70 years, total testosterone remains stable while free testosterone declines with	6.5 5.6	

2	Novel binding of HuR and poly(C)-binding protein to a conserved UC-rich motif within the 3Funtranslated region of the androgen receptor messenger RNA. <i>Journal of Biological Chemistry</i> , 2002 , 277, 27183-92	5.4	113
1	Differential posttranscriptional regulation of androgen receptor gene expression by androgen in prostate and breast cancer cells. <i>Endocrinology</i> , 1999 , 140, 3282-91	4.8	128