

# Hai-Tao Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6040702/publications.pdf>

Version: 2024-02-01

53  
papers

515  
citations

759233

12  
h-index

794594

19  
g-index

55  
all docs

55  
docs citations

55  
times ranked

850  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors of Difficult Pharyngeal Accidental Fishbones Ingestion. <i>Ear, Nose and Throat Journal</i> , 2024, 103, 168-172.	0.8	0
2	Preoperative tracheotomy in the treatment of upper airway obstruction of patients with advanced stage supraglottic carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2022, 43, 103381.	1.3	0
3	Correlating intraepithelial papillary capillary loops of vocal cord leukoplakia with histopathology. <i>Acta Oto-Laryngologica</i> , 2022, 142, 106-111.	0.9	2
4	Vocal fold fibroblasts promote angiogenesis in vocal fold leukoplakia by secreting pro-angiogenic factors. <i>Auris Nasus Larynx</i> , 2022, 49, 1009-1018.	1.2	3
5	Application of automatic detection based on overnight airflow and blood oxygen in patients with sleep disordered breathing. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 873-881.	1.6	1
6	Prognostic value of pathological tumor size in patients with supraglottic carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021, 42, 102757.	1.3	8
7	Pathologic Tumor Size as a Predictor of the Survival Outcomes of Patients With Glottic Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2021, 164, 353-358.	1.9	5
8	The Role of Keratin-8 and Keratin-18 Polymorphisms and Protein Levels in the Occurrence and Progression of Vocal Leukoplakia. <i>Orl</i> , 2021, 83, 1-10.	1.1	1
9	Circulating immune parameters-based nomogram for predicting malignancy in laryngeal neoplasm. <i>World Journal of Clinical Cases</i> , 2021, 9, 540-551.	0.8	0
10	Voice rehabilitation after total laryngectomy with the infrahyoid musculocutaneous flap. <i>Acta Oto-Laryngologica</i> , 2021, 141, 408-413.	0.9	2
11	Preoperative tracheotomy as reflection of tumor size impacting oncologic outcomes of patients with advanced stage glottic carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4943-4950.	1.6	1
12	Characteristic manifestation of ocular and cervical vestibular evoked myogenic potentials findings in severe obstructive sleep apnea patients. <i>Acta Oto-Laryngologica</i> , 2021, 141, 754-761.	0.9	3
13	A novel puncture needle designed for endoscopic keel placement to treat anterior glottic webs. <i>Acta Oto-Laryngologica</i> , 2021, 141, 960-964.	0.9	0
14	Deep Convolutional Neural Networks for Accurate Diagnosis of Nasopharyngeal Carcinoma in pCLE Images. , 2021, , .		0
15	<i>Helicobacter pylori</i> is associated with poor prognosis of laryngeal precancerous lesion. <i>Auris Nasus Larynx</i> , 2020, 47, 268-275.	1.2	5
16	Chimeric Antigen Receptor Designed to Prevent Ubiquitination and Downregulation Showed Durable Antitumor Efficacy. <i>Immunity</i> , 2020, 53, 456-470.e6.	14.3	83
17	The Variation of Peripheral Inflammatory Markers in Vocal Leukoplakia before and after Recurrence and Canceration. <i>Disease Markers</i> , 2020, 2020, 1-10.	1.3	3
18	Transcervical endoscopic approach for parapharyngeal space: a cadaver study and clinical practice. <i>Acta Oto-Laryngologica</i> , 2020, 140, 163-169.	0.9	3

#	ARTICLE	IF	CITATIONS
19	A morphological classification for vocal fold leukoplakia. <i>Brazilian Journal of Otorhinolaryngology</i> , 2019, 85, 588-596.	1.0	26
20	Long-term clinical outcomes of supracricoid partial laryngectomy with cricohyoidoepiglottopexy for glottic carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 803-809.	0.9	7
21	Elevated peripheral inflammatory markers are related with the recurrence and canceration of vocal fold leukoplakia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 2857-2864.	1.6	9
22	A study of the association between local recurrence and surgical margins in vertical partial laryngectomy for T1 glottic squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 707-712.	0.9	2
23	Significance of Cytokeratin-1 Single-Nucleotide Polymorphism and Protein Level in Susceptibility to Vocal Leukoplakia and Laryngeal Squamous Cell Carcinoma. <i>Orl</i> , 2019, 81, 121-129.	1.1	5
24	Endoscopic transvestibular anatomy of the infratemporal fossa and upper parapharyngeal spaces for clinical surgery: a cadaver study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1799-1807.	1.6	6
25	Results of surgical treatment alone for primary subglottic carcinoma. <i>Acta Oto-Laryngologica</i> , 2019, 139, 432-438.	0.9	4
26	A new classification of vocal fold leukoplakia by morphological appearance guiding the treatment. <i>Acta Oto-Laryngologica</i> , 2018, 138, 584-589.	0.9	18
27	Possible association between <i>Helicobacter pylori</i> infection and vocal fold leukoplakia. <i>Head and Neck</i> , 2018, 40, 1498-1507.	2.0	13
28	Assessment of lingual sentinel lymph nodes metastases using dual-modal indirect CT/MR lymphography with gadolinium-based nanoprobe in a tongue VX carcinoma model. <i>Acta Oto-Laryngologica</i> , 2018, 138, 727-733.	0.9	5
29	Oncologic outcomes of surgical treatment for T3 glottic laryngeal squamous cell carcinoma. <i>Head and Neck</i> , 2018, 40, 1734-1742.	2.0	12
30	Prevention of laryngeal webs through endoscopic keel placement for bilateral vocal cord lesions. <i>Frontiers of Medicine</i> , 2018, 12, 301-306.	3.4	8
31	Value of pulse oximetry watch for diagnosing pediatric obstructive sleep apnea/hypopnea syndrome. <i>Acta Oto-Laryngologica</i> , 2018, 138, 175-179.	0.9	13
32	Oncological outcomes of surgical treatment for T3 supraglottic laryngeal squamous cell carcinoma patients. <i>Acta Oto-Laryngologica</i> , 2018, 138, 1028-1034.	0.9	6
33	Oxidative stress induced by carboplatin promotes apoptosis and inhibits migration of HN3 cells. <i>Oncology Letters</i> , 2018, 16, 7131-7138.	1.8	20
34	Retrospective analysis of 659 laryngeal squamous cell carcinoma patients treated with open laryngeal function-preserving operations. <i>Acta Oto-Laryngologica</i> , 2018, 138, 1043-1050.	0.9	11
35	Conservative Treatment versus Surgery for Laryngeal Contact Granuloma: A Prospective Study. <i>Orl</i> , 2018, 80, 307-316.	1.1	5
36	Dendrimer-Entrapped Gold Nanoparticles as Potential CT Contrast Agents for Localizing Sentinel Lymph Node via Indirect CT Lymphography on Rabbit Model. <i>BioMed Research International</i> , 2018, 2018, 1-6.	1.9	4

#	ARTICLE	IF	CITATIONS
37	Activation of the KEAP1-NRF2-ARE signaling pathway reduces oxidative stress in Hep2 cells. <i>Molecular Medicine Reports</i> , 2018, 18, 2541-2550.	2.4	25
38	Surgical management of primary parapharyngeal space tumors: a 10-year review. <i>Acta Oto-Laryngologica</i> , 2017, 137, 656-661.	0.9	22
39	Diagnostic value of sentinel lymph node biopsy for cT1/T2N0 tongue squamous cell carcinoma: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3843-3852.	1.6	29
40	Relationship between laryngoscopic and pathological characteristics of vocal cords leukoplakia. <i>Acta Oto-Laryngologica</i> , 2017, 137, 1199-1203.	0.9	14
41	Recurrence of vocal fold leukoplakia after carbon dioxide laser therapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3429-3435.	1.6	11
42	Web thickness determines the therapeutic effect of endoscopic keel placement on anterior glottic web. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3697-3702.	1.6	18
43	Long-term observation of indirect lymphography using gadolinium-loaded polyethylenimine-entrapped gold nanoparticles as a dual mode CT/MR contrast agent for rabbit lingual sentinel lymph node identification. <i>Acta Oto-Laryngologica</i> , 2017, 137, 207-214.	0.9	10
44	Neoglottis reconstruction with sternohyoid muscles on upper-tracheal orifice after laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 383-388.	1.6	2
45	Nonsurgical Treatment for Vocal Fold Leukoplakia: An Analysis of 178 Cases. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	10
46	Curcumin Analogue CA15 Exhibits Anticancer Effects on HEp-2 Cells via Targeting NF- $\kappa$ B. <i>BioMed Research International</i> , 2017, 2017, 1-10.	1.9	4
47	Expression and correlation of NRF2, KEAP1, NQO-1 and HO-1 in advanced squamous cell carcinoma of the larynx and their association with clinicopathologic features. <i>Molecular Medicine Reports</i> , 2016, 14, 5171-5179.	2.4	20
48	Short-Term Dynamic Observation of the Color Change and Enhancement Effect of Polyethylenimine-Entrapped Gold Nanoparticles Used for Indirect Lymphography. <i>Orl</i> , 2016, 78, 136-143.	1.1	6
49	Indirect computed tomography lymphography identifies lymph node metastasis in rabbit pyriform sinus VX2 carcinoma. <i>Oncology Letters</i> , 2015, 9, 1802-1806.	1.8	4
50	Suturing silastic sheet from outside into larynx cavity: measurement of angles and clinical practice. <i>Acta Oto-Laryngologica</i> , 2013, 133, 881-885.	0.9	5
51	Correlative study of indirect computed tomography lymphography using iopamidol and histopathology in a cervical lymph node metastasis model. <i>Laryngoscope</i> , 2011, 121, 724-731.	2.0	9
52	Localization of the sentinel lymph node in tongue VX2 carcinoma via indirect CT lymphography combined with methylene blue dye injection. <i>Acta Oto-Laryngologica</i> , 2010, 130, 503-510.	0.9	10
53	Cervical Lymph Node Metastasis Model of Pyriform Sinus Carcinoma. <i>Orl</i> , 2009, 71, 129-134.	1.1	10