

Jingyu Xi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6041459/publications.pdf>

Version: 2024-02-01

139
papers

9,389
citations

32410

55
h-index

48101

92
g-index

139
all docs

139
docs citations

139
times ranked

7846
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly catalytic porous MoN nanosheets anchored carbon microtubes interlayer for lithium-sulfur batteries. <i>Materials Today Energy</i> , 2022, 24, 100941.	2.5	9
2	Efficient and Durable Cu ₃ P-FeP for Hydrogen Evolution from Seawater with Current Density Exceeding 1 A cm ⁻² . <i>ACS Applied Energy Materials</i> , 2022, 5, 2909-2917.	2.5	3
3	ZIF-derived holey electrode with enhanced mass transfer and N-rich catalytic sites for high-power and long-life vanadium flow batteries. <i>Journal of Energy Chemistry</i> , 2022, 72, 545-553.	7.1	19
4	Advanced cathodic free-standing interlayers for lithium-sulfur batteries: understanding, fabrication, and modification. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 17383-17396.	1.3	9
5	Identifying the active sites and multifunctional effects in nitrogen-doped carbon microtube interlayer for confining-trapping-catalyzing polysulfides. <i>Nano Energy</i> , 2021, 79, 105466.	8.2	28
6	In situ detection of electrochemical reaction by weak measurement. <i>Optics Express</i> , 2021, 29, 19292.	1.7	3
7	Integrated Design of Interlayer/Current Collector: Heteronanowires Decorated Carbon Microtube Fabric for High Loading and Lean Electrolyte Lithium-Sulfur Batteries. <i>Small</i> , 2021, 17, e2103001.	5.2	27
8	Tailoring the vanadium/proton ratio of electrolytes to boost efficiency and stability of vanadium flow batteries over a wide temperature range. <i>Applied Energy</i> , 2021, 301, 117454.	5.1	54
9	MoS ₂ -CoS ₂ heteronanosheet arrays coated on porous carbon microtube textile for overall water splitting. <i>Journal of Power Sources</i> , 2021, 514, 230580.	4.0	32
10	An Optimized Angular Total Internal Reflection Sensor With High Resolution in Vanadium Flow Batteries. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020, 69, 3170-3178.	2.4	7
11	Boosting the thermal stability of electrolytes in vanadium redox flow batteries via 1-hydroxyethane-1,1-diphosphonic acid. <i>Journal of Applied Electrochemistry</i> , 2020, 50, 255-264.	1.5	9
12	Carbon Microtube Textile with MoS ₂ Nanosheets Grown on Both Outer and Inner Walls as Multifunctional Interlayer for Lithium-Sulfur Batteries. <i>Advanced Science</i> , 2020, 7, 1903260.	5.6	60
13	Method of Reflow and Online Electrolysis in the Vanadium Redox Battery: Benefits and Limitations. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 10275-10283.	3.2	13
14	Efficiently immobilizing and converting polysulfide by a phosphorus doped carbon microtube textile interlayer for high-performance lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2020, 345, 136186.	2.6	32
15	In-situ deposition and subsequent growth of Pd on SnO ₂ as catalysts for formate oxidation with excellent Pd utilization and anti-poisoning performance. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 21518-21526.	3.8	12
16	Selective Electro-Oxidation of Glycerol to Dihydroxyacetone by PtAg Skeletons. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 28953-28959.	4.0	49
17	The indefinite cycle life via a method of mixing and online electrolysis for vanadium redox flow batteries. <i>Journal of Power Sources</i> , 2019, 438, 226990.	4.0	31
18	Waste cotton cloth derived carbon microtube textile: a robust and scalable interlayer for lithium-sulfur batteries. <i>Chemical Communications</i> , 2019, 55, 2289-2292.	2.2	70

#	ARTICLE	IF	CITATIONS
19	Bilayer Designed Hydrocarbon Membranes for All-Climate Vanadium Flow Batteries To Shield Catholyte Degradation and Mitigate Electrolyte Crossover. ACS Applied Materials & Interfaces, 2019, 11, 13285-13294.	4.0	30
20	Sandwiching h-BN Monolayer Films between Sulfonated Poly(ether ether ketone) and Nafion for Proton Exchange Membranes with Improved Ion Selectivity. ACS Nano, 2019, 13, 2094-2102.	7.3	52
21	Revealing sulfuric acid concentration impact on comprehensive performance of vanadium electrolytes and flow batteries. Electrochimica Acta, 2019, 303, 21-31.	2.6	30
22	Simultaneously Providing Iron Source toward Electro-Fenton Process and Enhancing Hydrogen Peroxide Production via a Fe_3O_4 Nanoparticles Embedded Graphite Felt Electrode. ACS Applied Materials & Interfaces, 2019, 11, 45692-45701.	4.0	36
23	In situ mapping of activity distribution and oxygen evolution reaction in vanadium flow batteries. Nature Communications, 2019, 10, 5286.	5.8	45
24	Achieving efficient and inexpensive vanadium flow battery by combining $\text{Ce}_x\text{Zr}_{1-x}\text{O}_2$ electrocatalyst and hydrocarbon membrane. Chemical Engineering Journal, 2019, 356, 622-631.	6.6	141
25	P-doped electrode for vanadium flow battery with high-rate capability and all-climate adaptability. Journal of Energy Chemistry, 2019, 35, 55-59.	7.1	40
26	Exceptional Performance of Hierarchical $\text{Ni}@\text{Fe}(\text{hydr})\text{oxide}@\text{NiCu}$ Electrocatalysts for Water Splitting. Advanced Materials, 2019, 31, e1806769.	11.1	124
27	Aliphatic/aromatic sulfonated polyimide membranes with cross-linked structures for vanadium flow batteries. Journal of Membrane Science, 2019, 572, 119-127.	4.1	63
28	Ultralight carbon flakes modified separator as an effective polysulfide barrier for lithium-sulfur batteries. Electrochimica Acta, 2019, 295, 910-917.	2.6	50
29	Seed-mediated synthesis of $\text{Pt}_x\text{Au}_y@\text{Ag}$ electrocatalysts for the selective oxidation of glycerol. Applied Catalysis B: Environmental, 2019, 245, 604-612.	10.8	82
30	Broad temperature adaptability of vanadium redox flow battery—part 4: Unraveling wide temperature promotion mechanism of bismuth for $\text{V}^{2+}/\text{V}^{3+}$ couple. Journal of Energy Chemistry, 2018, 27, 1333-1340.	7.1	41
31	Toward Cheaper Vanadium Flow Batteries: Porous Polyethylene Reinforced Membrane with Superior Durability. ACS Applied Energy Materials, 2018, 1, 1641-1648.	2.5	27
32	Acid-base membranes of imidazole-based sulfonated polyimides for vanadium flow batteries. Journal of Membrane Science, 2018, 552, 167-176.	4.1	65
33	CNT@polydopamine embedded mixed matrix membranes for high-rate and long-life vanadium flow batteries. Journal of Membrane Science, 2018, 549, 411-419.	4.1	60
34	Broad temperature adaptability of vanadium redox flow battery-Part 3: The effects of total vanadium concentration and sulfuric acid concentration. Electrochimica Acta, 2018, 259, 11-19.	2.6	56
35	Nickel-Copper Alloy Encapsulated in Graphitic Carbon Shells as Electrocatalysts for Hydrogen Evolution Reaction. Advanced Energy Materials, 2018, 8, 1701759.	10.2	225
36	Holey-engineered electrodes for advanced vanadium flow batteries. Nano Energy, 2018, 43, 55-62.	8.2	127

#	ARTICLE	IF	CITATIONS
37	Real-Time Study of the Disequilibrium Transfer in Vanadium Flow Batteries at Different States of Charge via Refractive Index Detection. <i>Journal of Physical Chemistry C</i> , 2018, 122, 28550-28555.	1.5	15
38	Carbon layer-confined sphere/fiber hierarchical electrodes for efficient and durable vanadium flow batteries. <i>Journal of Power Sources</i> , 2018, 402, 453-459.	4.0	19
39	Bifunctional effects of halloysite nanotubes in vanadium flow battery membrane. <i>Journal of Membrane Science</i> , 2018, 564, 237-246.	4.1	31
40	Phosphorus-doped carbon nitride as powerful electrocatalyst for high-power vanadium flow battery. <i>Electrochimica Acta</i> , 2018, 286, 22-28.	2.6	24
41	Rice Paper Reinforced Sulfonated Poly(ether ether ketone) as Low-Cost Membrane for Vanadium Flow Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2437-2444.	3.2	39
42	Electrochemical evaluation methods of vanadium flow battery electrodes. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 14708-14717.	1.3	43
43	Reduction of capacity decay in vanadium flow batteries by an electrolyte-reflow method. <i>Journal of Power Sources</i> , 2017, 338, 17-25.	4.0	73
44	Carbon dots promoted vanadium flow batteries for all-climate energy storage. <i>Chemical Communications</i> , 2017, 53, 7565-7568.	2.2	46
45	Rational use and reuse of Nafion 212 membrane in vanadium flow batteries. <i>RSC Advances</i> , 2017, 7, 19425-19433.	1.7	35
46	One-pot synthesis of ultrafine decahedral platinum crystal decorated graphite nanosheets for the electro-oxidation of formic acid. <i>Journal of Catalysis</i> , 2017, 345, 70-77.	3.1	13
47	Asymmetric vanadium flow batteries: long lifespan via an anolyte overhang strategy. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 29195-29203.	1.3	21
48	Structure-property relationship study of Nafion XL membrane for high-rate, long-lifespan, and all-climate vanadium flow batteries. <i>RSC Advances</i> , 2017, 7, 31164-31172.	1.7	21
49	Rapid detection of the positive side reactions in vanadium flow batteries. <i>Applied Energy</i> , 2017, 185, 452-462.	5.1	23
50	Membrane evaluation for vanadium flow batteries in a temperature range of $\sim 20\text{--}50\text{ }^{\circ}\text{C}$. <i>Journal of Membrane Science</i> , 2017, 522, 45-55.	4.1	90
51	Electrospun polyacrylonitrile nanofiber mat protected membranes for vanadium flow batteries. <i>RSC Advances</i> , 2017, 7, 54644-54650.	1.7	3
52	The benefits and limitations of electrolyte mixing in vanadium flow batteries. <i>Applied Energy</i> , 2017, 204, 373-381.	5.1	76
53	Insights into the Impact of the Nafion Membrane Pretreatment Process on Vanadium Flow Battery Performance. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12228-12238.	4.0	166
54	Constructing Three-Dimensional Hierarchical Architectures by Integrating Carbon Nanofibers into Graphite Felts for Water Purification. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2351-2358.	3.2	57

#	ARTICLE	IF	CITATIONS
55	Alcohol electro-oxidation on platinum-ceria/graphene nanosheet in alkaline solutions. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 20709-20719.	3.8	46
56	Durable and Efficient PTFE Sandwiched SPEEK Membrane for Vanadium Flow Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 23425-23430.	4.0	68
57	KOH etched graphite felt with improved wettability and activity for vanadium flow batteries. <i>Electrochimica Acta</i> , 2016, 218, 15-23.	2.6	156
58	Boosting vanadium flow battery performance by Nitrogen-doped carbon nanospheres electrocatalyst. <i>Nano Energy</i> , 2016, 28, 19-28.	8.2	192
59	ZrO ₂ -Nanoparticle-Modified Graphite Felt: Bifunctional Effects on Vanadium Flow Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 15369-15378.	4.0	234
60	Synthesis and properties of highly branched sulfonated poly(arylene ether)s with flexible alkylsulfonated side chains as proton exchange membranes. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1326-1335.	2.7	35
61	Ternary Platinum-Copper-Nickel Nanoparticles Anchored to Hierarchical Carbon Supports as Free-Standing Hydrogen Evolution Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3464-3472.	4.0	93
62	Nano oxides incorporated sulfonated poly(ether ether ketone) membranes with improved selectivity and stability for vanadium redox flow battery. <i>Journal of Solid State Electrochemistry</i> , 2016, 20, 1271-1283.	1.2	44
63	Broad temperature adaptability of vanadium redox flow battery—Part 1: Electrolyte research. <i>Electrochimica Acta</i> , 2016, 187, 525-534.	2.6	127
64	A facile approach to fabricate free-standing hydrogen evolution electrodes: riveting tungsten carbide nanocrystals to graphite felt fabrics by carbon nanosheets. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5817-5822.	5.2	39
65	A comparative study of Nafion series membranes for vanadium redox flow batteries. <i>Journal of Membrane Science</i> , 2016, 510, 18-26.	4.1	384
66	Broad temperature adaptability of vanadium redox flow battery—Part 2: Cell research. <i>Electrochimica Acta</i> , 2016, 191, 695-704.	2.6	84
67	A recast Nafion/graphene oxide composite membrane for advanced vanadium redox flow batteries. <i>RSC Advances</i> , 2016, 6, 3756-3763.	1.7	90
68	Transient Absorption of N719 and its Electron Transfer Kinetics on ZnO Nanoparticles Surface. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2015, 25, 169-175.	1.9	7
69	Comparison study of few-layered graphene supported platinum and platinum alloys for methanol and ethanol electro-oxidation. <i>Journal of Power Sources</i> , 2015, 278, 235-244.	4.0	71
70	Highly branched sulfonated poly(fluorenyl ether ketone sulfone)s membrane for energy efficient vanadium redox flow battery. <i>Journal of Power Sources</i> , 2015, 285, 109-118.	4.0	66
71	Effect of degree of sulfonation and casting solvent on sulfonated poly(ether ether ketone) membrane for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2015, 285, 195-204.	4.0	167
72	Polydopamine coated SPEEK membrane for a vanadium redox flow battery. <i>RSC Advances</i> , 2015, 5, 33400-33406.	1.7	42

#	ARTICLE	IF	CITATIONS
73	SPEEK/Graphene oxide nanocomposite membranes with superior cyclability for highly efficient vanadium redox flow battery. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12423-12432.	5.2	244
74	Synthesis of Pt, PtRh, and PtRhNi Alloys Supported by Pristine Graphene Nanosheets for Ethanol Electrooxidation. <i>ChemCatChem</i> , 2014, 6, 3254-3261.	1.8	49
75	Sulfonated poly(ether ether ketone)/mesoporous silica hybrid membrane for high performance vanadium redox flow battery. <i>Journal of Power Sources</i> , 2014, 257, 221-229.	4.0	113
76	Highly active Pt-on-Au catalysts for methanol oxidation in alkaline media involving a synergistic interaction between Pt and Au. <i>Electrochimica Acta</i> , 2014, 123, 309-316.	2.6	22
77	Sulfonated Poly(Ether Ether Ketone)/Graphene composite membrane for vanadium redox flow battery. <i>Electrochimica Acta</i> , 2014, 132, 200-207.	2.6	120
78	CeO ₂ decorated graphite felt as a high-performance electrode for vanadium redox flow batteries. <i>RSC Advances</i> , 2014, 4, 61912-61918.	1.7	128
79	Synthesis of Ultrafine Pt Nanoparticles Stabilized by Pristine Graphene Nanosheets for Electro-oxidation of Methanol. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 15162-15170.	4.0	66
80	Properties Investigation of Sulfonated Poly(ether ether ketone)/Polyacrylonitrile Acid-Base Blend Membrane for Vanadium Redox Flow Battery Application. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 18885-18893.	4.0	162
81	Electrocatalytic activity of Pt subnano/nanoclusters stabilized by pristine graphene nanosheets. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 21609-21614.	1.3	27
82	Characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride-co-hexafluoroisopropylidene) blend membrane for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2014, 272, 427-435.	4.0	63
83	Preparation and characterization of sulfonated poly(ether ether ketone)/poly(vinylidene fluoride) blend membrane for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2013, 237, 132-140.	4.0	94
84	Electrochemical activation of graphite felt electrode for VO ₂ ⁺ /VO ₂ ⁺ redox couple application. <i>Electrochimica Acta</i> , 2013, 89, 429-435.	2.6	300
85	Synthesis of highly active SnO ₂ -CNTs supported Pt-on-Au composite catalysts through site-selective electrodeposition for HCOOH electrooxidation. <i>Electrochimica Acta</i> , 2013, 112, 480-485.	2.6	15
86	Novel Organic D-π-A Sensitizer for Dye Sensitized Solar Cells and Its Electron Transfer Kinetics on TiO ₂ Surface. <i>Journal of Physical Chemistry C</i> , 2013, 117, 2041-2052.	1.5	37
87	Photo-induced electron transfer in a pyrenylcarbazole containing polymer-multiwalled carbon nanotube composite. <i>New Journal of Chemistry</i> , 2013, 37, 1833.	1.4	9
88	Online Spectroscopic Study on the Positive and the Negative Electrolytes in Vanadium Redox Flow Batteries. <i>Journal of Spectroscopy</i> , 2013, 2013, 1-8.	0.6	11
89	State of charge monitoring for vanadium redox flow batteries by the transmission spectra of V(IV)/V(V) electrolytes. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 1025-1031.	1.5	55
90	CeO ₂ nanoparticles improved Pt-based catalysts for direct alcohol fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 15938-15947.	3.8	63

#	ARTICLE	IF	CITATIONS
91	The degradation mechanism of methyl orange under photo-catalysis of TiO ₂ . Physical Chemistry Chemical Physics, 2012, 14, 3589.	1.3	89
92	TiO ₂ nanoparticles promoted Pt/C catalyst for ethanol electro-oxidation. Electrochimica Acta, 2012, 67, 166-171.	2.6	52
93	Solubility Rules of Negative Electrolyte V²/⁴ (SO⁴)³ of Vanadium Redox Flow Battery. Wuji Cailiao Xuebao/Journal of Inorganic Materials, 2012, 27, 469-474.	0.6	10
94	Nafion/organic silica modified TiO ₂ composite membrane for vanadium redox flow battery via in situ sol-gel reactions. Journal of Membrane Science, 2009, 341, 149-154.	4.1	206
95	Nafion/organically modified silicate hybrids membrane for vanadium redox flow battery. Journal of Power Sources, 2009, 189, 1240-1246.	4.0	170
96	Steam reforming of ethanol for hydrogen production over NiO/ZnO/ZrO ₂ catalysts. International Journal of Hydrogen Energy, 2008, 33, 1008-1008.	3.8	25
97	Self-assembled polyelectrolyte multilayer modified Nafion membrane with suppressed vanadium ion crossover for vanadium redox flow batteries. Journal of Materials Chemistry, 2008, 18, 1232.	6.7	277
98	Preparation of Pt-CeO ₂ /CNTs Through Spontaneous Adsorbing Pt Nanoparticles onto CNTs Aided by CeO ₂ . Electrochemical and Solid-State Letters, 2007, 10, B114.	2.2	9
99	Facile approach to enhance the Pt utilization and CO-tolerance of Pt/C catalysts by physically mixing with transition-metal oxide nanoparticles. Chemical Communications, 2007, , 1656.	2.2	63
100	A new proton conducting membrane based on copolymer of methyl methacrylate and 2-acrylamido-2-methyl-1-propanesulfonic acid for direct methanol fuel cells. Electrochimica Acta, 2007, 52, 6956-6961.	2.6	41
101	Structural designing of Pt-CeO ₂ /CNTs for methanol electro-oxidation. Journal of Power Sources, 2007, 164, 555-560.	4.0	127
102	Nafion/SiO ₂ hybrid membrane for vanadium redox flow battery. Journal of Power Sources, 2007, 166, 531-536.	4.0	416
103	Promoting the current for methanol electro-oxidation by mixing Pt-based catalysts with CeO ₂ nanoparticles. Journal of Power Sources, 2007, 170, 297-302.	4.0	43
104	Electrochemical characterization of Pt-CeO ₂ /C and Pt-Ce _x Zr _{1-x} O ₂ /C catalysts for ethanol electro-oxidation. Applied Catalysis B: Environmental, 2007, 73, 144-149.	10.8	89
105	Mesocarbon microbeads supported PtSn catalysts for electrochemical oxidation of ethanol. Journal of Materials Science, 2007, 42, 4508-4512.	1.7	10
106	One-Pot Synthesis of Poly(cyclotriphosphazene-co-4,4'-sulfonyldiphenol) Nanotubes via an In Situ Template Approach. Advanced Materials, 2006, 18, 2997-3000.	11.1	167
107	Investigations on the enhancement mechanism of inorganic filler on ionic conductivity of PEO-based composite polymer electrolyte: The case of molecular sieves. Electrochimica Acta, 2006, 51, 4765-4770.	2.6	20
108	Enhanced high-potential and elevated-temperature cycling stability of LiMn ₂ O ₄ cathode by TiO ₂ modification for Li-ion battery. Electrochimica Acta, 2006, 51, 6406-6411.	2.6	80

#	ARTICLE	IF	CITATIONS
109	Enhanced electrochemical properties of poly(ethylene oxide)-based composite polymer electrolyte with ordered mesoporous materials for lithium polymer battery. <i>Microporous and Mesoporous Materials</i> , 2006, 88, 1-7.	2.2	56
110	Enhanced electrochemical properties of PEO-based composite polymer electrolyte with shape-selective molecular sieves. <i>Journal of Power Sources</i> , 2006, 156, 581-588.	4.0	84
111	PVDF/PEO blends based microporous polymer electrolyte: Effect of PEO on pore configurations and ionic conductivity. <i>Journal of Power Sources</i> , 2006, 157, 501-506.	4.0	171
112	Effect of molecular sieves ZSM-5 on the crystallization behavior of PEO-based composite polymer electrolyte. <i>Journal of Power Sources</i> , 2006, 158, 627-634.	4.0	29
113	A nanocomposite proton exchange membrane based on PVDF, poly(2-acrylamido-2-methyl propylene) Tj ETQq1 1 0.784314 rgBT /Over 894-899.	4.0	46
114	PVDF-g-PSSA and Al ₂ O ₃ composite proton exchange membranes. <i>Journal of Power Sources</i> , 2006, 161, 54-60.	4.0	59
115	PVDF/PEO/ZSM-5 based composite microporous polymer electrolyte with novel pore configuration and ionic conductivity. <i>Solid State Ionics</i> , 2006, 177, 709-713.	1.3	37
116	Polysilaethers bearing Si-H and its functionalization via hydrosilylation with acrylic acid. <i>Polymer</i> , 2005, 46, 9162-9169.	1.8	8
117	Electrochemical oxidation of ethanol on Pt/ZrO ₂ /C catalyst. <i>Electrochemistry Communications</i> , 2005, 7, 1087-1090.	2.3	150
118	Novel composite polymer electrolyte comprising poly(ethylene oxide) and triblock copolymer/mesostructured silica hybrid used for lithium polymer battery. <i>Electrochimica Acta</i> , 2005, 50, 5293-5304.	2.6	37
119	PEO-LiClO ₄ -ZSM5 composite polymer electrolyte (IV): Polarized optical microscopy study. <i>Science in China Series B: Chemistry</i> , 2005, 48, 574.	0.8	0
120	Nanocomposite polymer electrolyte comprising PEO/LiClO ₄ and solid super acid: effect of sulphated-zirconia on the crystallization kinetics of PEO. <i>Polymer</i> , 2005, 46, 5702-5706.	1.8	53
121	Composite polymer electrolyte doped with mesoporous silica SBA-15 for lithium polymer battery. <i>Solid State Ionics</i> , 2005, 176, 1249-1260.	1.3	91
122	Microporous polymer electrolyte based on PVDF-PEO. <i>Science Bulletin</i> , 2005, 50, 368-370.	1.7	2
123	Deswelling comparison of temperature-sensitive poly(N-isopropylacrylamide) microgels containing functional -OH groups with different hydrophilic long side chains. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3575-3583.	2.4	18
124	Synthesis, characterization, and properties of polysilaethers containing moiety Si-H bonds in the side chain. <i>Journal of Polymer Science Part A</i> , 2005, 43, 2476-2482.	2.5	2
125	Microporous polymer electro-lyte based on PVDF-PEO. <i>Science Bulletin</i> , 2005, 50, 368.	1.7	1
126	Conductivities and transport properties of microporous molecular sieves doped composite polymer electrolyte used for lithium polymer battery. <i>New Journal of Chemistry</i> , 2005, 29, 1454.	1.4	20

#	ARTICLE	IF	CITATIONS
127	Influences of Permeation of Vanadium Ions through PVDF-g-PSSA Membranes on Performances of Vanadium Redox Flow Batteries. <i>Journal of Physical Chemistry B</i> , 2005, 109, 20310-20314.	1.2	166
128	Synthesis, characterization and properties of diamidodisilanes and azocyclosilane. <i>Science Bulletin</i> , 2005, 50, 1576.	1.7	1
129	Effect of organic-inorganic hybrid P123-em-SBA15 on lithium transport properties of composite polymer electrolyte. <i>Science Bulletin</i> , 2004, 49, 2129.	1.7	0
130	Electrochemistry study on PEO-LiClO ₄ -ZSM5 composite polymer electrolyte. <i>Science Bulletin</i> , 2004, 49, 785.	1.7	1
131	Electrochemistry study on PEO-LiClO ₄ -ZSM5 composite polymer electrolyte. <i>Science Bulletin</i> , 2004, 49, 785-789.	1.7	30
132	Effect of organic-inorganic hybrid P123-em-SBA15 on lithium transport properties of composite polymer electrolyte. <i>Science Bulletin</i> , 2004, 49, 2129-2133.	1.7	1
133	Nanocomposite polymer electrolyte based on Poly(ethylene oxide) and solid super acid for lithium polymer battery. <i>Chemical Physics Letters</i> , 2004, 393, 271-276.	1.2	88
134	Enhanced lithium ion transference number and ionic conductivity of composite polymer electrolyte doped with organic-inorganic hybrid P123@SBA-15. <i>Chemical Physics Letters</i> , 2004, 400, 68-73.	1.2	32
135	Selective Transporting of Lithium Ion by Shape Selective Molecular Sieves ZSM-5 in PEO-Based Composite Polymer Electrolyte. <i>Macromolecules</i> , 2004, 37, 8592-8598.	2.2	52
136	Novel hydrophobically modified temperature-sensitive microgels with tunable volume-phase transition temperature. <i>Materials Letters</i> , 2004, 58, 3400-3404.	1.3	25
137	Selective production of hydrogen by partial oxidation of methanol over Cu/Cr catalysts. <i>Journal of Molecular Catalysis A</i> , 2003, 191, 123-134.	4.8	63
138	Improvement of Cu/Zn-based catalysts by nickel additive in methanol decomposition. <i>Applied Catalysis A: General</i> , 2002, 225, 77-86.	2.2	40
139	Partial Oxidation of Ethanol to Hydrogen over Ni-Fe Catalysts. <i>Catalysis Letters</i> , 2002, 81, 63-68.	1.4	53