

Iwona Gorczyca-Michta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6041927/publications.pdf>

Version: 2024-02-01

55
papers

297
citations

1162367

8
h-index

1058022

14
g-index

60
all docs

60
docs citations

60
times ranked

416
citing authors

#	ARTICLE	IF	CITATIONS
1	Atrial fibrillation type and renal dysfunction as important predictors of left atrial thrombus. <i>Heart</i> , 2019, 105, 1310-1315.	1.2	56
2	Predictors of post-operative atrial fibrillation in patients undergoing isolated coronary artery bypass grafting. <i>Kardiologia Polska</i> , 2018, 76, 195-201.	0.3	18
3	Left Ventricular Ejection Fraction Is Associated with the Risk of Thrombus in the Left Atrial Appendage in Patients with Atrial Fibrillation. <i>Cardiovascular Therapeutics</i> , 2020, 2020, 1-7.	1.1	17
4	Oral health status and the occurrence and clinical course of myocardial infarction in hospital phase: A case-control study. <i>Cardiology Journal</i> , 2013, 20, 370-377.	0.5	16
5	Recommendation for the management of dyslipidemia in Poland – Third Declaration of Sopot. Interdisciplinary Expert Position Statement endorsed by the Polish Cardiac Society Working Group on Cardiovascular Pharmacotherapy. <i>Cardiology Journal</i> , 2018, 25, 655-665.	0.5	13
6	Variability of circadian blood pressure profile during 24-hour ambulatory blood pressure monitoring in hypertensive patients. <i>Kardiologia Polska</i> , 2014, 72, 432-437.	0.3	12
7	Left atrial mechanical remodelling assessed as the velocity of left atrium appendage wall motion during atrial fibrillation is associated with maintenance of sinus rhythm after electrical cardioversion in patients with persistent atrial fibrillation. <i>PLoS ONE</i> , 2020, 15, e0228239.	1.1	11
8	Echocardiographic assessment of left atrial morphology and function to predict maintenance of sinus rhythm after electrical cardioversion in patients with non-valvular persistent atrial fibrillation and normal function or mild dysfunction of left ventricle. <i>Cardiology Journal</i> , 2020, 27, 246-253.	0.5	10
9	The prognostic value of soluble suppression of tumourigenicity 2 and galectin-3 for sinus rhythm maintenance after cardioversion due to persistent atrial fibrillation in patients with normal left ventricular systolic function. <i>Europace</i> , 2020, 22, 1470-1479.	0.7	9
10	The relationship between admission heart rate and early prognosis in patients with ST-elevation myocardial infarction. <i>Kardiologia Polska</i> , 2015, 73, 177-182.	0.3	9
11	Antithrombotic therapy in patients with atrial fibrillation undergoing percutaneous coronary intervention, including compliance with current guidelines – data from the POLish Atrial Fibrillation (POL-AF) Registry. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 14-27.	0.7	8
12	Symptomatic and Asymptomatic Patients in the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1091.	1.0	7
13	Risk of left atrial appendage thrombus in patients with atrial fibrillation and chronic kidney disease. <i>Cardiology Journal</i> , 2022, 29, 205-215.	0.5	7
14	Evaluation of the recommended prevention of thrombosis in hospitalised patients with atrial fibrillation and high thromboembolism risk. <i>Kardiologia Polska</i> , 2018, 76, 625-632.	0.3	7
15	The rationale and design of the LATTEE registry – the first multicenter project on the Scientific Platform of the “eClub 30” of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2019, 77, 1078-1080.	0.3	7
16	Left Atrial Thrombus in Atrial Fibrillation/Flutter Patients in Relation to Anticoagulation Strategy: LATTEE Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 2705.	1.0	7
17	Stroke prevention and guideline adherent antithrombotic treatment in elderly patients with atrial fibrillation. <i>Medicine (United States)</i> , 2020, 99, e21209.	0.4	6
18	Left atrial emptying fraction determined during atrial fibrillation predicts maintenance of sinus rhythm after direct current cardioversion in patients with persistent atrial fibrillation. <i>PLoS ONE</i> , 2020, 15, e0238002.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Hyperuricemia as a Marker of Reduced Left Ventricular Ejection Fraction in Patients with Atrial Fibrillation: Results of the POL-AF Registry Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1829.	1.0	6
20	Prevalence and risk factors of left atrial thrombus in patients with atrial fibrillation and lower class (IIa) recommendation to anticoagulants. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 717-724.	0.7	5
21	Trends in the Prescription of Non-Vitamin K Antagonist Oral Anticoagulants for Atrial Fibrillation: Results of the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 3565.	1.0	5
22	Left atrial wall dyskinesia assessed during contractile phase as a predictor of atrial fibrillation recurrence after electrical cardioversion performed due to persistent atrial fibrillation. <i>Medicine (United States)</i> , 2020, 99, e23333.	0.4	4
23	Thrombus in the left atrial appendage in patients with atrial fibrillation treated with non-vitamin K antagonist oral anticoagulants in clinical practice—A multicenter registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2005-2012.	0.8	4
24	Blood pressure load in adults with treated hypertension. <i>Kardiologia Polska</i> , 2013, 71, 1140-1146.	0.3	4
25	Coronary artery bypass grafting in patients over 80 years of age: a single-centre experience. <i>Kardiologia Polska</i> , 2014, 72, 598-603.	0.3	4
26	Management of dyslipidemia in Poland: Interdisciplinary Expert Position Statement endorsed by the Polish Cardiac Society Working Group on Cardiovascular Pharmacotherapy. The Fourth Declaration of Sopot. <i>Cardiology Journal</i> , 2022, 29, 1-26.	0.5	4
27	Does the CHA2DS2-VASc scale sufficiently predict the risk of left atrial appendage thrombus in patients with diagnosed atrial fibrillation treated with non-vitamin K oral anticoagulants?. <i>Medicine (United States)</i> , 2020, 99, e20570.	0.4	3
28	Left atrial longitudinal strain in the contractile phase as a predictor of sinus rhythm maintenance after electrical cardioversion performed due to persistent atrial fibrillation. <i>Kardiologia Polska</i> , 2021, 79, 458-460.	0.3	3
29	Non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation in secondary stroke and systemic embolism prevention. <i>Cardiology Journal</i> , 2019, , .	0.5	3
30	Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1341.	1.0	2
31	New oral anticoagulants for the prevention of thromboembolic complications in atrial fibrillation: a single centre experience. <i>Kardiologia Polska</i> , 2015, 73, 85-93.	0.3	2
32	Evaluation of indications for reduced-dose non-vitamin K antagonist oral anticoagulants in hospitalised patients with atrial fibrillation. <i>Kardiologia Polska</i> , 2018, 76, 1073-1080.	0.3	2
33	Association of Hyperuricemia with Impaired Left Ventricular Systolic Function in Patients with Atrial Fibrillation and Preserved Kidney Function: Analysis of the POL-AF Registry Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7288.	1.2	2
34	Contrast nephropathy in patients undergoing percutaneous coronary intervention. <i>Postępy W Kardiologii Interwencyjnej</i> , 2011, 2, 165-172.	0.1	1
35	s New oral anticoagulants “ will they be used with antiplatelet drugs in patients with atrial fibrillation after acute coronary syndrome?. <i>Postępy W Kardiologii Interwencyjnej</i> , 2013, 4, 348-352.	0.1	1
36	Elective cardioversion of atrial fibrillation is safe without transesophageal echocardiography in patients treated with non-vitamin K antagonist oral anticoagulants: Multicenter experience. <i>Cardiology Journal</i> , 2023, 30, 228-236.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Rupture of ventricular septum leading to acute heart failure due to myocardial infarction of the inferior heart wall. <i>Kardiologia Polska</i> , 2017, 75, 617-617.	0.3	1
38	Why Did All Patients with Atrial Fibrillation and High Risk of Stroke Not Receive Oral Anticoagulants? Results of the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 4611.	1.0	1
39	Prevalence and predisposing conditions for atrial fibrillation in hospitalised patients with hypertension. <i>Kardiologia Polska</i> , 2013, 71, 352-358.	0.3	1
40	Ruptured aneurysm of the sinus of Valsalva manifesting as acute heart failure. <i>Kardiologia Polska</i> , 2013, 71, 993-993.	0.3	1
41	The dramatic course of dissection of a giant thoracic aortic aneurysm. <i>Kardiologia Polska</i> , 2013, 71, 1208-1208.	0.3	1
42	Percutaneous left atrial appendage occlusion: New perspectives for the method. <i>Cardiology Journal</i> , 2017, 24, 554-562.	0.5	1
43	Tumors of the right atrium and the inferior vena cava operated in deep hypothermic circulatory arrest. <i>Polski Przegląd Chirurgiczny</i> , 2020, 92, 17-22.	0.2	1
44	Factors determining elective cardioversion preceded with transesophageal echocardiography: two cardiology centres' experiences. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 837-843.	0.3	1
45	Temporal Trends in Oral Anticoagulant Prescription in Atrial Fibrillation Patients between 2004 and 2019. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5584.	1.2	1
46	Simultaneous removal of a tumour of the right atrium and inferior vena cava and coronary bypass-grafting in a patient with recurrent clear renal cell carcinoma. <i>Kardiochirurgia i Torakochirurgia Polska</i> , 2015, 4, 348-350.	0.1	0
47	Left Atrial Appendage Thrombus Formation Despite Continuous Non-Vitamin K Antagonist Oral Anticoagulant Therapy in Atrial Fibrillation Patients Undergoing Electrical Cardioversion or Catheter Ablation: A Comparison of Dabigatran and Rivaroxaban. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-10.	0.5	0
48	Trends in Stroke Prevention between 2014 and 2018 in Hospitalized Atrial Fibrillation Patients. <i>Cardiology Research and Practice</i> , 2021, 2021, 1-8.	0.5	0
49	Is transesophageal echocardiography necessary before electrical cardioversion in patients treated with non-vitamin K antagonist oral anticoagulants? Current evidence and practical approach. <i>Cardiology Journal</i> , 2021, , .	0.5	0
50	Dissecting aortic aneurysm in a 23 year-old hypertensive woman. <i>Kardiologia Polska</i> , 2013, 71, 663-663.	0.3	0
51	Implantable cardioverter-defibrillator in a patient with left ventricular non-compaction cardiomyopathy. <i>Kardiologia Polska</i> , 2017, 75, 1211-1211.	0.3	0
52	Title is missing!. , 2020, 15, e0238002.		0
53	Title is missing!. , 2020, 15, e0238002.		0
54	Title is missing!. , 2020, 15, e0238002.		0

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0238002.		0