

Gracia Merino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6042148/publications.pdf>

Version: 2024-02-01

66

papers

3,772

citations

186254

28

h-index

128286

60

g-index

66

all docs

66

docs citations

66

times ranked

3267

citing authors

#	ARTICLE	IF	CITATIONS
1	Secretion into Milk of the Main Metabolites of the Anthelmintic Albendazole Is Mediated by the ABCG2/BCRP Transporter. <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, .	3.2	4
2	Analysis of the interaction between tryptophan-related compounds and ATP-binding cassette transporter G2 (ABCG2) using targeted metabolomics. <i>Food Chemistry</i> , 2021, 344, 128665.	8.2	4
3	Role of eprinomectin as inhibitor of the ruminant ABCG2 transporter: Effects on plasma distribution of danofloxacin and meloxicam in sheep. <i>Research in Veterinary Science</i> , 2021, 136, 478-483.	1.9	2
4	Role of the Abcg2 transporter in plasma levels and tissue accumulation of the anti-inflammatory tolfenamic acid in mice. <i>Chemico-Biological Interactions</i> , 2021, 345, 109537.	4.0	4
5	Abcg2 transporter affects plasma, milk and tissue levels of meloxicam. <i>Biochemical Pharmacology</i> , 2020, 175, 113924.	4.4	10
6	Transporters in the Mammary Gland—Contribution to Presence of Nutrients and Drugs into Milk. <i>Nutrients</i> , 2019, 11, 2372.	4.1	43
7	Role of ABCG2 in Secretion into Milk of the Anti-Inflammatory Flunixin and Its Main Metabolite: In Vitro-In Vivo Correlation in Mice and Cows. <i>Drug Metabolism and Disposition</i> , 2019, 47, 516-524.	3.3	11
8	An altered tissue distribution of flaxseed lignans and their metabolites in Abcg2 knockout mice. <i>Food and Function</i> , 2018, 9, 636-642.	4.6	8
9	Flaxseed-enriched diets change milk concentration of the antimicrobial danofloxacin in sheep. <i>BMC Veterinary Research</i> , 2018, 14, 14.	1.9	11
10	The Breast Cancer Resistance Protein (BCRP/ABCG2) influences the levels of enterolignans and their metabolites in plasma, milk and mammary gland. <i>Journal of Functional Foods</i> , 2017, 35, 648-654.	3.4	13
11	Effect of bovine ABCG2 Y581S polymorphism on concentrations in milk of enrofloxacin and its active metabolite ciprofloxacin. <i>Journal of Dairy Science</i> , 2016, 99, 5731-5738.	3.4	10
12	Effect of bovine ABCG2 polymorphism Y581S SNP on secretion into milk of enterolactone, riboflavin and uric acid. <i>Animal</i> , 2016, 10, 238-247.	3.3	21
13	Allocrite Sensing and Binding by the Breast Cancer Resistance Protein (ABCG2) and P-Glycoprotein (ABCB1). <i>Biochemistry</i> , 2015, 54, 6195-6206.	2.5	24
14	ABCG2/BCRP interaction with the sea grass <i>Thalassia testudinum</i> . <i>Drug Metabolism and Personalized Therapy</i> , 2015, 30, 251-256.	0.6	1
15	Predicting Activators and Inhibitors of the Breast Cancer Resistance Protein (ABCG2) and P-Glycoprotein (ABCB1) Based on Mechanistic Considerations. <i>Molecular Pharmaceutics</i> , 2015, 12, 4026-4037.	4.6	27
16	Short communication: The gain-of-function Y581S polymorphism of the ABCG2 transporter increases secretion into milk of danofloxacin at the therapeutic dose for mastitis treatment. <i>Journal of Dairy Science</i> , 2015, 98, 312-317.	3.4	18
17	Novel <i>in vitro</i> systems for prediction of veterinary drug residues in ovine milk and dairy products. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014, 31, 1026-1037.	2.3	15
18	Role of ABCG2 in Transport of the Mammalian Lignan Enterolactone and its Secretion into Milk in Abcg2 Knockout Mice. <i>Drug Metabolism and Disposition</i> , 2014, 42, 943-946.	3.3	23

#	ARTICLE	IF	CITATIONS
19	Structural determinants of peripheral O-arylcarbamate FAAH inhibitors render them dual substrates for Abcb1 and Abcg2 and restrict their access to the brain. <i>Pharmacological Research</i> , 2014, 87, 87-93.	7.1	11
20	Inhibition of ABCG2/BCRP transporter by soy isoflavones genistein and daidzein: Effect on plasma and milk levels of danofloxacin in sheep. <i>Veterinary Journal</i> , 2013, 196, 203-208.	1.7	36
21	Effects of triclabendazole on secretion of danofloxacin and moxidectin into the milk of sheep: Role of triclabendazole metabolites as inhibitors of the ruminant ABCG2 transporter. <i>Veterinary Journal</i> , 2013, 198, 429-436.	1.7	22
22	The Gut Microbiota Ellagic Acid-Derived Metabolite Urolithin A and Its Sulfate Conjugate Are Substrates for the Drug Efflux Transporter Breast Cancer Resistance Protein (ABCG2/BCRP). <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 4352-4359.	5.2	65
23	Comments on Wassermann et al. (2013): Assessment of ABCG2-mediated transport of xenobiotics across the blood-milk barrier of dairy animals using a new MDCKII in vitro model. <i>Archives of Toxicology</i> , 2013, 87, 1863-1864.	4.2	0
24	The Bovine ATP-Binding Cassette Transporter ABCG2 Tyr581Ser Single-Nucleotide Polymorphism Increases Milk Secretion of the Fluoroquinolone Danofloxacin. <i>Drug Metabolism and Disposition</i> , 2013, 41, 546-549.	3.3	23
25	Reevaluation of the Roles of ABCG2 in the Disposition of Genistein. <i>Drug Metabolism and Disposition</i> , 2012, 40, 2219.1-2219.	3.3	3
26	The Anthelmintic Triclabendazole and Its Metabolites Inhibit the Membrane Transporter ABCG2/BCRP. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 3535-3543.	3.2	27
27	The ABC membrane transporter ABCG2 prevents access of FAAH inhibitor URB937 to the central nervous system. <i>Pharmacological Research</i> , 2011, 64, 359-363.	7.1	26
28	Involvement of breast cancer resistance protein (BCRP/ABCG2) in the secretion of danofloxacin into milk: interaction with ivermectin. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2011, 34, 313-321.	1.3	58
29	Bioavailability of the Glucuronide and Sulfate Conjugates of Genistein and Daidzein in Breast Cancer Resistance Protein 1 Knockout Mice. <i>Drug Metabolism and Disposition</i> , 2011, 39, 2008-2012.	3.3	49
30	Analysis of the effect of the bovine adenosine triphosphate-binding cassette transporter G2 single nucleotide polymorphism Y581S on transcellular transport of veterinary drugs using new cell culture models1. <i>Journal of Animal Science</i> , 2011, 89, 4325-4338.	0.5	29
31	Effect of clotrimazole on microsomal metabolism and pharmacokinetics of albendazole. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 55, 757-764.	2.4	26
32	In Vivo Inhibition of BCRP/ABCG2 Mediated Transport of Nitrofurantoin by the Isoflavones Genistein and Daidzein: A Comparative Study in Bcrp1 ^{+/+} Mice. <i>Pharmaceutical Research</i> , 2010, 27, 2098-2105.	3.5	32
33	Differential inhibition of murine Bcrp1/Abcg2 and human BCRP/ABCG2 by the mycotoxin fumitremorgin C. <i>European Journal of Pharmacology</i> , 2010, 644, 41-48.	3.5	34
34	Modulation of the activity of ABC transporters (P-glycoprotein, MRP2, BCRP) by flavonoids and drug response. <i>Journal of Pharmaceutical Sciences</i> , 2010, 99, 598-617.	3.3	186
35	Involvement of Breast Cancer Resistance Protein (BCRP1/ABCG2) in the Bioavailability and Tissue Distribution of <i>trans-Resveratrol</i> in Knockout Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4523-4528.	5.2	45
36	Antioxidant Profile of Hyaluronan: Physico-Chemical Features and its Role in Pathologies. <i>Mini-Reviews in Medicinal Chemistry</i> , 2009, 9, 1479-1488.	2.4	21

#	ARTICLE	IF	CITATIONS
37	Natural Allelic Variants of Bovine ATP-Binding Cassette Transporter ABCG2: Increased Activity of the Ser581 Variant and Development of Tools for the Discovery of New ABCG2 Inhibitors. Drug Metabolism and Disposition, 2009, 37, 5-9.	3.3	22
38	In vitro and in vivo interaction of moxidectin with BCRP/ABCG2. Chemico-Biological Interactions, 2009, 180, 106-112.	4.0	30
39	Milk secretion of nitrofurantoin, as a specific BCRP/ABCG2 substrate, in assaf sheep: modulation by isoflavones ¹ . Journal of Veterinary Pharmacology and Therapeutics, 2009, 32, 498-502.	1.3	27
40	Fluoroquinolone Efflux Mediated by ABC Transporters. Journal of Pharmaceutical Sciences, 2008, 97, 3483-3493.	3.3	72
41	Involvement of Breast Cancer Resistance Protein (ABCG2) in the Biliary Excretion Mechanism of Fluoroquinolones. Drug Metabolism and Disposition, 2007, 35, 1873-1879.	3.3	85
42	Effects of ischemia/reperfusion on the absorption and esterase metabolism of diltiazem in rat intestine. Life Sciences, 2007, 80, 397-407.	4.3	11
43	Multidrug Transporter ABCG2/Breast Cancer Resistance Protein Secretes Riboflavin (Vitamin B ₂) into Milk. Molecular and Cellular Biology, 2007, 27, 1247-1253.	2.3	191
44	Inhibitory effects of different antioxidants on hyaluronan depolymerization. Carbohydrate Research, 2007, 342, 96-102.	2.3	59
45	Absorption and metabolism of albendazole after intestinal ischemia/reperfusion. European Journal of Pharmaceutical Sciences, 2007, 31, 16-24.	4.0	21
46	BREAST CANCER RESISTANCE PROTEIN (BCRP/ABCG2) TRANSPORTS FLUOROQUINOLONE ANTIBIOTICS AND AFFECTS THEIR ORAL AVAILABILITY, PHARMACOKINETICS, AND MILK SECRETION. Drug Metabolism and Disposition, 2006, 34, 690-695.	3.3	184
47	Interaction of enrofloxacin with breast cancer resistance protein (BCRP/ABCG2): influence of flavonoids and role in milk secretion in sheep. Journal of Veterinary Pharmacology and Therapeutics, 2006, 29, 279-287.	1.3	83
48	Role of ABC Transporters in Veterinary Drug Research and Parasite Resistance. Current Drug Delivery, 2006, 3, 199-206.	1.6	32
49	Interaction of Probenecid with the Breast Cancer Resistance Protein Transporter (BCRP/ABCG2). Letters in Drug Design and Discovery, 2006, 3, 236-241.	0.7	1
50	The breast cancer resistance protein BCRP (ABCG2) concentrates drugs and carcinogenic xenotoxins into milk. Nature Medicine, 2005, 11, 127-129.	30.7	376
51	Sex-Dependent Expression and Activity of the ATP-Binding Cassette Transporter Breast Cancer Resistance Protein (BCRP/ABCG2) in Liver. Molecular Pharmacology, 2005, 67, 1765-1771.	2.3	144
52	Breast cancer resistance protein (Bcrp1/Abcg2) reduces systemic exposure of the dietary carcinogens aflatoxin B1, IQ and Trp-P-1 but also mediates their secretion into breast milk. Carcinogenesis, 2005, 27, 123-130.	2.8	132
53	Human Breast Cancer Resistance Protein: Interactions with Steroid Drugs, Hormones, the Dietary Carcinogen 2-Amino-1-methyl-6-phenylimidazo(4,5-b)pyridine, and Transport of Cimetidine. Journal of Pharmacology and Experimental Therapeutics, 2005, 312, 144-152.	2.5	258
54	TRANSPORT OF ANTHELMINTIC BENZIMIDAZOLE DRUGS BY BREAST CANCER RESISTANCE PROTEIN (BCRP/ABCG2). Drug Metabolism and Disposition, 2005, 33, 614-618.	3.3	120

#	ARTICLE	IF	CITATIONS
55	The Breast Cancer Resistance Protein (BCRP/ABCG2) Affects Pharmacokinetics, Hepatobiliary Excretion, and Milk Secretion of the Antibiotic Nitrofurantoin. <i>Molecular Pharmacology</i> , 2005, 67, 1758-1764.	2.3	203
56	Effect of amphiphilic surfactant agents on the gastrointestinal absorption of albendazole in cattle. <i>Biopharmaceutics and Drug Disposition</i> , 2003, 24, 95-103.	1.9	7
57	Improved LC method to determine ivermectin in plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003, 31, 639-645.	2.8	23
58	Intestinal elimination of albendazole sulfoxide: pharmacokinetic effects of inhibitors. <i>International Journal of Pharmaceutics</i> , 2003, 263, 123-132.	5.2	46
59	Ginseng increases intestinal elimination of albendazole sulfoxide in the rat. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2003, 136, 9-15.	2.6	8
60	The Anthelmintic Agent Albendazole Does Not Interact with P-Glycoprotein. <i>Drug Metabolism and Disposition</i> , 2002, 30, 365-369.	3.3	43
61	Effects of netobimin treatment on the glucose and glycogen contents of <i>Echinococcus granulosus</i> cysts from gerbils. <i>Veterinary Research Communications</i> , 2002, 26, 55-59.	1.6	3
62	Protective effects of Panax ginseng on muscle injury and inflammation after eccentric exercise. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2001, 130, 369-377.	2.6	70
63	Pharmacokinetics of netobimin and microsomal metabolism of albendazole in infected gerbils with <i>Echinococcus granulosus</i> . <i>Parasitology Research</i> , 2001, 87, 107-111.	1.6	5
64	Polymorphisms in OATP-C. <i>Journal of Biological Chemistry</i> , 2001, 276, 35669-35675.	3.4	558
65	Determination by capillary zone electrophoresis of berenil, phenamidine, diampron and dibromopropamidine in serum and urine. <i>Biomedical Applications</i> , 2000, 738, 293-303.	1.7	10
66	Bioavailability of albendazole sulphoxide after netobimin administration in sheep: effects of fenbendazole coadministration.. <i>Research in Veterinary Science</i> , 1999, 66, 281-283.	1.9	6