

Sanghoon Kook

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6042446/sanghoon-kook-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

3,217
citations

32
h-index

51
g-index

132
ext. papers

3,813
ext. citations

4.6
avg, IF

5.72
L-index

#	Paper	IF	Citations
125	The Influence of Charge Dilution and Injection Timing on Low-Temperature Diesel Combustion and Emissions 2005 ,		235
124	Visualization of Diesel Spray Penetration, Cool-Flame, Ignition, High-Temperature Combustion, and Soot Formation Using High-Speed Imaging. <i>SAE International Journal of Engines</i> , 2009 , 2, 439-459	2.4	137
123	Liquid length and vapor penetration of conventional, Fischer-Tropsch, coal-derived, and surrogate fuel sprays at high-temperature and high-pressure ambient conditions. <i>Fuel</i> , 2012 , 93, 539-548	7.1	133
122	Modelling n-dodecane spray and combustion with the transported probability density function method. <i>Combustion and Flame</i> , 2015 , 162, 2006-2019	5.3	100
121	Diesel fuel jet lift-off stabilization in the presence of laser-induced plasma ignition. <i>Proceedings of the Combustion Institute</i> , 2009 , 32, 2793-2800	5.9	86
120	Ethanol utilisation in a diesel engine using dual-fuelling technology. <i>Fuel</i> , 2013 , 109, 597-607	7.1	83
119	Soot Volume Fraction and Morphology of Conventional, Fischer-Tropsch, Coal-Derived, and Surrogate Fuel at Diesel Conditions. <i>SAE International Journal of Fuels and Lubricants</i> , 2012 , 5, 647-664	1.8	82
118	Transported probability density function modelling of the vapour phase of an n-heptane jet at diesel engine conditions. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 3039-3047	5.9	75
117	An analysis of the structure of an n-dodecane spray flame using TPDF modelling. <i>Combustion and Flame</i> , 2016 , 168, 420-435	5.3	65
116	Effects of injection pressure on the structural transformation of flash-boiling sprays of gasoline and ethanol in a spark-ignition direct-injection (SIDI) engine. <i>Fuel</i> , 2014 , 130, 228-240	7.1	64
115	The Effect of Swirl Ratio and Fuel Injection Parameters on CO Emission and Fuel Conversion Efficiency for High-Dilution, Low-Temperature Combustion in an Automotive Diesel Engine 2006 ,		62
114	A Review of Hydrogen Direct Injection for Internal Combustion Engines: Towards Carbon-Free Combustion. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 4842	2.6	62
113	A Comprehensive Study of Effects of Mixing and Chemical Kinetic Models on Predictions of n-heptane Jet Ignitions with the PDF Method. <i>Flow, Turbulence and Combustion</i> , 2013 , 91, 249-280	2.5	59
112	Diesel Spray Ignition Detection and Spatial/Temporal Correction. <i>SAE International Journal of Engines</i> , 2012 , 5, 1330-1346	2.4	58
111	Soot volume fraction and morphology of conventional and surrogate jet fuel sprays at 1000-K and 6.7-MPa ambient conditions. <i>Proceedings of the Combustion Institute</i> , 2011 , 33, 2911-2918	5.9	57
110	Combustion Control Using Two-Stage Diesel Fuel Injection in a Single-Cylinder PCCI Engine 2004 ,		54
109	Liquid Penetration of Diesel and Biodiesel Sprays at Late-Cycle Post-Injection Conditions. <i>SAE International Journal of Engines</i> , 2010 , 3, 479-495	2.4	51

108	Effects of Multiple Injections in a HSDI Diesel Engine Equipped with Common Rail Injection System 2004 ,		50
107	Fundamental spray and combustion measurements of soy methyl-ester biodiesel. <i>International Journal of Engine Research</i> , 2013 , 14, 373-390	2.7	48
106	Structural evolution of soot particles during diesel combustion in a single-cylinder light-duty engine. <i>Combustion and Flame</i> , 2015 , 162, 2720-2728	5.3	44
105	Transmission Electron Microscopy of Soot Particles Directly Sampled in Diesel Spray Flame - A Comparison between US#2 and Biodiesel Soot. <i>SAE International Journal of Fuels and Lubricants</i> , 2012 , 5, 665-673	1.8	43
104	Transient Liquid Penetration of Early-Injection Diesel Sprays. <i>SAE International Journal of Engines</i> , 2009 , 2, 785-804	2.4	43
103	Influence of Early Fuel Injection Timings on Premixing and Combustion in a Diesel Engine. <i>Energy & Fuels</i> , 2008 , 22, 331-337	4.1	42
102	On the potential of ethanol fuel stratification to extend the high load limit in stratified-charge compression-ignition engines. <i>Fuel</i> , 2012 , 99, 45-54	7.1	39
101	Influence of fuel injection timing and pressure on in-flame soot particles in an automotive-size diesel engine. <i>Environmental Science & Technology</i> , 2014 , 48, 8243-50	10.3	38
100	Automated Detection of Primary Particles from Transmission Electron Microscope (TEM) Images of Soot Aggregates in Diesel Engine Environments. <i>SAE International Journal of Engines</i> , 2015 , 9, 279-296	2.4	35
99	In-Flame Soot Sampling and Particle Analysis in a Diesel Engine. <i>SAE International Journal of Fuels and Lubricants</i> , 2013 , 6, 80-97	1.8	35
98	Influence of Diesel Injection Parameters on End-of-Injection Liquid Length Recession. <i>SAE International Journal of Engines</i> , 2009 , 2, 1194-1210	2.4	35
97	The influence of a large methyl ester on in-flame soot particle structures in a small-bore diesel engine. <i>Fuel</i> , 2017 , 194, 423-435	7.1	34
96	Combustion characterization of waste cooking oil and canola oil based biodiesels under simulated engine conditions. <i>Fuel</i> , 2018 , 224, 167-177	7.1	34
95	Utilising genetic algorithm to optimise pyrolysis kinetics for fire modelling and characterisation of chitosan/graphene oxide polyurethane composites. <i>Composites Part B: Engineering</i> , 2020 , 182, 107619	10	33
94	The planar imaging of laser induced fluorescence of fuel and hydroxyl for a wall-interacting jet in a single-cylinder, automotive-size, optically accessible diesel engine. <i>Fuel</i> , 2015 , 140, 143-155	7.1	32
93	The development of hydroxyl and soot in a methyl decanoate-fuelled automotive-size optical diesel engine. <i>Fuel</i> , 2016 , 166, 320-332	7.1	32
92	Effect of Fuel Volatility and Ignition Quality on Combustion and Soot Formation at Fixed Premixing Conditions. <i>SAE International Journal of Engines</i> , 2009 , 2, 11-23	2.4	31
91	Nanostructure Analysis of In-flame Soot Particles under the Influence of Jet-Jet Interactions in a Light-Duty Diesel Engine. <i>SAE International Journal of Engines</i> , 2015 , 8, 2213-2226	2.4	29

90	Uncertainty in Sampling and TEM Analysis of Soot Particles in Diesel Spray Flame 2013 ,		29
89	Effect of intake air temperature and common-rail pressure on ethanol combustion in a single-cylinder light-duty diesel engine. <i>Fuel</i> , 2016 , 180, 9-19	7.1	29
88	Soot formation modelling for n-dodecane sprays using the transported PDF model. <i>Combustion and Flame</i> , 2018 , 192, 101-119	5.3	28
87	Dependency of engine combustion on blending ratio variations of lipase-catalysed coconut oil biodiesel and petroleum diesel. <i>Fuel</i> , 2016 , 169, 146-157	7.1	27
86	The shortening of lift-off length associated with jet-wall and jet-jet interaction in a small-bore optical diesel engine. <i>Fuel</i> , 2014 , 125, 1-14	7.1	27
85	A numerical study of the autoignition of dimethyl ether with temperature inhomogeneities. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 803-812	5.9	27
84	Automated determination of size and morphology information from soot transmission electron microscope (TEM)-generated images. <i>Journal of Nanoparticle Research</i> , 2016 , 18, 1	2.3	27
83	The soot particle formation process inside the piston bowl of a small-bore diesel engine. <i>Combustion and Flame</i> , 2017 , 185, 278-291	5.3	26
82	Spray and Combustion Investigation of Post Injections under Low-Temperature Combustion Conditions with Biodiesel. <i>Energy & Fuels</i> , 2018 , 32, 8727-8742	4.1	25
81	Influence of turbulent fluctuations on radiation heat transfer, NO and soot formation under ECN Spray A conditions. <i>Proceedings of the Combustion Institute</i> , 2017 , 36, 3551-3558	5.9	24
80	Diesel-fuelled homogeneous charge compression ignition engine with optimized premixing strategies. <i>International Journal of Engine Research</i> , 2007 , 8, 127-137	2.7	24
79	Influence of biodiesel carbon chain length on in-cylinder soot processes in a small bore optical diesel engine. <i>Fuel</i> , 2019 , 235, 1184-1194	7.1	24
78	Relating aerosol mass spectra to composition and nanostructure of soot particles. <i>Carbon</i> , 2019 , 142, 535-546	10.4	23
77	The influence of fuel ignition quality and first injection proportion on gasoline compression ignition (GCI) combustion in a small-bore engine. <i>Fuel</i> , 2019 , 235, 1207-1215	7.1	21
76	Modeling combustion under engine combustion network Spray A conditions with multiple injections using the transported probability density function method. <i>International Journal of Engine Research</i> , 2017 , 18, 6-14	2.7	20
75	Conditional moment closure modelling for HCCI with temperature inhomogeneities. <i>Proceedings of the Combustion Institute</i> , 2015 , 35, 3087-3095	5.9	20
74	External irradiation effect on the growth and evolution of in-flame soot species. <i>Carbon</i> , 2016 , 102, 161-171	10.4	20
73	Ignition process of gasoline compression ignition (GCI) combustion in a small-bore optical engine. <i>Fuel</i> , 2019 , 256, 115844	7.1	20

72	Emissions characteristics of NO _x and SO ₂ in the combustion of microalgae biomass using a tube furnace. <i>Journal of the Energy Institute</i> , 2017 , 90, 806-812	5.7	20
71	Spray Penetrations of Ethanol, Gasoline and Iso-Octane in an Optically Accessible Spark-Ignition Direct-Injection Engine. <i>SAE International Journal of Fuels and Lubricants</i> , 2014 , 7, 1010-1026	1.8	20
70	EFFECT OF AMBIENT TEMPERATURE AND DENSITY ON SHOCK WAVE GENERATION IN A DIESEL ENGINE. <i>Atomization and Sprays</i> , 2010 , 20, 163-175	1.2	20
69	Morphological variations of in-flame and exhaust soot particles associated with jet-to-jet variations and jet-jet interactions in a light-duty diesel engine. <i>Combustion and Flame</i> , 2017 , 176, 377-390	5.3	19
68	Imaging diagnostics of ethanol port fuel injection sprays for automobile engine applications. <i>Applied Thermal Engineering</i> , 2013 , 52, 24-37	5.8	19
67	Two-stage Fuel Direct Injection in a Diesel Fuelled HCCI Engine 2007 ,		19
66	The Effect of Fuel-Injection Timing on In-cylinder Flow and Combustion Performance in a Spark-Ignition Direct-Injection (SIDI) Engine Using Particle Image Velocimetry (PIV). <i>Flow, Turbulence and Combustion</i> , 2018 , 101, 191-218	2.5	18
65	Effect of after injections on late cycle soot oxidation in a small-bore diesel engine. <i>Combustion and Flame</i> , 2018 , 191, 513-526	5.3	18
64	Size Distribution and Structure of Wall-Deposited Soot Particles in an Automotive-Size Diesel Engine. <i>SAE International Journal of Fuels and Lubricants</i> , 2013 , 6, 605-614	1.8	18
63	Effect of Ethanol Port-Fuel-Injector Position on Dual-Fuel Combustion in an Automotive-Size Diesel Engine. <i>Energy & Fuels</i> , 2014 , 28, 340-348	4.1	17
62	A Comparative Study of Conditional Moment Closure Modelling for Ignition of iso-octane and n-heptane in Thermally Stratified Mixtures. <i>Flow, Turbulence and Combustion</i> , 2015 , 95, 1-28	2.5	17
61	Flame-Wall Interaction Effects on Diesel Post-injection Combustion and Soot Formation Processes. <i>Energy & Fuels</i> , 2019 , 33, 7759-7769	4.1	15
60	Critical assessment on operating water droplet sizes for fire sprinkler and water mist systems. <i>Journal of Building Engineering</i> , 2020 , 28, 100999	5.2	15
59	Effects of flame-plane wall impingement on diesel combustion and soot processes. <i>Fuel</i> , 2019 , 255, 115726		14
58	Effect of jet-jet interactions on soot formation in a small-bore diesel engine. <i>Proceedings of the Combustion Institute</i> , 2017 , 36, 3559-3566	5.9	14
57	Studying the Influence of Direct Injection on PCCI Combustion and Emissions at Engine Idle Condition Using Two Dimensional CFD and Stochastic Reactor Model 2008 ,		14
56	Influence of Engine Speed on Gasoline Compression Ignition (GCI) Combustion in a Single-Cylinder Light-Duty Diesel Engine 2017 ,		13
55	A Comparative Analysis on Engine Performance of a Conventional Diesel Fuel and 10% Biodiesel Blends Produced from Coconut Oils. <i>SAE International Journal of Fuels and Lubricants</i> , 2015 , 8, 597-609	1.8	13

54	Effect of Multiple Injections on Fuel-Air Mixing and Soot Formation in Diesel Combustion Using Direct Flame Visualization and CFD Techniques 2005 , 171		13
53	Double Injection Strategies for Ethanol-Fuelled Gasoline Compression Ignition (GCI) Combustion in a Single-Cylinder Light-Duty Diesel Engine 2016 ,		13
52	Color-ratio pyrometry methods for flame-wall impingement study. <i>Journal of the Energy Institute</i> , 2019 , 92, 1968-1976	5.7	13
51	Understanding in-cylinder soot reduction in the use of high pressure fuel injection in a small-bore diesel engine. <i>Proceedings of the Combustion Institute</i> , 2019 , 37, 4839-4846	5.9	13
50	Performance and emissions of hydrogen-diesel dual direct injection (H2DDI) in a single-cylinder compression-ignition engine. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 1302-1314	6.7	13
49	Application of a multiple mapping conditioning mixing model to ECN Spray A. <i>Proceedings of the Combustion Institute</i> , 2019 , 37, 3263-3270	5.9	12
48	In-flame soot particle structure on the up- and down-swirl side of a wall-interacting jet in a small-bore diesel engine. <i>Proceedings of the Combustion Institute</i> , 2019 , 37, 4847-4855	5.9	12
47	Injection Pressure Effects on the Flame Development in a Light-Duty Optical Diesel Engine. <i>SAE International Journal of Engines</i> , 2015 , 8, 609-624	2.4	12
46	Influence of Injection Timing for Split-Injection Strategies on Well-Mixed High-Load Combustion Performance in an Optically Accessible Spark-Ignition Direct-Injection (SID) Engine 2017 ,		11
45	Assessing the Importance of Radiative Heat Transfer for ECN Spray A Using the Transported PDF Method. <i>SAE International Journal of Fuels and Lubricants</i> , 2016 , 9, 100-107	1.8	11
44	Doubly conditional moment closure modelling for HCCI with temperature inhomogeneities. <i>Proceedings of the Combustion Institute</i> , 2017 , 36, 3677-3685	5.9	10
43	SC2-4: Liquid-Phase Diesel Spray Penetration during End-of-Injection Transient(SC: Spray and Spray Combustion,General Session Papers). <i>The Proceedings of the International Symposium on Diagnostics and Modeling of Combustion in Internal Combustion Engines</i> , 2008 , 2008.7, 413-420		10
42	EFFECT OF ETHANOL AND AMBIENT PRESSURE ON PORT-FUEL-INJECTION SPRAYS IN AN OPTICALLY ACCESSIBLE INTAKE CHAMBER. <i>Atomization and Sprays</i> , 2011 , 21, 427-445	1.2	10
41	Low- to High-Temperature Reaction Transition in a Small-Bore Optical Gasoline Compression Ignition (GCI) Engine. <i>SAE International Journal of Engines</i> ,12,	2.4	10
40	Correlation of Spatial and Temporal Filtering Methods for Turbulence Quantification in Spark-Ignition Direct-Injection (SID) Engine Flows. <i>Flow, Turbulence and Combustion</i> , 2018 , 101, 161-189 ^{2.5}		9
39	A comparison of high-temperature reaction and soot processes of conventional diesel and methyl decanoate. <i>Fuel</i> , 2018 , 226, 635-643	7.1	9
38	Effect of Injection Pressure on Transient Behaviour of Wall-Interacting Jet Flame Base in an Automotive-Size Diesel Engine. <i>SAE International Journal of Fuels and Lubricants</i> , 2013 , 6, 615-626	1.8	9
37	Application of LED-based thermographic phosphorescent technique to diesel combustion chamber walls in a pre-burn-type optical constant-volume vessel. <i>Experiments in Fluids</i> , 2019 , 60, 1	2.5	8

36	A Comparative Analysis on the Spray Penetration of Ethanol, Gasoline and Iso-Octane Fuel in a Spark-Ignition Direct-Injection Engine 2014 ,		8
35	Influence of ethanol blending ratios on in-flame soot particle structures in an optical spark-ignition direct-injection engine. <i>Fuel</i> , 2019 , 248, 16-26	7.1	7
34	Z-type Schlieren Setup and its Application to High-Speed Imaging of Gasoline Sprays 2011 ,		7
33	Visualization of hydrogen jet evolution and combustion under simulated direct-injection compression-ignition engine conditions. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 32562-32578	6.7	7
32	A novel stochastic approach to study water droplet/flame interaction of water mist systems. <i>Numerical Heat Transfer; Part A: Applications</i> , 2021 , 79, 570-593	2.3	7
31	A Comparison between In-Flame and Exhaust Soot Nanostructures in a Light-Duty Diesel Engine 2017 ,		6
30	High-Speed Imaging of Soot Luminosity and Spectral Analysis of In-Cylinder Pressure Trace during Diesel Knock 2014 ,		6
29	Effect of Pilot Injection on Diesel Knock in a Small-Bore Optical Engine 2012 ,		6
28	Multiple Injection Strategy Investigation for Well-Mixed Operation in an Optical Wall-Guided Spark-Ignition Direct-Injection (WG-SIDI) Engine through Flame Shape Analysis 2016 ,		6
27	Influence of Eddy-Generation Mechanism on the Characteristic of On-Source Fire Whirl. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3989	2.6	5
26	In-Flame Soot Sampling and Morphology Analysis in an Optical Spark-Ignition Direct-Injection (SIDI) Engine. <i>SAE International Journal of Engines</i> , 2018 , 11, 1007-1022	2.4	5
25	Morphology and internal structure of soot particles under the influence of jet-wire and jet-jet interactions in a diesel combustion environment. <i>Combustion and Flame</i> , 2020 , 214, 25-36	5.3	5
24	A Numerical Study of the Influence of Different Operating Conditions on the Combustion Development in an Automotive-Size Diesel Engine 2015 ,		4
23	Optical Investigation Into Wall Wetting From Late-Cycle Post-Injections Used for Diesel Particulate Filter Regeneration. <i>Journal of Engineering for Gas Turbines and Power</i> , 2011 , 133,	1.7	4
22	Optical Investigation Into Wall Wetting From Late-Cycle Post-Injections Used for Diesel Particulate Filter Regeneration 2010 ,		4
21	90 nm generation, 300 mm wafer low k ILD/Cu interconnect technology		4
20	Study of Ignition and Combustion Characteristics of Consecutive Injections with iso-Octane and n-Heptane as Fuels. <i>Energy & Fuels</i> , 2020 , 34, 14741-14756	4.1	4
19	Understanding the soot reduction associated with injection timing variation in a small-bore diesel engine. <i>International Journal of Engine Research</i> , 2021 , 22, 1001-1015	2.7	4

18	A Conditional Moment Closure Study of Chemical Reaction Source Terms in SCCI Combustion. <i>Flow, Turbulence and Combustion</i> , 2018 , 100, 93-118	2.5	3
17	Soot Formation Modelling of Spray-A Using a Transported PDF Approach 2015 ,		3
16	Triple Injection Strategies for Gasoline Compression Ignition (GCI) Combustion in a Single-Cylinder Small-Bore Common-Rail Diesel Engine		3
15	Effect of the jet fuel cetane number on combustion in a small-bore compression-ignition engine. <i>Fuel</i> , 2021 , 292, 120301	7.1	3
14	Influence of wall-wetting conditions on in-flame and exhaust soot structures in a spark ignition direct injection petrol engine. <i>International Journal of Engine Research</i> , 2021 , 22, 1958-1973	2.7	3
13	Flame image velocimetry analysis of reacting jet flow fields with a variation of injection pressure in a small-bore diesel engine. <i>International Journal of Engine Research</i> , 2021 , 22, 2968-2981	2.7	3
12	Endoscopic high-speed particle image velocimetry (eHS-PIV) in a high tumble production engine. <i>Experiments in Fluids</i> , 2020 , 61, 1	2.5	2
11	Optimisation of Image Processing Parameters for Flame Image Velocimetry (FIV) Measurement in a Single-Cylinder, Small-Bore Optical Diesel Engine		2
10	The influence of inter-jet spacing and jet-swirl interaction on flame image velocimetry (FIV) derived flow fields in a small-bore diesel engine. <i>International Journal of Engine Research</i> , 146808742110384	2.7	2
9	Ignition and flame stabilisation of primary reference fuel sprays at engine-relevant conditions. <i>Combustion and Flame</i> , 2021 , 233, 111620	5.3	2
8	Effect of jet fuel aromatics on in-flame soot distribution and particle morphology in a small-bore compression ignition engine. <i>Fuel</i> , 2021 , 305, 121582	7.1	2
7	Numerical Study of the Comparison of Symmetrical and Asymmetrical Eddy-Generation Scheme on the Fire Whirl Formulation and Evolution. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 318	2.6	1
6	Characteristics of BrC and BC emissions from controlled diffusion flame and diesel engine combustion. <i>Aerosol Science and Technology</i> , 1-16	3.4	1
5	Soot particles in piston-top pool fires and exhaust at 5 and 15 MPa injection pressure in a gasoline direct-injection engine. <i>Proceedings of the Combustion Institute</i> , 2021 , 38, 5761-5768	5.9	1
4	Flow directed spark stretch and flame propagation in a high-tumble production engine. <i>International Journal of Engine Research</i> , 146808742110378	2.7	1
3	Laser ignition of iso-octane and n-heptane jets under compression-ignition conditions. <i>Fuel</i> , 2022 , 311, 122555	7.1	0
2	A parametric study of autoigniting hydrogen jets under compression-ignition engine conditions. <i>International Journal of Hydrogen Energy</i> , 2022 , 47, 21307-21322	6.7	0
1	Application of pilot injection strategies for enhanced ignition and combustion of a low reactivity fuel in a compression-ignition engine. <i>Applied Thermal Engineering</i> , 2022 , 213, 118706	5.8	0

