

Fernando S Goes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/604344/publications.pdf>

Version: 2024-02-01

90
papers

9,775
citations

126708

33
h-index

48187

88
g-index

95
all docs

95
docs citations

95
times ranked

15217
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Characterizing the longitudinal course of symptoms and functioning in bipolar disorder. <i>Psychological Medicine</i> , 2024, 54, 79-89. | 2.7 | 6 |
| 2 | Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1. | 1.8 | 2 |
| 3 | Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228. | 1.7 | 11 |
| 4 | Amygdala and anterior cingulate transcriptomes from individuals with bipolar disorder reveal downregulated neuroimmune and synaptic pathways. <i>Nature Neuroscience</i> , 2022, 25, 381-389. | 7.1 | 27 |
| 5 | Neuroimaging Correlates of Depression after Traumatic Brain Injury: A Systematic Review. <i>Journal of Neurotrauma</i> , 2022, 39, 755-772. | 1.7 | 11 |
| 6 | Exome sequencing in bipolar disorder identifies AKAP11 as a risk gene shared with schizophrenia. <i>Nature Genetics</i> , 2022, 54, 541-547. | 9.4 | 65 |
| 7 | Blood-based biomarkers of antidepressant response to ketamine and esketamine: A systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 3658-3669. | 4.1 | 12 |
| 8 | De novo variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 4127-4136. | 4.1 | 18 |
| 9 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470. | 4.1 | 44 |
| 10 | Moderators of the association between depressive, manic, and mixed mood symptoms and suicidal ideation and behavior: An analysis of the National Network of Depression Centers Mood Outcomes Program. <i>Journal of Affective Disorders</i> , 2021, 281, 623-630. | 2.0 | 11 |
| 11 | A 7 Tesla Amygdalar-Hippocampal Shape Analysis of Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 614010. | 1.3 | 7 |
| 12 | Clinical predictors of non-response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. <i>Bipolar Disorders</i> , 2021, 23, 821-831. | 1.1 | 20 |
| 13 | Is Persistent Motor or Vocal Tic Disorder a Milder Form of Tourette Syndrome?. <i>Movement Disorders</i> , 2021, 36, 1899-1910. | 2.2 | 21 |
| 14 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 9.4 | 629 |
| 15 | Exome sequencing in obsessive-compulsive disorder reveals a burden of rare damaging coding variants. <i>Nature Neuroscience</i> , 2021, 24, 1071-1076. | 7.1 | 35 |
| 16 | Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669. | 1.7 | 20 |
| 17 | The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258. | 6.0 | 88 |
| 18 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823. | 1.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250. | 4.1 | 15 |
| 20 | Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89. | 1.3 | 6 |
| 21 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606. | 2.4 | 25 |
| 22 | Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430. | 0.7 | 27 |
| 23 | The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184. | 0.7 | 137 |
| 24 | General personality dimensions, impairment and treatment response in obsessive-compulsive disorder. <i>Personality and Mental Health</i> , 2020, 14, 186-198. | 0.6 | 6 |
| 25 | lncRNAKB, a knowledgebase of tissue-specific functional annotation and trait association of long noncoding RNA. <i>Scientific Data</i> , 2020, 7, 326. | 2.4 | 40 |
| 26 | Trends in prescriptions of lithium and other medications for patients with bipolar disorder in office-based practices in the United States: 1996-2015. <i>Journal of Affective Disorders</i> , 2020, 276, 883-889. | 2.0 | 20 |
| 27 | The association between lithium use and neurocognitive performance in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1743-1749. | 2.8 | 28 |
| 28 | Next-Step Treatment Considerations for Patients With Treatment-Resistant Depression That Responds to Low-Dose Intravenous Ketamine. <i>Focus (American Psychiatric Publishing)</i> , 2020, 18, 181-192. | 0.4 | 4 |
| 29 | Discriminating bipolar depression from major depressive disorder with polygenic risk scores. <i>Psychological Medicine</i> , 2020, 51, 1-8. | 2.7 | 12 |
| 30 | Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020, 10, 57. | 2.4 | 23 |
| 31 | Defining major depressive disorder cohorts using the EHR: Multiple phenotypes based on ICD-9 codes and medication orders. <i>Neurology Psychiatry and Brain Research</i> , 2020, 36, 18-26. | 2.0 | 14 |
| 32 | Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75. | 1.1 | 20 |
| 33 | Immune-Related Comorbidities in Childhood-Onset Obsessive Compulsive Disorder: Lifetime Prevalence in the Obsessive Compulsive Disorder Collaborative Genetics Association Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2019, 29, 615-624. | 0.7 | 22 |
| 34 | A pilot fMRI study of lithium response in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019, 286, 1-3. | 0.9 | 5 |
| 35 | Affected Sib-Pair Analyses Identify Signaling Networks Associated With Social Behavioral Deficits in Autism. <i>Frontiers in Genetics</i> , 2019, 10, 1186. | 1.1 | 2 |
| 36 | Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100. | 1.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Genome-wide association study in two populations to determine genetic variants associated with <i>Toxoplasma gondii</i> infection and relationship to schizophrenia risk. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 133-147. | 2.5 | 26 |
| 38 | Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170. | 0.3 | 7 |
| 39 | RNA sequencing of bipolar disorder lymphoblastoid cell lines implicates the neurotrophic factor HRP-3 in lithium's clinical efficacy. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 449-461. | 1.3 | 13 |
| 40 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74. | 6.0 | 102 |
| 41 | The PHQ-9 Item 9 based screening for suicide risk: a validation study of the Patient Health Questionnaire (PHQ)â™9 Item 9 with the Columbia Suicide Severity Rating Scale (C-SSRS). <i>Journal of Affective Disorders</i> , 2018, 232, 34-40. | 2.0 | 136 |
| 42 | Mutations in the pancreatic secretory enzymes <i>CPA1</i> and <i>CPB1</i> are associated with pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4767-4772. | 3.3 | 65 |
| 43 | Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681. | 9.4 | 2,224 |
| 44 | HLA typing using genome wide data reveals susceptibility types for infections in a psychiatric disease enriched sample. <i>Brain, Behavior, and Immunity</i> , 2018, 70, 203-213. | 2.0 | 10 |
| 45 | Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147. | 0.7 | 87 |
| 46 | Self-reported executive function and hoarding in adults with obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2018, 81, 53-59. | 1.5 | 10 |
| 47 | Revealing the brain's molecular architecture. <i>Science</i> , 2018, 362, 1262-1263. | 6.0 | 45 |
| 48 | Integrative functional genomic analysis of human brain development and neuropsychiatric risks. <i>Science</i> , 2018, 362, . | 6.0 | 516 |
| 49 | Transcriptome-wide isoform-level dysregulation in ASD, schizophrenia, and bipolar disorder. <i>Science</i> , 2018, 362, . | 6.0 | 805 |
| 50 | Comprehensive functional genomic resource and integrative model for the human brain. <i>Science</i> , 2018, 362, . | 6.0 | 618 |
| 51 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207. | 1.3 | 28 |
| 52 | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, . | 6.0 | 1,085 |
| 53 | C9orf72 hexanucleotide repeat expansions are not a common cause of obsessive-compulsive disorder. <i>Journal of the Neurological Sciences</i> , 2017, 375, 71-72. | 0.3 | 2 |
| 54 | Assessment of Whole-Exome Sequence Data in Attempted Suicide within a Bipolar Disorder Cohort. <i>Molecular Neuropsychiatry</i> , 2017, 3, 1-11. | 3.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Parental bonding and hoarding in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2017, 73, 43-52. | 1.5 | 25 |
| 56 | An investigation of doubt in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2017, 75, 117-124. | 1.5 | 30 |
| 57 | Psychosis Beyond the 22q11.2 Deletion: Do Additional Genetic Factors Play a Role?. <i>American Journal of Psychiatry</i> , 2017, 174, 1027-1029. | 4.0 | 6 |
| 58 | Case of Secondary Tics Associated With Olanzapine in an Adult. <i>Frontiers in Psychiatry</i> , 2017, 8, 150. | 1.3 | 4 |
| 59 | Genome Wide Association Study (GWAS) between Attention Deficit Hyperactivity Disorder (ADHD) and Obsessive Compulsive Disorder (OCD). <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 83. | 1.4 | 13 |
| 60 | OBSESSIVE-COMPULSIVE PERSONALITY DISORDER: EVIDENCE FOR TWO DIMENSIONS. <i>Depression and Anxiety</i> , 2016, 33, 128-135. | 2.0 | 20 |
| 61 | Exome Sequencing of Familial Bipolar Disorder. <i>JAMA Psychiatry</i> , 2016, 73, 590. | 6.0 | 97 |
| 62 | ADHD and executive functioning deficits in OCD youths who hoard. <i>Journal of Psychiatric Research</i> , 2016, 82, 141-148. | 1.5 | 24 |
| 63 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394. | 1.4 | 182 |
| 64 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093. | 6.3 | 306 |
| 65 | Whole Genome Sequencing Defines the Genetic Heterogeneity of Familial Pancreatic Cancer. <i>Cancer Discovery</i> , 2016, 6, 166-175. | 7.7 | 282 |
| 66 | Genetics of Bipolar Disorder. <i>Psychiatric Clinics of North America</i> , 2016, 39, 139-155. | 0.7 | 77 |
| 67 | Polygenic Risk of Schizophrenia and Cognition in a Population-Based Survey of Older Adults. <i>Schizophrenia Bulletin</i> , 2016, 42, 984-991. | 2.3 | 44 |
| 68 | Genome-wide association study of schizophrenia in Ashkenazi Jews. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 649-659. | 1.1 | 203 |
| 69 | Test-retest reliability of a new questionnaire for the retrospective assessment of long-term lithium use in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 589-593. | 2.0 | 8 |
| 70 | The Importance of Anxiety States in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2015, 17, 3. | 2.1 | 22 |
| 71 | Whole-genome CNV analysis: advances in computational approaches. <i>Frontiers in Genetics</i> , 2015, 06, 138. | 1.1 | 148 |
| 72 | Enhanced conversion of induced neuronal cells (iN cells) from human fibroblasts: Utility in uncovering cellular deficits in mental illness-associated chromosomal abnormalities. <i>Neuroscience Research</i> , 2015, 101, 57-61. | 1.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Infection and Inflammation in Schizophrenia and Bipolar Disorder: A Genome Wide Study for Interactions with Genetic Variation. PLoS ONE, 2015, 10, e0116696. | 1.1 | 92 |
| 74 | Lumpers, Splitters, and Statistics: Bipolar Disorder, Schizophrenia, and Their Relationship to Seasonality. Journal of Clinical Psychiatry, 2015, 76, e214-e215. | 1.1 | 0 |
| 75 | Hoarding in children and adolescents with obsessive-compulsive disorder. Journal of Obsessive-Compulsive and Related Disorders, 2014, 3, 325-331. | 0.7 | 31 |
| 76 | A Hybrid Likelihood Model for Sequence-Based Disease Association Studies. PLoS Genetics, 2013, 9, e1003224. | 1.5 | 19 |
| 77 | Converging evidence for epistasis between ANK3 and potassium channel gene KCNQ2 in bipolar disorder. Frontiers in Genetics, 2013, 4, 87. | 1.1 | 31 |
| 78 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636. | 1.1 | 156 |
| 79 | Genome-wide association of mood-incongruent psychotic bipolar disorder. Translational Psychiatry, 2012, 2, e180-e180. | 2.4 | 58 |
| 80 | Co-morbid anxiety disorders in bipolar disorder and major depression: familial aggregation and clinical characteristics of co-morbid panic disorder, social phobia, specific phobia and obsessive-compulsive disorder. Psychological Medicine, 2012, 42, 1449-1459. | 2.7 | 112 |
| 81 | Exonic DNA Sequencing of ERBB4 in Bipolar Disorder. PLoS ONE, 2011, 6, e20242. | 1.1 | 13 |
| 82 | Separation anxiety disorder in OCD. Depression and Anxiety, 2011, 28, 256-262. | 2.0 | 24 |
| 83 | A 34-Year-Old Mother with Religious Delusions, Filicidal Thoughts. Psychiatric Annals, 2011, 41, 359-362. | 0.1 | 1 |
| 84 | Genome-Wide Linkage and Follow-Up Association Study of Postpartum Mood Symptoms. American Journal of Psychiatry, 2009, 166, 1229-1237. | 4.0 | 85 |
| 85 | Family-based association study of Neuregulin 1 with psychotic bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 693-702. | 1.1 | 31 |
| 86 | The genetics of psychotic bipolar disorder. Current Psychiatry Reports, 2008, 10, 178-189. | 2.1 | 31 |
| 87 | Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. American Journal of Psychiatry, 2007, 164, 236-247. | 4.0 | 93 |
| 88 | Psychotic features in bipolar and unipolar depression. Bipolar Disorders, 2007, 9, 901-906. | 1.1 | 48 |
| 89 | Empiric Treatment of Community-Acquired Pneumonia with Fluoroquinolones, and Delays in the Treatment of Tuberculosis. Clinical Infectious Diseases, 2002, 34, 1607-1612. | 2.9 | 115 |
| 90 | Hsp90 chaperone complexes are required for the activity and stability of yeast protein kinases Mik1, Wee1 and Swe1. FEBS Journal, 2001, 268, 2281-2289. | 0.2 | 53 |