

# Moschos A Papadopoulos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6047102/publications.pdf>

Version: 2024-02-01

89  
papers

2,423  
citations

186265  
28  
h-index

214800  
47  
g-index

92  
all docs

92  
docs citations

92  
times ranked

1819  
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of the reliability of measurements taken on digital orthodontic models obtained from scans of plaster models in laboratory scanners. A systematic review and meta-analysis. European Journal of Orthodontics, 2022, 44, 522-529.	2.4	4
2	Investigation of salivary biomarkers as indicators of skeletal and dental maturity in children. Orthodontics and Craniofacial Research, 2022, , .	2.8	1
3	Upper airway volumetric changes of obstructive sleep apnoea patients treated with oral appliances: a systematic review and meta-analysis. European Journal of Orthodontics, 2021, 43, 399-407.	2.4	8
4	Child perceptions questionnaire: translation, cultural adaptation and initial validation in a Greek adolescent population with malocclusion. European Archives of Paediatric Dentistry: Official Journal of the European Academy of Paediatric Dentistry, 2021, 22, 175-180.	1.9	2
5	Color changes of maxillary and mandibular incisors following surgical orthodontic treatment. Journal of Orofacial Orthopedics, 2021, , .	1.3	0
6	Complications reported with the use of orthodontic miniscrews: A systematic review. Korean Journal of Orthodontics, 2021, 51, 199-216.	2.3	28
7	Effects of systematic bisphosphonate use in patients under orthodontic treatment: a systematic review. European Journal of Orthodontics, 2020, 42, 60-71.	2.4	13
8	Are orthodontic landmarks and variables in digital cephalometric radiography taken in fixed and natural head positions reliable?. International Orthodontics, 2020, 18, 54-68.	1.9	2
9	Concerns Regarding the Article: Alhadainy et al. J Endod. 2019;45:483-489. Journal of Endodontics, 2020, 46, 1009.	3.1	0
10	Efficient Distalization of Maxillary Molars with Temporary Anchorage Devices for the Treatment of Class II Malocclusion. Turkish Journal of Orthodontics, 2020, 33, 197-201.	1.1	7
11	Evaluation of orthodontically induced external root resorption following orthodontic treatment using cone beam computed tomography (CBCT): a systematic review and meta-analysis. European Journal of Orthodontics, 2019, 41, 67-79.	2.4	58
12	Evaluation of upper airway volume and craniofacial volumetric structures in obstructive sleep apnoea adults: A descriptive CBCT study. International Orthodontics, 2019, 17, 678-686.	1.9	9
13	Prevention of orthodontic enamel demineralization: A systematic review with meta-analyses. Orthodontics and Craniofacial Research, 2019, 22, 225-235.	2.8	45
14	In vivo evaluation of tooth colour alterations during orthodontic retention: A split-mouth cohort study. Orthodontics and Craniofacial Research, 2019, 22, 124-130.	2.8	5
15	Dentoalveolar characteristics in children with juvenile idiopathic arthritis. Journal of Orofacial Orthopedics, 2018, 79, 133-139.	1.3	5
16	Skeletal and Dental Effectiveness of Treatment of Class II Malocclusion With Headgear: A Systematic Review and Meta-analysis. Journal of Evidence-based Dental Practice, 2018, 18, 41-58.	1.5	20
17	Mandibular molar uprighting using orthodontic miniscrew implants: a systematic review. Progress in Orthodontics, 2018, 19, 1.	3.5	45
18	Perceived facial changes of Class II Division 1 patients with convex profiles after functional orthopedic treatment followed by fixed orthodontic appliances. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 152, 80-91.	1.7	10

#	ARTICLE	IF	CITATIONS
19	Reply. European Journal of Orthodontics, 2016, 38, 338-338.	2.4	0
20	Effectiveness of orthodontic treatment with functional appliances on maxillary growth in the short term: A systematic review and meta-analysis. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 149, 600-611.e3.	1.7	33
21	Dental calcification stages as determinants of the peak growth period. Journal of Orofacial Orthopedics, 2016, 77, 341-349.	1.3	7
22	Treatment effects of fixed functional appliances in patients with Class II malocclusion: a systematic review and meta-analysis. European Journal of Orthodontics, 2016, 38, 113-126.	2.4	159
23	Autotransplantation of teeth in humans: a systematic review and meta-analysis. Clinical Oral Investigations, 2015, 19, 1157-1179.	3.0	93
24	Non-compliance approaches for management of Class II malocclusion. , 2015, , 6-21.		5
25	Treatment effects of removable functional appliances in patients with Class II malocclusion: a systematic review and meta-analysis. European Journal of Orthodontics, 2015, 37, 418-434.	2.4	117
26	Success rates and risk factors of miniscrew implants used as temporary anchorage devices for orthodontic purposes. , 2015, , 258-273.		1
27	Skeletal anchorage in lingual orthodontic treatment with sliding mechanics. , 2015, , 219-222.		0
28	Non-extraction treatment of Class II malocclusion using miniscrew implant anchorage. , 2015, , 189-195.		0
29	The Advanced Molar Distalization Appliance. , 2015, , 160-167.		0
30	The miniscrew implant-supported distalization system. , 2015, , 156-159.		0
31	Overview of miniscrew implants in treatment of Class II malocclusion. , 2015, , 134-138.		0
32	Overview of orthodontic implants for the correction of Class II malocclusion. , 2015, , 104-108.		0
33	Surgical guides for optimal positioning of miniscrew implants. , 2015, , 101-103.		0
34	Insertion and removal of orthodontic miniscrew implants. , 2015, , 83-86.		0
35	Miniscrew implants for temporary skeletal anchorage in orthodontic treatment. , 2015, , 58-65.		2
36	Biomaterial properties of orthodontic miniscrew implants. , 2015, , 34-38.		0

#	ARTICLE	IF	CITATIONS
37	Creative adjuncts for clear aligners, part 2: Intrusion, rotation, and extrusion. Journal of Clinical Orthodontics: JCO, 2015, 49, 162-72.	0.1	2
38	Creative adjuncts for clear aligners, part 3: Extraction and interdisciplinary treatment. Journal of Clinical Orthodontics: JCO, 2015, 49, 249-62.	0.1	3
39	Creative adjuncts for clear aligners, part 1: Class II treatment. Journal of Clinical Orthodontics: JCO, 2015, 49, 83-94.	0.1	3
40	Clinical effectiveness of chin cup treatment for the management of Class III malocclusion in pre-pubertal patients: a systematic review and meta-analysis. Progress in Orthodontics, 2014, 15, 62.	3.5	33
41	Assessing small study effects and publication bias in orthodontic meta-analyses: a meta-epidemiological study. Clinical Oral Investigations, 2014, 18, 1031-1044.	3.0	20
42	Reporting characteristics of meta-analyses in orthodontics: methodological assessment and statistical recommendations. European Journal of Orthodontics, 2014, 36, 74-85.	2.4	41
43	Root resorption of endodontically treated teeth following orthodontic treatment: a meta-analysis. Clinical Oral Investigations, 2013, 17, 1733-1744.	3.0	28
44	Current evidence on clinical performance of miniscrew implants in orthodontic treatment. Seminars in Orthodontics, 2013, 19, 162-173.	1.4	6
45	Evaluation of Precision and Accuracy Assessment of Different 3-D Surface Imaging Systems for Biomedical Purposes. Journal of Digital Imaging, 2013, 26, 163-172.	2.9	35
46	Failure rates and associated risk factors of orthodontic miniscrew implants: A meta-analysis. American Journal of Orthodontics and Dentofacial Orthopedics, 2012, 142, 577-595.e7.	1.7	255
47	Knowledge of European orthodontic postgraduate students on biostatistics. European Journal of Orthodontics, 2011, 33, 434-440.	2.4	27
48	Does Skeletal Facial Profile Influence Preoperative Motives and Postoperative Satisfaction? A Prospective Study of 66 Surgical-Orthodontic Patients. Journal of Oral and Maxillofacial Surgery, 2011, 69, 2025-2032.	1.2	17
49	Noncompliance maxillary molar distalization with the First Class Appliance: A randomized controlled trial. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 586.e1-586.e13.	1.7	27
50	Editor's Comment and Q&A. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 586-587.	1.7	19
51	Tooth-color assessment after orthodontic treatment: A prospective clinical trial. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 138, 537.e1-537.e8.	1.7	48
52	Editor's Comment and Q&A. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 138, 537-539.	1.7	21
53	The "Advanced Molar Distalization Appliance": A Novel Approach to Correct Class II Malocclusion. Recent Patents on Biomedical Engineering, 2010, 3, 6-15.	0.5	4
54	Meta-Analyses and Orthodontic Evidence-Based Clinical Practice in the 21st Century. Open Dentistry Journal, 2010, 4, 92-123.	0.5	6

#	ARTICLE	IF	CITATIONS
55	Prevalence of Tooth Transposition. Angle Orthodontist, 2010, 80, 275-285.	2.4	63
56	Characterization of retrieved orthodontic miniscrew implants. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 135, 10.e1-10.e7.	1.7	45
57	Editor's Summary, Q & A, Reviewer's Critique. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 135, 10-11.	1.7	17
58	Assessment of characteristic features and dental anomalies accompanying tooth transposition: A meta-analysis. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 308.e1-308.e10.	1.7	16
59	Editor's Summary and Q&A. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 158-159.	1.7	79
60	Five-year experience with orthodontic miniscrew implants: A retrospective investigation of factors influencing success rates. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 158.e1-158.e10.	1.7	73
61	Comparison of soft and hard tissue profiles of orthognathic surgery patients treated recently and 20 years earlier. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2009, 108, e8-e13.	1.4	10
62	Moschos A. Papadopoulos. Revista Dental Press De Ortodontia E Ortopedia Facial, 2009, 14, 25-38.	0.2	1
63	Prevalence of nickel hypersensitivity in orthodontic patients: A meta-analysis. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 134, 722.e1-722.e12.	1.7	28
64	Orthodontic treatment of Class II malocclusion with miniscrew implants. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 134, 604.e1-604.e16.	1.7	42
65	Editor's Summary, Q & A, Reviewer's Critique. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 134, 604-605.	1.7	31
66	Editor's Summary, Q & A, Reviewer's Critique. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 134, 722-723.	1.7	13
67	Mandibular Condyle Lesions in Children with Juvenile Idiopathic Arthritis. Cleft Palate-Craniofacial Journal, 2008, 45, 57-62.	0.9	22
68	The use of miniscrew implants for temporary skeletal anchorage in orthodontics: A comprehensive review. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2007, 103, e6-e15.	1.4	201
69	A critical evaluation of meta-analyses in orthodontics. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 131, 589-599.e7.	1.7	35
70	Orthodontic journals with impact factors in perspective: Trends in the types of articles and authorship characteristics. American Journal of Orthodontics and Dentofacial Orthopedics, 2006, 130, 516-522.	1.7	37
71	Premolar Root Changes Following Treatment with the Banded Herbst Appliance. Journal of Orofacial Orthopedics, 2006, 67, 261-271.	1.3	8
72	The Jones Jig, and modifications. , 2006, , 283-295.		1

#	ARTICLE	IF	CITATIONS
73	Clinical efficacy of the noncompliance appliances used for Class II orthodontic correction. , 2006, , 367-387.		2
74	Classification of the noncompliance appliances used for Class II correction. , 2006, , 9-17.		1
75	Overview of the intermaxillary noncompliance appliances. , 2006, , 21-34.		1
76	The Herbst appliance. , 2006, , 35-57.		0
77	Overview of the intramaxillary noncompliance distalization appliances. , 2006, , 219-229.		2
78	Overview of the intramaxillary noncompliance appliances with absolute anchorage. , 2006, , 341-344.		5
79	Three-Dimensional Cephalometric Evaluation of Maxillary Growth following in utero Repair of Cleft Lip and Alveolar-Like Defects in the Mid-Gestational Sheep Model. Fetal Diagnosis and Therapy, 2006, 21, 105-114.	1.4	5
80	Noncompliance unilateral maxillary molar distalization:. Angle Orthodontist, 2006, 76, 382-7.	2.4	11
81	Dental Arch and Cephalometric Changes Following Treatment for Class III Malocclusion by Means of the Function Regulator (FR-3) Appliance. Journal of Orofacial Orthopedics, 2005, 66, 135-147.	1.3	9
82	Three-dimensional fetal cephalometry: An evaluation of the reliability of cephalometric measurements based on three-dimensional CT reconstructions and on dry skulls of sheep fetuses. Journal of Cranio-Maxillo-Facial Surgery, 2005, 33, 229-237.	1.7	30
83	Efficiency of noncompliance simultaneous first and second upper molar distalization: a three-dimensional tooth movement analysis. Angle Orthodontist, 2005, 75, 532-9.	2.4	33
84	Cephalometric Changes following Simultaneous First and Second Maxillary Molar Distalization Using a Non-Compliance Intraoral Appliance. Journal of Orofacial Orthopedics, 2004, 65, 123-136.	1.3	32
85	Intrauterine autogenous foetal bone transplantation for the repair of cleft-like defects in the mid-gestational sheep model. Journal of Cranio-Maxillo-Facial Surgery, 2004, 32, 199-210.	1.7	8
86	Nickel content of as-received and retrieved NiTi and stainless steel archwires: assessing the nickel release hypothesis. Angle Orthodontist, 2004, 74, 151-4.	2.4	41
87	Three-dimensional craniofacial reconstruction imaging. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2002, 93, 382-393.	1.4	95
88	Dentoskeletal Morphology in Children with Juvenile Idiopathic Arthritis Compared with Healthy Children. Journal of Orthodontics, 2001, 28, 53-58.	1.0	49
89	Clinical characteristics and properties of ceramic brackets: A comprehensive review. American Journal of Orthodontics and Dentofacial Orthopedics, 1997, 112, 34-40.	1.7	103