

# Se-Joong Rim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6047492/publications.pdf>

Version: 2024-02-01

152  
papers

2,406  
citations

201385

27  
h-index

276539

41  
g-index

157  
all docs

157  
docs citations

157  
times ranked

3370  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of aortic atheroma and distensibility on diastolic function and prognosis in patients with ischemic stroke. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 1.	0.5	1
2	The association between cardiac involvement and long-term clinical outcomes in patients with Duchenne muscular dystrophy. <i>ESC Heart Failure</i> , 2022, 9, 2199-2206.	1.4	7
3	Contribution of sarcomere gene mutations to left atrial function in patients with hypertrophic cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2021, 19, 4.	0.5	9
4	Effect of Renal and Left Ventricular Function on Serial Pulmonary Arterial Pressure Changes after Device Closure of Atrial Septal Defect. <i>Journal of Interventional Cardiology</i> , 2021, 2021, 1-8.	0.5	0
5	Left ventricular outflow obstruction occurs immediately after exercise in patients with non-obstructive hypertrophic cardiomyopathy. <i>Reviews in Cardiovascular Medicine</i> , 2021, 22, 469.	0.5	2
6	Coronary calcification is associated with elevated serum lipoprotein (a) levels in asymptomatic men over the age of 45 years. <i>Medicine (United States)</i> , 2021, 100, e24962.	0.4	13
7	Effect of sarcomere and mitochondria-related mutations on myocardial fibrosis in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 18.	1.6	6
8	Comparison of risk profiles for new-onset atrial fibrillation between patients aged <60 and ≥60 years. <i>PLoS ONE</i> , 2021, 16, e0258770.	1.1	1
9	Relationship between arterial stiffness and variability of home blood pressure monitoring. <i>Medicine (United States)</i> , 2020, 99, e21227.	0.4	9
10	Burden of premature ventricular contractions beyond nonsustained ventricular tachycardia is related to the myocardial extracellular space expansion in patients with hypertrophic cardiomyopathy. <i>Clinical Cardiology</i> , 2020, 43, 1317-1325.	0.7	3
11	Differential contributions of sarcomere and mitochondria-related multigene variants to the endophenotype of hypertrophic cardiomyopathy. <i>Mitochondrion</i> , 2020, 53, 48-56.	1.6	8
12	Frequent Premature Atrial Contractions as a Poor Prognostic Factor in Cryptogenic Stroke Patients with Concomitant Non-Sustained Atrial Tachycardia. <i>Yonsei Medical Journal</i> , 2020, 61, 965.	0.9	1
13	Prevalence and risk factors for secondary hypertension among young Korean men. <i>Reviews in Cardiovascular Medicine</i> , 2020, 21, 627.	0.5	1
14	Outcomes and Associated Factors of Discrepant Coronary and Carotid Atherosclerosis. <i>International Heart Journal</i> , 2020, 61, 1142-1149.	0.5	5
15	Genetic relevance and determinants of mitral leaflet size in hypertrophic cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2019, 17, 21.	0.5	7
16	Electrocardiography based prediction of hypertrophy pattern and fibrosis amount in hypertrophic cardiomyopathy: comparative study with cardiac magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1619-1628.	0.7	14
17	Arterial stiffness, sex, and age difference on hypertensive response to supine bicycle exercise. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1260-1268.	1.0	8
18	Impact of Contrast Echocardiography on Assessment of Ventricular Function and Clinical Diagnosis in Routine Clinical Echocardiography: Korean Multicenter Study. <i>Journal of Cardiovascular Imaging</i> , 2017, 25, 28.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Current Awareness and Use of the Strain Echocardiography in Routine Clinical Practices: Result of a Nationwide Survey in Korea. <i>Journal of Cardiovascular Imaging</i> , 2017, 25, 91.	0.8	3
20	Associates and Prognosis of Giant Left Atrium; Single Center Experience. <i>Journal of Cardiovascular Imaging</i> , 2017, 25, 84.	0.8	5
21	Left Ventricular Filling Pressure as Assessed by the E/e' Ratio Is a Determinant of Atrial Fibrillation Recurrence after Cardioversion. <i>Yonsei Medical Journal</i> , 2016, 57, 64.	0.9	12
22	Prognostic Value of Elevated Homocysteine Levels in Korean Patients with Coronary Artery Disease: A Propensity Score Matched Analysis. <i>Korean Circulation Journal</i> , 2016, 46, 154.	0.7	6
23	Carotid Artery End-Diastolic Velocity and Future Cerebro-Cardiovascular Events in Asymptomatic High Risk Patients. <i>Korean Circulation Journal</i> , 2016, 46, 72.	0.7	14
24	Safety of the Up-titration of Nifedipine GITS and Valsartan or Low-dose Combination in Uncontrolled Hypertension: the FOCUS Study. <i>Clinical Therapeutics</i> , 2016, 38, 832-842.	1.1	2
25	Circulating Microparticles and Coronary Plaque Components Assessed by Virtual Histology Intravascular Ultrasound of the Target Lesion in Patients with Stable Angina. <i>PLoS ONE</i> , 2016, 11, e0148128.	1.1	7
26	Echo-Doppler-derived indexes of ventricular stiffness and ventriculo-arterial interaction as predictors of new-onset atrial fibrillation in patients with heart failure. <i>Cardiovascular Ultrasound</i> , 2015, 14, 7.	0.5	6
27	Three-dimensional Echocardiographic Evaluation of Mitral Apparatus during Preload Manipulation in Patients with Hypertrophic Cardiomyopathy. <i>Echocardiography</i> , 2015, 32, 1261-1269.	0.3	0
28	Relationship between Myocardial Extracellular Space Expansion Estimated with Post-Contrast T1 Mapping MRI and Left Ventricular Remodeling and Neurohormonal Activation in Patients with Dilated Cardiomyopathy. <i>Korean Journal of Radiology</i> , 2015, 16, 1153.	1.5	9
29	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2847.	2.0	11
30	Elevated Lipoprotein(a) has Incremental Prognostic Value in Type 2 Diabetic Patients with Symptomatic Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 527-534.	0.9	9
31	The Clinical Impact of Bedside Contrast Echocardiography in Intensive Care Settings: A Korean Multicenter Study. <i>Korean Circulation Journal</i> , 2015, 45, 486.	0.7	9
32	Lipoprotein-Associated Phospholipase A <sub>2</sub> Is Related to Plaque Stability and Is a Potential Biomarker for Acute Coronary Syndrome. <i>Yonsei Medical Journal</i> , 2014, 55, 1507.	0.9	17
33	Home blood pressure is the predictor of subclinical target organ damage like ambulatory blood pressure monitoring in untreated hypertensive patients. <i>Anatolian Journal of Cardiology</i> , 2014, 14, 711-718.	0.4	11
34	The Valsalva Maneuver Can Misdiagnose 'Normal' as 'Pseudonormal': A Word of Caution for an Echocardiographic Evaluation of Diastolic Function. <i>Cardiology</i> , 2014, 128, 355-362.	0.6	2
35	Extracellular Volume Imaging and Quantitative T2 Mapping for the Diagnosis of Mitochondrial Cardiomyopathy. <i>Circulation</i> , 2014, 130, 1832-1834.	1.6	7
36	Different contribution of extent of myocardial injury to left ventricular systolic and diastolic function in early reperfused acute myocardial infarction. <i>Cardiovascular Ultrasound</i> , 2014, 12, 6.	0.5	13

#	ARTICLE	IF	CITATIONS
37	Diverse geometric changes related to dynamic left ventricular outflow tract obstruction without overt hypertrophic cardiomyopathy. <i>Cardiovascular Ultrasound</i> , 2014, 12, 23.	0.5	10
38	Abstract 11212: Left Atrial Volume Index Predicts Recurrence of Stroke in Patients With Non-Sustained Atrial Tachycardia. <i>Circulation</i> , 2014, 130, .	1.6	0
39	Correction with blood T1 is essential when measuring post-contrast myocardial T1 value in patients with acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 11.	1.6	17
40	Usefulness of metabolic syndrome score in the prediction of angiographic coronary artery disease severity according to the presence of diabetes mellitus: relation with inflammatory markers and adipokines. <i>Cardiovascular Diabetology</i> , 2013, 12, 140.	2.7	19
41	Diverse left ventricular morphology and predictors of short-term outcome in patients with stress-induced cardiomyopathy. <i>International Journal of Cardiology</i> , 2013, 168, 331-337.	0.8	30
42	Prognostic significance of elevated lipoprotein(a) in coronary artery revascularization patients. <i>International Journal of Cardiology</i> , 2013, 167, 1990-1994.	0.8	17
43	Left Atrial Strain Assessed by Speckle Tracking Imaging Is Related to New-Onset Atrial Fibrillation After Coronary Artery Bypass Grafting. <i>Canadian Journal of Cardiology</i> , 2013, 29, 377-383.	0.8	36
44	Local increase in microparticles from the aspirate of culprit coronary arteries in patients with ST-segment elevation myocardial infarction. <i>Atherosclerosis</i> , 2013, 227, 323-328.	0.4	60
45	Left Atrial Function Assessed by Doppler Echocardiography Rather Than Left Atrial Volume Predicts Recurrence in Patients With Paroxysmal Atrial Fibrillation. <i>Clinical Cardiology</i> , 2013, 36, 235-240.	0.7	15
46	Severe Mitral Regurgitation Due to Coronary Vasospasm, Confirmed by Ergonovine Echocardiography. <i>Yeungnam University Journal of Medicine</i> , 2013, 30, 120.	0.1	0
47	Outcomes of Cardiac Involvement in Patients with Late-Stage Duchenne Muscular Dystrophy under Management in the Pulmonary Rehabilitation Center of a Tertiary Referral Hospital. <i>Cardiology</i> , 2012, 121, 186-193.	0.6	15
48	Spontaneous Sinus Conversion of Permanent Atrial Fibrillation During Treatment of Hyperkalemia. <i>Korean Circulation Journal</i> , 2012, 42, 65.	0.7	5
49	Prognostic Estimation of Advanced Heart Failure With Low Left Ventricular Ejection Fraction and Wide QRS Interval. <i>Korean Circulation Journal</i> , 2012, 42, 659.	0.7	10
50	Prediction of Left Atrial Fibrosis With Speckle Tracking Echocardiography in Mitral Valve Disease: A Comparative Study With Histopathology. <i>Korean Circulation Journal</i> , 2012, 42, 311.	0.7	86
51	A Case of Libman-Sacks Endocarditis that Developed after Infective Endocarditis. <i>Infection and Chemotherapy</i> , 2011, 43, 416.	1.0	0
52	An Atypical Mitral Valve Prolapse in a Patient With Behçet's Disease. <i>Korean Circulation Journal</i> , 2011, 41, 217.	0.7	2
53	Detection of Masked Hypertension and the Mask Effect' in Patients With Well-Controlled Office Blood Pressure. <i>Circulation Journal</i> , 2011, 75, 357-365.	0.7	15
54	A Warm Footbath Improves Coronary Flow Reserve in Patients with Mild to Moderate Coronary Artery Disease. <i>Echocardiography</i> , 2011, 28, 1119-1124.	0.3	5

#	ARTICLE	IF	CITATIONS
55	Dynamic change of mitral apparatus as potential cause of left ventricular outflow tract obstruction in hypertrophic cardiomyopathy. <i>European Journal of Echocardiography</i> , 2011, 12, 19-25.	2.3	28
56	The effect of anemia and left ventricular geometric patterns on renal disease progression in type 2 diabetic nephropathy. <i>Journal of Nephrology</i> , 2011, 24, 50-59.	0.9	8
57	Delayed Enhancement Magnetic Resonance Imaging Is a Significant Prognostic Factor in Patients With Non-Ischemic Cardiomyopathy. <i>Circulation Journal</i> , 2010, 74, 476-483.	0.7	25
58	Abnormal Myocardial Capillary Density in Apical Hypertrophic Cardiomyopathy Can Be Assessed by Myocardial Contrast Echocardiography. <i>Circulation Journal</i> , 2010, 74, 2166-2172.	0.7	19
59	Targeted Ultrasound Imaging of Apoptosis with Annexin A5 Microbubbles in Acute Doxorubicin-Induced Cardiotoxicity. <i>Journal of Cardiovascular Imaging</i> , 2010, 18, 91.	0.8	7
60	Evaluation of Reperfused Myocardial Infarction by Low-Dose Multidetector Computed Tomography Using Prospective Electrocardiography (ECG)-Triggering: Comparison with Magnetic Resonance Imaging. <i>Yonsei Medical Journal</i> , 2010, 51, 683.	0.9	7
61	Impact of Metabolic Syndrome and Its Individual Components on the Presence and Severity of Angiographic Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2010, 51, 676.	0.9	40
62	Evaluation of Left Atrial Volumes Using Multidetector Computed Tomography: Comparison with Echocardiography. <i>Korean Journal of Radiology</i> , 2010, 11, 286.	1.5	21
63	Left Ventricular Hypertrophy Determines the Severity of Diastolic Dysfunction in Patients with Nonvalvular Atrial Fibrillation and Preserved Left Ventricular Systolic Function. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 540-546.	0.5	7
64	Left Ventricular Hypercontractility Immediately after Tilting Triggers a Disregulated Cardioinhibitory Reaction in Vasovagal Syncope: Echocardiographic Evaluation during the Head-Up Tilt Test. <i>Cardiology</i> , 2010, 117, 118-123.	0.6	2
65	Are Electrocardiographic Changes in Patients with Acute Subarachnoid Hemorrhage Associated with Takotsubo Cardiomyopathy?. <i>Cardiology</i> , 2010, 115, 98-106.	0.6	15
66	Passive Leg-Raise Is Helpful to Identify Impaired Diastolic Functional Reserve During Exercise in Patients With Abnormal Myocardial Relaxation. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 523-530.	1.2	23
67	Relationship Between Serum Biochemical Markers of Myocardial Fibrosis and Diastolic Function at Rest and With Exercise in Hypertrophic Cardiomyopathy. <i>Korean Circulation Journal</i> , 2009, 39, 519.	0.7	7
68	Peripheral arterial embolism caused by a floating thrombus in the right coronary sinus of Valsalva. <i>International Journal of Cardiology</i> , 2009, 131, 433-434.	0.8	1
69	Effects of pericardiectomy on early diastolic mitral annular velocity in patients with constrictive pericarditis. <i>International Journal of Cardiology</i> , 2009, 133, 18-22.	0.8	18
70	Potential role of HMG CoA reductase inhibitor on oxidative stress induced by advanced glycation endproducts in vascular smooth muscle cells of diabetic vasculopathy. <i>Experimental and Molecular Medicine</i> , 2009, 41, 802.	3.2	31
71	Recovery and recurrence of left ventricular systolic dysfunction in patients with idiopathic dilated cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2009, 25, e147-e150.	0.8	56
72	Left Ventricular Remodeling can be Predicted with Left Ventricular Volume Response During Dobutamine Echocardiography After Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2008, 31, 259-264.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Effects of Hemoglobin Concentration and Creatinine Clearance in Pro-B-Type Natriuretic Peptide-Based Left Ventricular Filling Pressure Prediction in Patients With Preserved Left Ventricular Systolic Function. <i>American Journal of Cardiology</i> , 2008, 101, 364-369.	0.7	5
74	Factors Determining Early Left Atrial Reverse Remodeling After Mitral Valve Surgery. <i>American Journal of Cardiology</i> , 2008, 101, 374-377.	0.7	24
75	Tissue Doppler index, E/E', and ischemic stroke in patients with atrial fibrillation and preserved left ventricular ejection fraction. <i>Journal of the Neurological Sciences</i> , 2008, 271, 148-152.	0.3	47
76	Is albuminuria an indicator of myocardial dysfunction in diabetic patients without overt heart disease? A study with Doppler strain and strain rate imaging. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 448-452.	1.5	23
77	Exaggerated Blood Pressure Response to Exercise Is Associated With Augmented Rise of Angiotensin II During Exercise. <i>Journal of the American College of Cardiology</i> , 2008, 52, 287-292.	1.2	70
78	Incremental Value of Left Ventricular Diastolic Function Reserve Index for Predicting Exercise Capacity in Patients with Hypertrophic Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 487-492.	1.2	26
79	Effect of Geometric Remodeling on Left Ventricular Longitudinal Contractile Reserve in Patients with Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 246-250.	1.2	10
80	Increased Plasma Aldosterone-to-Renin Ratio Is Associated with Impaired Left Ventricular Longitudinal Functional Reserve in Patients with Uncomplicated Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 251-256.	1.2	12
81	Phenotypic Spectrum and Clinical Characteristics of Apical Hypertrophic Cardiomyopathy: Multicenter Echo-Doppler Study. <i>Cardiology</i> , 2008, 110, 53-61.	0.6	33
82	Pathobiological role of advanced glycation endproducts via mitogen-activated protein kinase dependent pathway in the diabetic vasculopathy. <i>Experimental and Molecular Medicine</i> , 2008, 40, 398.	3.2	36
83	Gender-Related Difference in Arterial Elastance During Exercise in Patients With Hypertension. <i>Hypertension</i> , 2008, 51, 1163-1169.	1.3	30
84	Effects of Increasing Particle Size of Low-Density Lipoprotein on Restenosis After Coronary Stent Implantation. <i>Circulation Journal</i> , 2008, 72, 1059-1064.	0.7	11
85	Extent of Late Gadolinium Enhancement in Cardiovascular Magnetic Resonance and Its Relation With Left Ventricular Diastolic Function in Patients With Hypertrophic Cardiomyopathy. <i>Circulation Journal</i> , 2008, 72, 1449-1453.	0.7	25
86	Gender-Related Difference in Left Ventricular Diastolic Elastance During Exercise in Patients With Diabetes Mellitus. <i>Circulation Journal</i> , 2008, 72, 1443-1448.	0.7	27
87	Right Ventricular Remodeling and Dysfunction With Subsequent Annular Dilatation and Tethering as a Mechanism of Isolated Tricuspid Regurgitation. <i>Circulation Journal</i> , 2008, 72, 1645-1649.	0.7	19
88	Blood Pressure Variation and Cardiovascular Risks. <i>Korean Circulation Journal</i> , 2008, 38, 131.	0.7	7
89	Diagnosis of Coronary Restenosis Using Coronary Flow Reserve Measurements Obtained Through Transthoracic Doppler Echocardiography. <i>Korean Circulation Journal</i> , 2008, 38, 325.	0.7	0
90	Lipoprotein(a) and LDL Particle Size Are Related to the Severity of Coronary Artery Disease. <i>Cardiology</i> , 2007, 108, 282-289.	0.6	41

#	ARTICLE	IF	CITATIONS
91	Value of Echo-Doppler Derived Pulmonary Vascular Resistance, Net-Atrioventricular Compliance and Tricuspid Annular Velocity in Determining Exercise Capacity in Patients With Mitral Stenosis. <i>Circulation Journal</i> , 2007, 71, 1721-1727.	0.7	12
92	The <i>RANTES</i> $\alpha$ 403G>>A promoter polymorphism in Korean men: association with serum RANTES concentration and coronary artery disease. <i>Clinical Science</i> , 2007, 113, 349-356.	1.8	37
93	Extracorporeal Membrane Oxygenation in a Patient With Peripartum Cardiomyopathy. <i>Annals of Thoracic Surgery</i> , 2007, 84, 262-264.	0.7	31
94	Incremental Value of Combining Systolic Mitral Annular Velocity and Time Difference Between Mitral Inflow and Diastolic Mitral Annular Velocity to Early Diastolic Annular Velocity for Differentiating Constrictive Pericarditis from Restrictive Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 738-743.	1.2	48
95	Endothelial Nitric Oxide Synthase Glu298Asp Gene Polymorphism is Associated with Hypertensive Response to Exercise in Well-Controlled Hypertensive Patients. <i>Yonsei Medical Journal</i> , 2007, 48, 389.	0.9	7
96	A Case of Noncompaction of the Ventricular Myocardium Combined with Situs Ambiguus with Polysplenia. <i>Yonsei Medical Journal</i> , 2007, 48, 1052.	0.9	6
97	Incremental Value of Measuring the Time Difference Between Onset of Mitral Inflow and Onset of Early Diastolic Mitral Annulus Velocity for the Evaluation of Left Ventricular Diastolic Pressures in Patients With Normal Systolic Function and an Indeterminate E/E <sup>2</sup> . <i>American Journal of Cardiology</i> , 2007, 100, 326-330.	0.7	35
98	Three-Dimensional Geometry of Aortic Valve: A new Trial of Visualization With Real-Time Three-Dimensional Echocardiography. <i>Journal of Echocardiography</i> , 2007, 5, 55-57.	0.4	2
99	Noninvasively-determined Diastolic Stiffness is Abnormal during Exercise, but not at Rest, in Patients with Apical Hypertrophic Cardiomyopathy. <i>Journal of Cardiovascular Imaging</i> , 2007, 15, 77.	0.8	0
100	Abstract 1978: Patterns of Late Gadolinium Enhancement are Associated with Ventricular Stiffness in Patients with Advanced Non-Ischemic Dilated Cardiomyopathy. <i>Circulation</i> , 2007, 116, .	1.6	0
101	Prediction of Transmural Extent of Infarction with Contrast Echocardiographically Derived Index of Myocardial Blood Flow and Myocardial Blood Volume Fraction: Comparison with Contrast-enhanced Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1211-1219.	1.2	14
102	Abnormal Longitudinal Myocardial Functional Reserve Assessed by Exercise Tissue Doppler Echocardiography in Patients with Hypertrophic Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 1314-1319.	1.2	37
103	Delayed Hyperenhancement Magnetic Resonance Imaging Is Useful in Predicting Functional Recovery of Nonischemic Left Ventricular Systolic Dysfunction. <i>Journal of Cardiac Failure</i> , 2006, 12, 93-99.	0.7	25
104	Insulin resistance is associated with hypertensive response to exercise in non-diabetic hypertensive patients. <i>Diabetes Research and Clinical Practice</i> , 2006, 73, 65-69.	1.1	15
105	Non-dippers are associated with adverse cardiac remodeling and dysfunction (R1). <i>International Journal of Cardiology</i> , 2006, 112, 171-177.	0.8	54
106	Clinical Fate of Reversible Non-Ischemic Left Ventricular Systolic Dysfunction and Its Influencing Factors. <i>Korean Circulation Journal</i> , 2006, 36, 53.	0.7	1
107	Noncompaction of the ventricular myocardium combined with polycystic kidney disease. <i>Heart and Vessels</i> , 2006, 21, 195-198.	0.5	22
108	Triphasic mitral inflow velocity with mid-diastolic flow: The presence of mid-diastolic mitral annular velocity indicates advanced diastolic dysfunction <sup>†</sup> . <i>European Journal of Echocardiography</i> , 2006, 7, 16-21.	2.3	30

#	ARTICLE	IF	CITATIONS
109	Abnormal left ventricular longitudinal functional reserve in patients with diabetes mellitus: implication for detecting subclinical myocardial dysfunction using exercise tissue Doppler echocardiography. <i>Heart</i> , 2006, 93, 1571-1576.	1.2	137
110	The Cardioprotective Effect of Intravenous Nicorandil for Ischemia/Reperfusion Injury. <i>Korean Circulation Journal</i> , 2005, 35, 88.	0.7	1
111	The Utility of Multi-detector Row Spiral CT for Detection of Coronary Artery Stenoses. <i>Yonsei Medical Journal</i> , 2005, 46, 86.	0.9	21
112	Tissue Doppler-Derived Indices Predict Exercise Capacity in Patients With Apical Hypertrophic Cardiomyopathy. <i>Chest</i> , 2005, 128, 3428-3433.	0.4	24
113	A beneficial effect of simvastatin on DNA damage in 242T allele of the NADPH oxidase p22phox in hypercholesterolemic patients. <i>Clinica Chimica Acta</i> , 2005, 360, 46-51.	0.5	18
114	A randomized, open-label study to evaluate the efficacy and safety of pitavastatin compared with simvastatin in korean patients with hypercholesterolemia. <i>Clinical Therapeutics</i> , 2005, 27, 1074-1082.	1.1	49
115	Can pro-brain natriuretic peptide be used as a noninvasive predictor of elevated left ventricular diastolic pressures in patients with normal systolic function?. <i>American Heart Journal</i> , 2005, 150, 1213-1219.	1.2	17
116	Pulmonary Arteriovenous Malformations. <i>Journal of the Korean Society of Echocardiography</i> , 2005, 13, 3.	0.0	1
117	Magnitude of left atrial V wave is the determinant of exercise capacity in patients with mitral stenosis. <i>American Journal of Cardiology</i> , 2004, 94, 243-245.	0.7	10
118	Primary Cardiac Lymphoma Diagnosed by Transvenous Biopsy Under Transesophageal Echocardiographic Guidance and Treated with Systemic Chemotherapy. <i>Echocardiography</i> , 2003, 20, 101-103.	0.3	36
119	Pulmonary Venous Flow in Pure Mitral Stenosis and Sinus Rhythm - Does Pulmonary Hypertension Alter Pulmonary Venous Flow Velocity?. <i>Echocardiography</i> , 2003, 20, 129-135.	0.3	1
120	The cholesterol-lowering effect of plant sterol-containing beverage in hypercholesterolemic subjects with low cholesterol intake. <i>Nutrition Research</i> , 2003, 23, 489-496.	1.3	13
121	A Case of Hypersensitivity Myocarditis. <i>Sunhwan'gi</i> , 2002, 32, 71.	0.3	2
122	Assessment of left atrial appendage filling pattern by using intravenous administration of microbubbles: Comparison between mitral stenosis and mitral regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 1100-1106.	1.2	14
123	Long-term prognostic factors after aortic valve replacement of severe aortic stenosis. <i>Sunhwan'gi</i> , 2001, 31, 877.	0.3	0
124	The effect of plant sterol on serum cholesterol in patients with hypercholesterolemia. <i>Sunhwan'gi</i> , 2001, 31, 1027.	0.3	0
125	Flail Aortic Valve and Acute Aortic Regurgitation Due to Spontaneous Localized Intimal Tear of Ascending Aorta. <i>Echocardiography</i> , 2001, 18, 381-383.	0.3	2
126	Effects of left atrial compliance on left atrial pressure in pure mitral stenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 52, 328-333.	0.7	23



#	ARTICLE	IF	CITATIONS
127	A mitral valve myxoma prolapsing into the left ventricular outflow tract. <i>Clinical Cardiology</i> , 2001, 24, 570-570.	0.7	0
128	Enhanced detection of right-to-left shunt through patent foramen ovale by transthoracic contrast echocardiography using harmonic imaging. <i>American Journal of Cardiology</i> , 2001, 87, 669-671.	0.7	88
129	Myocardial Contrast Echocardiography. <i>Journal of the Korean Society of Echocardiography</i> , 2001, 9, 6.	0.0	0
130	Assessment of Elastic Properties of the Descending Thoracic Aorta By Transesophageal Echocardiography with Acoustic Quantification in Patients with a Stroke. <i>Echocardiography</i> , 2000, 17, 713-720.	0.3	6
131	Is the left atrial v wave the determinant of peak pulmonary artery pressure in patients with pure mitral stenosis?. <i>American Journal of Cardiology</i> , 2000, 85, 986-991.	0.7	32
132	Tricuspid stenosis and regurgitation: Doppler and color flow echocardiography and cardiac catheterization findings. <i>Clinical Cardiology</i> , 2000, 23, 51-52.	0.7	3
133	Enhancement of Thrombolytic Therapy by Transcutaneous Ultrasound and Perfluorocarbon Exposed Sonicated Dextrose Albumin in Thrombotic Arterial Occlusion. <i>Sunhwan'gi</i> , 2000, 30, 621.	0.3	0
134	Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 849-854.	1.2	7
135	Efficacy and Safety of Atorvastatin in Patients with Elevated LDL-cholesterolemia. <i>Sunhwan'gi</i> , 1999, 29, 1309.	0.3	4
136	Analysis of the Left Ventricular Contractile Reserve Using End-systolic Pressure-Volume Relation (ESPVR) in Idiopathic Dilated Cardiomyopathy: Its Correlation with Pathologic Findings. <i>Sunhwan'gi</i> , 1999, 29, 751.	0.3	1
137	Assessment of myocardial metaiodobenzylguanidine uptake and its relation to left ventricular systolic and diastolic functional parameters in dilated cardiomyopathy. <i>Yonsei Medical Journal</i> , 1999, 40, 199.	0.9	0
138	Double-orifice mitral valve. <i>Clinical Cardiology</i> , 1999, 22, 425-425.	0.7	9
139	Echocardiographic and morphologic characteristics of left atrial myxoma and their relation to systemic embolism. <i>American Journal of Cardiology</i> , 1999, 83, 1579-1582.	0.7	126
140	Temporal Changes of Myocardial Perfusion from Collateral Circulation after Successful Coronary Angioplasty of Total Occlusion Assessed by Coronary Angiography and Myocardial Contrast Echocardiography. <i>Journal of the Korean Society of Echocardiography</i> , 1999, 7, 187.	0.0	0
141	Clinical Features and Prognosis according to the Left Ventricular Function in the Patients with Acute Myocarditis. <i>Journal of the Korean Society of Echocardiography</i> , 1999, 7, 38.	0.0	0
142	123I-MIBG myocardial scintigraphy as a noninvasive screen for the diagnosis of coronary artery spasm. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 591-597.	1.4	10
143	Transesophageal echocardiographic identification of left upper pulmonary venous obstruction caused by compression by spontaneous pseudoaneurysm of the descending thoracic aorta. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 992-996.	1.2	2
144	Index of myocardial performance using Doppler-derived parameters in the evaluation of left ventricular function in patients with essential hypertension. <i>Yonsei Medical Journal</i> , 1998, 39, 446.	0.9	14

#	ARTICLE	IF	CITATIONS
145	A Review of Cardiac Myxoma: 33-year Experience in a Single Institution. Sunhwan'gi, 1998, 28, 1131.	0.3	1
146	Clinical and Electrophysiologic Characteristics of the Patients with Wolff-Parkinson-White Syndrome. Sunhwan'gi, 1997, 27, 848.	0.3	2
147	Assessment of Left Ventricular Diastolic Pressures with Pulmonary Venous Flow and Transmitral Inflow by Doppler Echocardiography. Sunhwan'gi, 1997, 27, 312.	0.3	2
148	Morphological Characteristics of Intimal Hyperplasia in Stented Coronary Arteries Assessed with Intravascular Ultrasound. Sunhwan'gi, 1997, 27, 851.	0.3	1
149	Dobutamine Echocardiography in the Prediction of Left Ventricular Remodeling after Acute Myocardial Infarction. Journal of the Korean Society of Echocardiography, 1997, 5, 85.	0.0	1
150	Reduction of Left Ventricular Hypertrophy after Aortic Valve Replacement for Isolated Aortic Valve Stenosis. Journal of the Korean Society of Echocardiography, 1997, 5, 122.	0.0	0
151	4 Cases of Midventricular Obstructive Hypertrophic Obstructive Cardiomyopathy. Sunhwan'gi, 1996, 26, 1189.	0.3	0
152	Real-time determination of left ventricular ejection fraction by automatic boundary detection in patients with dilated cardiomyopathy: a comparison with radionuclide ventriculography. Yonsei Medical Journal, 1996, 37, 385.	0.9	1