## Constance Lay-Lay Saw

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6047619/publications.pdf

Version: 2024-02-01

40 papers 2,549 citations

249298 26 h-index 371746 37 g-index

41 all docs

41 docs citations

41 times ranked

4579 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Use of fish-oil: Docosahexaenoic acid (DHA) or eicosapentaenoic acid (EPA) for chronic psychological stress. Advances in Integrative Medicine, 2018, 5, 35-37.   | 0.4 | O         |
| 2  | Oxidative Stress and Bladder Cancer Carcinogenesis: Early Detection and Chemoprevention Involving Nrf2â€"an Integrative Approach. Current Pharmacology Reports, 2018, 4, 482-490.  | 1.5 | 0         |
| 3  | Mechanisms of prostate carcinogenesis and its prevention by a $\hat{I}^3$ -tocopherol-rich mixture of tocopherols in TRAMP mice. Journal of Chinese Pharmaceutical Sciences, 2016, 25, .   | 0.4 | 2         |
| 4  | Induction of NRF2â€mediated gene expression by dietary phytochemical flavones apigenin and luteolin. Biopharmaceutics and Drug Disposition, 2015, 36, 440-451.   | 1.1 | 100       |
| 5  | Nrf2 null enhances UVB-induced skin inflammation and extracellular matrix damages. Cell and Bioscience, 2014, 4, 39.   | 2.1 | 72        |
| 6  | Nrf2 Knockout Attenuates the Anti-Inflammatory Effects of Phenethyl Isothiocyanate and Curcumin. Chemical Research in Toxicology, 2014, 27, 2036-2043.   | 1.7 | 95        |
| 7  | Altered behavioral development in Nrf2 knockout mice following early postnatal exposure to valproic acid. Brain Research Bulletin, 2014, 109, 132-142.   | 1.4 | 22        |
| 8  | The berry constituents quercetin, kaempferol, and pterostilbene synergistically attenuate reactive oxygen species: Involvement of the Nrf2-ARE signaling pathway. Food and Chemical Toxicology, 2014, 72, 303-311.   | 1.8 | 204       |
| 9  | Dietary tocopherols inhibit cell proliferation, regulate expression of $ER\hat{l}_{\pm}$ , PPAR $\hat{l}_{3}$ , and Nrf2, and decrease serum inflammatory markers during the development of mammary hyperplasia. Molecular Carcinogenesis, 2013, 52, 514-525.        | 1.3 | 54        |
| 10 | Astaxanthin and omega-3 fatty acids individually and in combination protect against oxidative stress via the Nrf2–ARE pathway. Food and Chemical Toxicology, 2013, 62, 869-875.  | 1.8 | 117       |
| 11 | Effects of natural phytochemicals in <i>Angelica sinensis</i> (Danggui) on Nrf2â€mediated gene expression of phase II drug metabolizing enzymes and antiâ€inflammation. Biopharmaceutics and Drug Disposition, 2013, 34, 303-311.                                    | 1.1 | 52        |
| 12 | Epigenetic Reactivation of Nrf2 in Murine Prostate Cancer TRAMP C1 Cells by Natural Phytochemicals Z-Ligustilide and Radix <i>Angelica Sinensis </i> via Promoter CpG Demethylation. Chemical Research in Toxicology, 2013, 26, 477-485.                             | 1.7 | 94        |
| 13 | Epigenetic Modifications of Nrf2 by 3,3′-diindolylmethane In Vitro in TRAMP C1 Cell Line and In Vivo TRAMP Prostate Tumors. AAPS Journal, 2013, 15, 864-874.   | 2.2 | 72        |
| 14 | A $\hat{I}^3$ -tocopherol-Rich Mixture of Tocopherols MaintainsNrf2Expression in Prostate Tumors of TRAMP Mice via Epigenetic Inhibition of CpG Methylation,. Journal of Nutrition, 2012, 142, 818-823.  | 1.3 | 69        |
| 15 | Pharmacodynamics of Ginsenosides: Antioxidant Activities, Activation of Nrf2, and Potential Synergistic Effects of Combinations. Chemical Research in Toxicology, 2012, 25, 1574-1580.   | 1.7 | 78        |
| 16 | Role of Nutraceuticals on Nrf2 and Its Implication in Cancer Prevention., 2012,, 61-75.  |     | 0         |
| 17 | Pharmacokinetics and Pharmacodynamics of Phase II Drug Metabolizing/Antioxidant Enzymes Gene Response by Anticancer Agent Sulforaphane in Rat Lymphocytes. Molecular Pharmaceutics, 2012, 9, 2819-2827.  | 2.3 | 24        |
| 18 | <i>In vivo</i> pharmacodynamics of indoleâ€3 arbinol in the inhibition of prostate cancer in transgenic adenocarcinoma of mouse prostate (TRAMP) mice: Involvement of Nrf2 and cell cycle/apoptosis signaling pathways. Molecular Carcinogenesis, 2012, 51, 761-770. | 1.3 | 41        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Nuclear factor-erythroid 2-related factor 2 as a chemopreventive target in colorectal cancer. Expert Opinion on Therapeutic Targets, 2011, 15, 281-295.   | 1.5 | 45        |
| 20 | Anti-inflammatory/Anti-oxidative Stress Activities and Differential Regulation of Nrf2-Mediated Genes by Non-Polar Fractions of Tea Chrysanthemum zawadskii and Licorice Glycyrrhiza uralensis. AAPS Journal, 2011, 13, 1-13.                             | 2.2 | 146       |
| 21 | Epigenetic CpG Demethylation of the Promoter and Reactivation of the Expression of Neurog1 by Curcumin in Prostate LNCaP Cells. AAPS Journal, 2011, 13, 606-614.  | 2.2 | 152       |
| 22 | Impact of Nrf2 on UVBâ€induced skin inflammation/photoprotection and photoprotective effect of sulforaphane. Molecular Carcinogenesis, 2011, 50, 479-486.   | 1.3 | 130       |
| 23 | Pharmacodynamics of dietary phytochemical indoles I3C and DIM: Induction of Nrf2-mediated phase II drug metabolizing and antioxidant genes and synergism with isothiocyanates. Biopharmaceutics and Drug Disposition, 2011, 32, 289-300.                  | 1.1 | 95        |
| 24 | Pharmacodynamics of fish oil: protective effects against prostate cancer in TRAMP mice fed with a high fat western diet. Asian Pacific Journal of Cancer Prevention, 2011, 12, 3331-4.  | 0.5 | 13        |
| 25 | Synergistic anti-inflammatory effects of low doses of curcumin in combination with polyunsaturated fatty acids: Docosahexaenoic acid or eicosapentaenoic acid. Biochemical Pharmacology, 2010, 79, 421-430.   | 2.0 | 101       |
| 26 | Anti-cancer and potential chemopreventive actions of ginseng by activating Nrf2 (NFE2L2) anti-oxidative stress/anti-inflammatory pathways. Chinese Medicine, 2010, 5, 37.   | 1.6 | 45        |
| 27 | Regulation of NF-E2-Related Factor 2 Signaling for Cancer Chemoprevention: Antioxidant Coupled with Antiinflammatory. Antioxidants and Redox Signaling, 2010, 13, 1679-1698.  | 2.5 | 170       |
| 28 | Role of Nrf2 in Suppressing LPS-Induced Inflammation in Mouse Peritoneal Macrophages by Polyunsaturated Fatty Acids Docosahexaenoic Acid and Eicosapentaenoic Acid. Molecular Pharmaceutics, 2010, 7, 2185-2193.  | 2.3 | 102       |
| 29 | Anti-NF-κB and anti-inflammatory activities of synthetic isothiocyanates: Effect of chemical structures and cellular signaling. Chemico-Biological Interactions, 2009, 179, 202-211.  | 1.7 | 66        |
| 30 | Metabolism, oral bioavailability and pharmacokinetics of chemopreventive kaempferol in rats. Biopharmaceutics and Drug Disposition, 2009, 30, 356-365.  | 1.1 | 138       |
| 31 | Study of interaction of hypericin and its pharmaceutical preparation by fluorescence techniques. Journal of Biomedical Optics, 2009, 14, 014003.  | 1.4 | 9         |
| 32 | Antimicrobial and antioxidant activities of Cortex Magnoliae Officinalis and some other medicinal plants commonly used in South-East Asia. Chinese Medicine, 2008, 3, 15.   | 1.6 | 43        |
| 33 | Chick Chorioallantoic Membrane as an In Situ Biological Membrane for Pharmaceutical Formulation Development: A Review. Drug Development and Industrial Pharmacy, 2008, 34, 1168-1177.   | 0.9 | 28        |
| 34 | Potentiation of the Photodynamic Action of Hypericin. Journal of Environmental Pathology, Toxicology and Oncology, 2008, 27, 23-33.   | 0.6 | 23        |
| 35 | Effects of N-Methyl Pyrrolidone on the Uptake of Hypericin in Human Bladder Carcinoma and Co-staining with DAPI Investigated by Confocal Microscopy. Technology in Cancer Research and Treatment, 2007, 6, 383-394.                                       | 0.8 | 14        |
| 36 | Superiority of N-methyl pyrrolidone over albumin with hypericin for fluorescence diagnosis of human bladder cancer cells implanted in the chick chorioallantoic membrane model. Journal of Photochemistry and Photobiology B: Biology, 2007, 86, 207-218. | 1.7 | 24        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Enhanced photodynamic activity of hypericin by penetration enhancer N-methyl pyrrolidone formulations in the chick chorioallantoic membrane model. Cancer Letters, 2006, 238, 104-110. | 3.2 | 23        |
| 38 | Delivery of hypericin for photodynamic applications. Cancer Letters, 2006, 241, 23-30.   | 3.2 | 45        |
| 39 | Spectroscopic characterization and photobleaching kinetics of hypericin-N-methyl pyrrolidone formulations. Photochemical and Photobiological Sciences, 2006, 5, 1018.                  | 1.6 | 15        |
| 40 | Transport of Hypericin across Chick Chorioallantoic Membrane and Photodynamic Therapy Vasculature Assessment. Biological and Pharmaceutical Bulletin, 2005, 28, 1054-1060.             | 0.6 | 25        |