# Alexander Gudovskikh

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/6047863/alexander-gudovskikh-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128<br/>papers841<br/>citations16<br/>h-index23<br/>g-index140<br/>ext. papers954<br/>ext. citations1.6<br/>avg, IF3.91<br/>L-index

#	Paper	IF	Citations
128	Laser fabrication of crystalline silicon nanoresonators from an amorphous film for low-loss all-dielectric nanophotonics. <i>Nanoscale</i> , <b>2016</b> , 8, 5043-8	7.7	78
127	Determination of the conduction band offset between hydrogenated amorphous silicon and crystalline silicon from surface inversion layer conductance measurements. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 162101	3.4	59
126	Determination of band offsets in a-Si:H/c-Si heterojunctions from capacitanceNoltage measurements: Capabilities and limits. <i>Thin Solid Films</i> , <b>2007</b> , 515, 7481-7485	2.2	36
125	Interface properties of a-Si:H/c-Si heterojunction solar cells from admittance spectroscopy. <i>Thin Solid Films</i> , <b>2006</b> , 511-512, 385-389	2.2	36
124	Numerical modelling of GaInP solar cells with AlInP and AlGaAs windows. <i>Thin Solid Films</i> , <b>2008</b> , 516, 6739-6743	2.2	34
123	Fine-Tuning of the Magnetic Fano Resonance in Hybrid Oligomers via fs-Laser-Induced Reshaping. <i>ACS Photonics</i> , <b>2017</b> , 4, 536-543	6.3	25
122	Observation by conductive-probe atomic force microscopy of strongly inverted surface layers at the hydrogenated amorphous silicon/crystalline silicon heterojunctions. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 252110	3.4	25
121	Optimisation of amorphous and polymorphous thin silicon layers for the formation of the front-side of heterojunction solar cells on p-type crystalline silicon substrates. <i>Thin Solid Films</i> , <b>2006</b> , 511-512, 543-547	2.2	23
120	High interfacial conductivity at amorphous silicon/crystalline silicon heterojunctions. <i>Journal of Non-Crystalline Solids</i> , <b>2008</b> , 354, 2641-2645	3.9	20
119	MBE growth of GaP on a Si substrate. <i>Semiconductors</i> , <b>2015</b> , 49, 559-562	0.7	18
118	Germanium subcells for multijunction GaInP/GaInAs/Ge solar cells. <i>Semiconductors</i> , <b>2010</b> , 44, 1520-152	80.7	18
117	Polycrystalline AlN films deposited at low temperature for selective UV detectors. <i>Sensors and Actuators A: Physical</i> , <b>2004</b> , 113, 355-359	3.9	18
116	Capacitance spectroscopy of amorphous/crystalline silicon heterojunction solar cells at forward bias and under illumination. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 034104	3.4	17
115	Investigation of a-Si:H/c-Si heterojunction solar cells interface properties. <i>Thin Solid Films</i> , <b>2004</b> , 451-452, 345-349	2.2	17
114	Study of GaP/Si Heterojunction Solar Cells. <i>Energy Procedia</i> , <b>2016</b> , 102, 56-63	2.3	17
113	Characterization of silicon heterojunctions for solar cells. <i>Nanoscale Research Letters</i> , <b>2011</b> , 6, 152	5	16
112	Low temperature plasma enhanced deposition of GaP films on Si substrate. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2018</b> , 36, 021302	2.9	14

## (2009-2013)

111	Photoelectric properties of solar cells based on GaPNAs/GaP heterostructures. <i>Technical Physics Letters</i> , <b>2013</b> , 39, 1117-1120	0.7	13
110	Characterization of the Manufacturing Processes to Grow Triple-Junction Solar Cells. <i>International Journal of Photoenergy</i> , <b>2014</b> , 2014, 1-10	2.1	13
109	About the efficiency limits of heterojunction solar cells. <i>Journal of Non-Crystalline Solids</i> , <b>2006</b> , 352, 19	28 <sub>5</sub> .593	213
108	Electronic and structural properties of the amorphous/crystalline silicon interface. <i>Thin Solid Films</i> , <b>2009</b> , 517, 6386-6391	2.2	12
107	Si doped GaP layers grown on Si wafers by low temperature PE-ALD. <i>Journal of Renewable and Sustainable Energy</i> , <b>2018</b> , 10, 021001	2.5	11
106	Design of multijunction GaPNAs/Si heterostructure solar cells by computer simulation. <i>Semiconductors</i> , <b>2014</b> , 48, 381-386	0.7	11
105	Interface properties of GaInP/Ge hetero-structure sub-cells of multi-junction solar cells. <i>Journal Physics D: Applied Physics</i> , <b>2012</b> , 45, 495305	3	11
104	Study of the interfacial properties of amorphous silicon/n-type crystalline silicon heterojunction through static planar conductance measurements. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , <b>2010</b> , 7, NA-NA		11
103	Band structure at heterojunction interfaces of GaInP solar cells. <i>Solar Energy Materials and Solar Cells</i> , <b>2010</b> , 94, 1953-1958	6.4	10
102	Properties of interfaces in GaInP solar cells. <i>Semiconductors</i> , <b>2009</b> , 43, 1363-1368	0.7	9
101	Characterization of an a-Si:H/c-Si interface by admittance spectroscopy. Semiconductors, 2005, 39, 904-	·9 <b>09</b> 7	9
100	Nanoscale Cu2O films: Radio-frequency magnetron sputtering and structural and optical studies. <i>Semiconductors</i> , <b>2017</b> , 51, 110-114	0.7	8
99	Numerical simulation of the properties of solar cells based on GaPNAs/Si heterostructures and GaN nanowires. <i>Semiconductors</i> , <b>2016</b> , 50, 1521-1525	0.7	8
98	Low temperature growth of ITO transparent conductive oxide layers in oxygen-free environment by RF magnetron sputtering. <i>Journal of Physics: Conference Series</i> , <b>2013</b> , 461, 012021	0.3	8
97	The Study of Latex Sphere Lithography for High Aspect Ratio Dry Silicon Etching. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2020</b> , 217, 1900535	1.6	8
96	Multijunction a-Si:H/c-Si solar cells with vertically-aligned architecture based on silicon nanowires. <i>Materials Today: Proceedings</i> , <b>2017</b> , 4, 6797-6803	1.4	7
95	Study of the light-induced degradation of tandem Bi:H/Ū-Si:H photovoltaic converters. <i>Semiconductors</i> , <b>2013</b> , 47, 679-685	0.7	7
94	III-phosphides heterojunction solar cell interface properties from admittance spectroscopy. <i>Journal Physics D: Applied Physics</i> , <b>2009</b> , 42, 165307	3	7

93	Scaling analysis of field-enhanced bandtail hopping transport in amorphous carbon nitride. <i>Physica Status Solidi (B): Basic Research</i> , <b>2007</b> , 244, 2081-2099	1.3	7
92	New approach to capacitance spectroscopy for interface characterization of a-Si:H/c-Si heterojunctions. <i>Journal of Non-Crystalline Solids</i> , <b>2006</b> , 352, 1213-1216	3.9	7
91	DC and AC Hopping transport in metal/amorphous carbon nitride/metal devices. <i>Journal of Non-Crystalline Solids</i> , <b>2006</b> , 352, 1323-1326	3.9	7
90	Low temperature epitaxial growth of GaP on Si by atomic-layer deposition with plasma activation. Journal Physics D: Applied Physics, 2020, 53, 345105	3	6
89	Low temperature plasma enhanced deposition approach for fabrication of microcrystalline GaP/Si superlattice. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2018</b> , 36, 02D408	2.9	6
88	Frequency scaling of ac hopping transport in amorphous carbon nitride. <i>Diamond and Related Materials</i> , <b>2007</b> , 16, 1799-1805	3.5	6
87	New method for interface characterization in heterojunction solar cells based on diffusion capacitance measurements. <i>Thin Solid Films</i> , <b>2008</b> , 516, 6786-6790	2.2	6
86	Interface Properties of GaP/Si Heterojunction Fabricated by PE-ALD. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2019</b> , 216, 1800617	1.6	6
85	Defect properties of InGaAsN layers grown as sub-monolayer digital alloys by molecular beam epitaxy. <i>Journal of Applied Physics</i> , <b>2018</b> , 123, 161418	2.5	5
84	Visualization of Isofrequency Contours of Strongly Localized Waveguide Modes in Planar Dielectric Structures. <i>JETP Letters</i> , <b>2018</b> , 107, 10-14	1.2	5
83	Electric field-controlled sign of the capacitance in metalBarbon nitrideBhetal devices. <i>Journal of Non-Crystalline Solids</i> , <b>2008</b> , 354, 2637-2640	3.9	5
82	Characterization of amorphous/crystalline silicon interfaces from electrical measurements. <i>Materials Research Society Symposia Proceedings</i> , <b>2008</b> , 1066, 1		5
81	Electroluminescence from amorphousdrystalline silicon heterostructures. <i>Journal of Non-Crystalline Solids</i> , <b>2004</b> , 338-340, 440-443	3.9	5
80	Electrical and optical properties of nanosized films of doped zinc and indium oxides deposited by RF magnetron sputtering at room temperature. <i>Technical Physics Letters</i> , <b>2015</b> , 41, 804-806	0.7	4
79	Formation of Cu2O and ZnO Crystal Layers by Magnetron Assisted Sputtering and Their Optical Characterization. <i>Semiconductors</i> , <b>2018</b> , 52, 383-389	0.7	4
78	Deep-level study of Ga(In)P(NAs) alloys grown on Si substrates. <i>Journal of Physics: Conference Series</i> , <b>2016</b> , 741, 012077	0.3	4
77	Simulation of characteristics of double-junction solar cells based on ZnSiP2 heterostructures on silicon substrate. <i>Technical Physics Letters</i> , <b>2015</b> , 41, 1120-1123	0.7	4
76	High intensity low temperature (HILT) performance of space concentrator GaInP/GaInAs/Ge MJ SCs <b>2014</b> ,		4

## (2017-2011)

75	Characterization of GaInP/Ge heterostructure solar cells by capacitance measurements at forward bias under illumination. <i>Energy Procedia</i> , <b>2011</b> , 3, 76-83	2.3	4
74	TEM Study of the Formation and Modification of Nanocrystalline Si Inclusions in a-Si:H Films. <i>Semiconductors</i> , <b>2004</b> , 38, 221	0.7	4
73	Simulation of photovoltaic efficiency of a tandem solar cell on Si with GaN nanowires as an emitter layer. <i>Journal of Physics: Conference Series</i> , <b>2016</b> , 690, 012041	0.3	3
72	Study of the properties of solar cells based on a-Si:H p-i-n structures by admittance spectroscopy. <i>Semiconductors</i> , <b>2013</b> , 47, 1090-1096	0.7	3
71	Indium Tin Oxide Films Grown at Room Temperature by RF-Magnetron Sputtering in Oxygen-Free Environment. <i>Solid State Phenomena</i> , <b>2013</b> , 200, 10-13	0.4	3
70	Professional training and retraining of specialists in the field of thin film solar power engineering <b>2015</b> ,		3
69	Comparison of photoluminescence and capacitance spectroscopies as efficient tools for interface characterisation of heterojunction solar cells. <i>Journal of Non-Crystalline Solids</i> , <b>2008</b> , 354, 2416-2420	3.9	3
68	Effect of thermal treatment on structure and properties of a-Si:H films obtained by cyclic deposition. <i>Semiconductors</i> , <b>2002</b> , 36, 230-234	0.7	3
67	Investigation of nc-Si inclusions in multilayer a-Si:H films obtained using the layer by layer technique. <i>Journal of Non-Crystalline Solids</i> , <b>2004</b> , 338-340, 135-138	3.9	3
66	Electrical and photoelectric properties of a-Si:H layered films: The influence of thermal annealing. <i>Semiconductors</i> , <b>2001</b> , 35, 353-356	0.7	3
65	Structure and properties of a-Si:H films grown by cyclic deposition. <i>Semiconductors</i> , <b>2000</b> , 34, 477-480	0.7	3
64	Effect of Cryogenic Dry Etching on Minority Charge Carrier Lifetime in Silicon. <i>Physica Status Solidi</i> (A) Applications and Materials Science, <b>2020</b> , 217, 1900534	1.6	3
63	Defect properties of solar cells with layers of GaP based dilute nitrides grown by molecular beam epitaxy. <i>Journal of Applied Physics</i> , <b>2020</b> , 128, 023105	2.5	3
62	GaAs/InGaAsN heterostructures for multi-junction solar cells. <i>Semiconductors</i> , <b>2016</b> , 50, 652-655	0.7	3
61	Investigation of silicon wafers thermal degradation by photoluminescence decay measurements <b>2018</b> ,		3
60	Optical emission spectroscopy of gallium phosphide plasma-enhanced atomic layer deposition. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1038, 012108	0.3	3
59	A Selective BP/Si Contact Formed by Low-Temperature Plasma-Enhanced Atomic Layer Deposition. <i>Technical Physics Letters</i> , <b>2021</b> , 47, 96-98	0.7	3
58	Influence of PE-ALD of GaP on the Silicon Wafers Quality. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2017</b> , 214, 1700685	1.6	2

57	Admittance spectroscopy of solar cells based on GaPNAs layers. Semiconductors, 2015, 49, 524-528	0.7	2
56	Study of multiple InAs/GaAs quantum-well structures by electroreflectance spectroscopy. <i>Semiconductors</i> , <b>2015</b> , 49, 1400-1404	0.7	2
55	GaP/Si anisotype heterojunction solar cells. <i>Journal of Physics: Conference Series</i> , <b>2016</b> , 741, 012096	0.3	2
54	Thin film GaP for solar cell application. <i>Journal of Physics: Conference Series</i> , <b>2016</b> , 741, 012088	0.3	2
53	The temperature dependence of the electrical conductivity in Cu2O thin films grown by magnetron sputtering. <i>Journal of Physics: Conference Series</i> , <b>2016</b> , 741, 012013	0.3	2
52	Effect of Thermal Annealing on the Photovoltaic Properties of GaP/Si Heterostructures Fabricated by Plasma-Enhanced Atomic Layer Deposition. <i>Semiconductors</i> , <b>2019</b> , 53, 1075-1081	0.7	2
51	Temperature and bias dependence of hydrogenated amorphous silicon Erystalline silicon heterojunction capacitance: the link to band bending and band offsets. <i>Canadian Journal of Physics</i> , <b>2014</b> , 92, 690-695	1.1	2
50	Fabrication of a-Si:H/nc-Si multilayer films using layer by layer technique and their properties. <i>Journal of Non-Crystalline Solids</i> , <b>2002</b> , 299-302, 1070-1074	3.9	2
49	Formation of SiO2 hard mask using dry etching and nanosphere lithography. <i>Journal of Physics:</i> Conference Series, <b>2020</b> , 1697, 012188	0.3	2
48	Quantum efficiency measurement of subcells in multi-junction solar cells based on III-V/Si. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1124, 041034	0.3	2
47	Impact of Interface Recombination on Quantum Efficiency of a-Si:H/c-Si Solar Cells Based on Si Wires. <i>Physica Status Solidi (A) Applications and Materials Science</i> ,2100339	1.6	2
46	Influence of double- and triple-layer antireflection coatings on the formation of photocurrents in multijunction IIIIV solar cells. <i>Semiconductors</i> , <b>2017</b> , 51, 88-92	0.7	1
45	Atomic layer deposition precursor step repetition and surface plasma pretreatment influence on semiconductorIhsulatorIemiconductor heterojunction solar cell. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2015</b> , 33, 041101	2.9	1
44	Influence of plasma on electrophysical properties of the GaP/n-Si isotype heterojunction grown by PE-ALD. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1482, 012017	0.3	1
43	Study of GaInP solar-cell interfaces by variable-flux spectral measurements. <i>Semiconductors</i> , <b>2014</b> , 48, 459-464	0.7	1
42	Influence of dry etching condition to geometry of vertically aligned silicon nanostructures. <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 917, 052030	0.3	1
41	Lateral conductivity of n-GaP/p-Si heterojunction with an inversion layer. <i>Journal of Physics:</i> Conference Series, <b>2017</b> , 917, 052004	0.3	1
40	Investigation of the effect of surface passivation on microdisk lasers based on InGaAsN/GaAs quantum well active region. <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 917, 052002	0.3	1

39	Photoluminescence observation from zinc oxide formed by magnetron sputtering at room temperature. <i>Journal of Physics: Conference Series</i> , <b>2015</b> , 643, 012013	0.3	1
38	Space charge capacitance spectroscopy in amorphous silicon Schottky diodes: Theory, modeling, and experiments. <i>Journal of Non-Crystalline Solids</i> , <b>2012</b> , 358, 2007-2010	3.9	1
37	Study of Latex sphere mask dry etching in oxygen. Journal of Physics: Conference Series, 2020, 1697, 01	2193	1
36	Study of GaP Nucleation Layers Grown on Si by Plasma-Enhanced Atomic Layer Deposition. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2020</b> , 217, 1900532	1.6	1
35	GaPAsN-based light-emitting diode on silicon. Optics and Laser Technology, 2020, 129, 106308	4.2	1
34	Capacitance characterization of GaP/Si superlattice grown by time-modulated PECVD. <i>Journal of Physics: Conference Series</i> , <b>2019</b> , 1410, 012116	0.3	1
33	Multijunction solar cells concept based on GaP/Si nanostructures. <i>Materials Today: Proceedings</i> , <b>2019</b> , 19, 47-52	1.4	1
32	Precision Chemical Etching of GaP(NAs) Epitaxial Layers for the Formation of Monolithic Optoelectronic Devices. <i>Semiconductors</i> , <b>2018</b> , 52, 1775-1781	0.7	1
31	Current localization in heterostructures of multijunction solar cells: Causes for arising and diagnostics potential <b>2018</b> ,		1
30	Hybrid Resonant Metal-dielectic Nanostructures for Local Color Generation. JETP Letters,1	1.2	1
29	Admittance Spectroscopy of Solar Cells Based on Selective Contact MoOx/Si Junction. <i>Technical Physics Letters</i> , <b>2021</b> , 47, 785-788	0.7	1
28	Study of Cryogenic Unmasked Etching of "Black Silicon" with Ar Gas Additives ACS Omega, 2022, 7, 60	53 <del>.6</del> 05	5 <b>7</b> 0
27	Influence of wet etching in KOH on defects in silicon nanowires formed by cryogenic dry etching. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1697, 012060	0.3	О
26	Capacitance characterization of silicon nanowires formed by cryogenic dry etching. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1695, 012089	0.3	O
25	Plasma-enhanced atomic layer deposition of Zn-doped GaP. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 1851, 012009	0.3	О
24	Full Silicon Tandem Solar Cells Based on Vertically Aligned Nanostructures. <i>International Journal of Photoenergy</i> , <b>2022</b> , 2022, 1-11	2.1	O
23	Analysis of light-induced degradation mechanisms in \(\overline{\mathbb{B}}\)i:H/\(\overline{\mathbb{B}}\)-Si:H solar photovoltaics. Semiconductors, <b>2013</b> , 47, 1252-1257	0.7	
22	Admittance spectroscopy of InGaAsN based solar cells. <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 917, 052033	0.3	

21	Copper (I) oxide rf-magnetron sputtering at elevated substrate temperatures. <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 917, 032020	0.3
20	Capacitance characterization of GaP/n-Si structures grown by PE-ALD. <i>Journal of Physics:</i> Conference Series, <b>2017</b> , 917, 052027	0.3
19	Modeling of capacitance spectroscopy of (p) a-Si:H/(n) c-Si interfaces. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , <b>2012</b> , 9, 1481-1483	
18	Influence of the Design Features of a Magnetron Sputtering Deposition System on the Electrical and Optical Properties of IndiumII in Oxide Films. <i>Semiconductors</i> , <b>2021</b> , 55, 410	0.7
17	Study of SiNx based antireflection coating for GaP/Si heterojunction solar cells. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1695, 012080	0.3
16	Using MoOx/p-Si Selective Contact for Evaluation of the Degradation of a Near-Surface Region of Silicon. <i>Technical Physics Letters</i> , <b>2020</b> , 46, 1245-1248	0.7
15	Defect properties of multilayer GaP/Si nanoheterostructures grown by plasma deposition. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1695, 012203	0.3
14	Plasma-enhanced atomic layer deposition of GaP/GaN digital alloys. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 1851, 012008	0.3
13	Electronic transport properties of microcrystalline GaP. <i>Journal of Physics: Conference Series</i> , <b>2019</b> , 1410, 012207	0.3
12	Investigation of deposition conditions on the structural properties of $\bar{\mu}$ c-Si:H. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1124, 022009	0.3
11	Effect of temperature on dry etching of III-V structures. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1124, 041031	0.3
10	A novel approach to characterization of bottom sub-cell in multijunction solar cell using photoluminescence <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1124, 041039	0.3
9	Investigating the effect of silicon surface chemical treatment on Al/Si contact properties in GaP/Si solar cells. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 993, 012030	0.3
8	Formation of Heterostructures of GaP/Si Photoconverters by the Combined Method of MOVPE and PEALD. <i>Technical Physics Letters</i> , <b>2021</b> , 47, 730-733	0.7
7	Silicon nanowires based adsorption sensors for CO and NH3 detection. <i>Journal of Physics:</i> Conference Series, <b>2021</b> , 2103, 012229	0.3
6	Investigation of defects in structures based on BP/Si heterojunction. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2103, 012088	0.3
5	Space charge capacitance study of GaP/Si multilayer structures grown by plasma deposition. <i>Journal Physics D: Applied Physics</i> , <b>2022</b> , 55, 135103	3
4	Conformality of a-Si:H deposited by low temperature PECVD for solar cells application. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2086, 012041	0.3

#### LIST OF PUBLICATIONS

3	Simulation of double-junction III-phosphides/silicon solar cells. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2086, 012094	0.3
2	Study of GaP/Si electron-selective contact deposited by plasma. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 2086, 012091	0.3
1	Large-scale flexible membrane with resonant silicon nanowires for infrared visualization via efficient third harmonic generation. <i>Applied Physics Letters</i> , <b>2022</b> , 120, 151102	3.4