Ming-Hsi Chiang

List of Publications by Citations

Source: https://exaly.com/author-pdf/6048170/ming-hsi-chiang-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,047 41 92 27 h-index g-index citations papers 102 2,340 5.7 4.74 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
92	[Ag21{S2P(OiPr)2}12]+: an eight-electron superatom. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 3702-6	16.4	188
91	Dinitrosyl iron complexes (DNICs) [L(2)Fe(NO)2]- (L = thiolate): interconversion among {Fe(NO)2}9 DNICs, {Fe(NO)2}10 DNICs, and [2Fe-2S] clusters, and the critical role of the thiolate ligands in regulating NO release of DNICs. <i>Inorganic Chemistry</i> , 2005 , 44, 5872-81	5.1	104
90	Chinese puzzle molecule: a 15 hydride, 28 copper atom nanoball. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 7214-8	16.4	95
89	Eight-Electron Silver and Mixed Gold/Silver Nanoclusters Stabilized by Selenium Donor Ligands. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 10178-10182	16.4	93
88	[Cu32 (H)20 {S2 P(OiPr)2 }12]: The Largest Number of Hydrides Recorded in a Molecular Nanocluster by Neutron Diffraction. <i>Chemistry - A European Journal</i> , 2015 , 21, 8369-74	4.8	85
87	[Ag20 {S2 P(OR)2 }12]: A Superatom Complex with a Chiral Metallic Core and High Potential for Isomerism. <i>Chemistry - A European Journal</i> , 2016 , 22, 9943-7	4.8	76
86	Diselenophosphate-Induced Conversion of an Achiral [Cu20H11{S2P(OiPr)2}9] into a Chiral [Cu20H11{Se2P(OiPr)2}9] Polyhydrido Nanocluster. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13604-8	16.4	74
85	[Cu {S CN Bu } (acetylide)] : A Two-Electron Superatom. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14704-14708	16.4	68
84	Redox chemistry of the Keggin heteropolyoxotungstate anion in ionic liquids. <i>Journal of Electroanalytical Chemistry</i> , 2004 , 567, 77-84	4.1	57
83	Influence of a Redox-Active Phosphane Ligand on the Oxidations of a Diiron Core Related to the Active Site of Fe-Only Hydrogenase. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 1155-1162	2.3	39
82	Electron delocalization from the fullerene attachment to the diiron core within the active-site mimics of [FeFe]hydrogenase. <i>Inorganic Chemistry</i> , 2012 , 51, 5997-9	5.1	37
81	Stabilization of plutonium(III) in the Preyssler polyoxometalate. <i>Inorganic Chemistry</i> , 2008 , 47, 8278-85	5.1	35
80	Synthesis, structural characterization and transformation of an eight-electron superatomic alloy, [Au@Ag{SP(OPr)}]. <i>Nanoscale</i> , 2018 , 10, 6855-6860	7.7	34
79	[FeFe] hydrogenase active site modeling: a key intermediate bearing a thiolate proton and Fe hydride. <i>Chemical Communications</i> , 2013 , 49, 4743-5	5.8	34
78	Chinese Puzzle Molecule: A 15 Hydride, 28 Copper Atom Nanoball. <i>Angewandte Chemie</i> , 2014 , 126, 734	2 ₃ 76346	34
77	Dinitrosyl iron complexes [E5Fe(NO)2][(E = S, Se): A precursor of Roussin∃ black salt [Fe4E3(NO)7][] <i>Inorganica Chimica Acta</i> , 2006 , 359, 2525-2533	2.7	33
76	Synthesis and structural characterization of inverse-coordination clusters from a two-electron superatomic copper nanocluster. <i>Chemical Science</i> , 2018 , 9, 6785-6795	9.4	33

(2004-2018)

75	Synthesis of Two-Electron Bimetallic Cu-Ag and Cu-Au Clusters by using [Cu (S CN Bu) (C?CPh)] as a Template. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 500-504	4.5	32	
74	Structural and spectroscopic characterization of a monomeric side-on manganese(IV) peroxo complex. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5427-30	16.4	32	
73	Iron(III) bound by hydrosulfide anion ligands: NO-promoted stabilization of the [Fe(III)-SH] motif. <i>Journal of the American Chemical Society</i> , 2014 , 136, 9424-33	16.4	30	•
72	Nitrate-to-nitrite-to-nitric oxide conversion modulated by nitrate-containing {Fe(NO)2}9 dinitrosyl iron complex (DNIC). <i>Inorganic Chemistry</i> , 2013 , 52, 464-73	5.1	30	
71	Coordination of Actinide Ions in WellsDawson Heteropolyoxoanion Complexes. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 2663-2669	2.3	30	
70	Eight-Electron Silver and Mixed Gold/Silver Nanoclusters Stabilized by Selenium Donor Ligands. <i>Angewandte Chemie</i> , 2017 , 129, 10312-10316	3.6	29	
69	Biomimetic model featuring the NH proton and bridging hydride related to a proposed intermediate in enzymatic H(2) production by Fe-only hydrogenase. <i>Inorganic Chemistry</i> , 2009 , 48, 7604-	.∮2 ¹	29	
68	Homodinuclear iron thiolate nitrosyl compounds [(ON)Fe(S,S-C6H4)2 Fe(NO)2]- and [(ON)Fe(SO2,S-C6H4)(S,S-C6H4)Fe(NO)2]- with {Fe(NO)}7-{Fe(NO)2}9 electronic coupling: new members of a class of dinitrosyl iron complexes. <i>Inorganic Chemistry</i> , 2005 , 44, 3226-32	5.1	28	
67	Metal Complexes of Telluroether: Crystal Structure of (Ph2Te)Fe(CO)3I2 and (Ph2Te)W(CO)5. <i>Inorganic Chemistry</i> , 1994 , 33, 2493-2494	5.1	28	
66	New members of a class of dinitrosyliron complexes (DNICs): the characteristic EPR signal of the six-coordinate and five-coordinate {Fe(NO)2}9 DNICs. <i>Journal of Inorganic Biochemistry</i> , 2012 , 113, 83-93	3 ^{4.2}	27	
65	[Cu13{S2CNnBu2}6(acetylide)4]+: A Two-Electron Superatom. Angewandte Chemie, 2016, 128, 14924-14	928	26	
64	Redox Chemistry of Actinide Ions in WellsDawson Heteropolyoxoanion Complexes. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 2929-2936	2.3	24	
63	fac-Bis(triphenylphosphine)nitrogen(+) tricarbonyltris(benzenetellurolato)ferrate: oxidative addition of (PhTe)2 to [PPN][PhTeFe(CO)4]. <i>Inorganic Chemistry</i> , 1993 , 32, 1536-1538	5.1	24	
62	Experimental study of neptunyl adsorption onto Bacillus subtilis. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 4837-4844	5.5	23	
61	Heteroatom-Doping Increases Cluster Nuclearity: From an [Ag] to an [Au Ag] Core. <i>Chemistry - A European Journal</i> , 2018 , 24, 14352-14357	4.8	23	
60	A unique coordination environment for an ion: EXAFS studies and bond valence model approach of the encapsulated cation in the Preyssler anion. <i>Dalton Transactions</i> , 2004 , 801-6	4.3	22	
59	NO-to-[NO]-to-NO Conversion Triggered by {Fe(NO)}-{Fe(NO)} Dinuclear Dinitrosyl Iron Complex. <i>Inorganic Chemistry</i> , 2019 , 58, 9586-9591	5.1	21	
58	Energetics of the Preyssler anion's molecular orbitals: quantifying the effect of the encapsulated-cation's charge. <i>Dalton Transactions</i> , 2004 , 3562-7	4.3	21	

57	Synthesis of Bimetallic Copper-Rich Nanoclusters Encapsulating a Linear Palladium Dihydride Unit. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 4943-4947	16.4	20
56	Self-assembly and redox modulation of the cavity size of an unusual rectangular iron thiolate aryldiisocyanide metallocyclophane. <i>Inorganic Chemistry</i> , 2011 , 50, 10825-34	5.1	20
55	Synthesis, characterization and structural transformation of a discrete tetragonal metalloprism. <i>Dalton Transactions</i> , 2012 , 41, 156-64	4.3	18
54	Influences on the rotated structure of diiron dithiolate complexes: electronic asymmetry vs. secondary coordination sphere interaction. <i>Dalton Transactions</i> , 2011 , 40, 2528-41	4.3	18
53	Mono- and hexa-palladium doped silver nanoclusters stabilized by dithiolates. <i>Nanoscale</i> , 2019 , 11, 14	58 7:7 145	58 6 7
52	Synthesis and characterization of the diiron biomimics bearing phosphine borane for hydrogen formation. <i>Polyhedron</i> , 2013 , 64, 247-254	2.7	17
51	Secondary coordination sphere interactions within the biomimetic iron azadithiolate complexes related to Fe-only hydrogenase: dynamic measure of electron density about the Fe sites. <i>Inorganic Chemistry</i> , 2010 , 49, 6409-20	5.1	16
50	Protonation/Reduction of Carbonyl-Rich Diiron Complexes and the Direct Observation of Triprotonated Species: Insights into the Electrocatalytic Mechanism of Hydrogen Formation. <i>ACS Catalysis</i> , 2016 , 6, 2559-2576	13.1	16
49	Photoinduced NO and HNO Production from Mononuclear (FeNO) Complex Bearing a Pendant Thiol. <i>Journal of the American Chemical Society</i> , 2020 , 142, 8649-8661	16.4	15
48	Utilization of Non-Innocent Redox Ligands in [FeFe] Hydrogenase Modeling for Hydrogen Production. <i>Comments on Inorganic Chemistry</i> , 2016 , 36, 141-181	3.9	15
47	In situ measurement of the Preyssler polyoxometalate morphology upon electrochemical reduction: A redox system with Born electrostatic ion solvation behavior. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 626, 103-110	4.1	15
46	Self-triggered conformations of disulfide ensembles in coordination polymers with multiple metal clusters. <i>CrystEngComm</i> , 2015 , 17, 2847-2856	3.3	14
45	Identification of an Eight-Electron Superatomic Cluster and Its Alloy in One Co-crystal Structure. <i>Journal of Cluster Science</i> , 2018 , 29, 827-835	3	14
44	Stepwise synthesis of the heterotrimetallic chains [MRu(dpa)X] using group 7 to group 12 transition metal ions and [Ru(dpa)Cl]. <i>Dalton Transactions</i> , 2018 , 47, 1422-1434	4.3	14
43	Concomitant Crystallization of Genuine Supramolecular Isomeric Rhombus Grid and Ribbon. <i>Crystal Growth and Design</i> , 2014 , 14, 4321-4328	3.5	14
42	Hydro(solvo)thermal synthesis of homochiral metalflamphorate coordination polymers. <i>CrystEngComm</i> , 2010 , 12, 3909	3.3	13
41	Electron Delocalization of Mixed-Valence Diiron Sites Mediated by Group 10 Metal Ions in Heterotrimetallic Fe-M-Fe (M=Ni, Pd, and Pt) Chain Complexes. <i>Chemistry - A European Journal</i> , 2018 , 24, 11649-11666	4.8	12
40	Generation of a Mn(IV)-Peroxo or Mn(III)-Oxo-Mn(III) Species upon Oxygenation of Mono- and Binuclear Thiolate-Ligated Mn(II) Complexes. <i>Inorganic Chemistry</i> , 2017 , 56, 10559-10569	5.1	12

(2020-2016)

39	Anion-Directed Copper(II) Metallocages, Coordination Chain, and Complex Double Salt: Structures, Magnetic Properties, EPR Spectra, and Density Functional Study. <i>Chemistry - A European Journal</i> , 2016 , 22, 7238-47	4.8	12
38	Highly hydrophobic metalorganic framework for self-protecting gate dielectrics. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 11958-11965	13	11
37	Self-adaptation of manganese-chloride arrangement toward high spin Mn5(ECl)4 cluster-based metal-organic framework with $S = 15/2$. Dalton Transactions, 2012 , 41, 1448-50	4.3	11
36	Oxidative Addition vs. Ligand-Exchange: Fe(II)-Mixed-Phenylchalcogenolate Complexes fac-[PPN][Fe(CO)3(TePh)n(SePh)3-N] (n = 1, 2). <i>Journal of the Chinese Chemical Society</i> , 1993 , 40, 437-44	4 ^{1.5}	11
35	Organocatalytic enantioselective Michael reaction of 1,3-dicarbonyls with Bubstituted Ehitroacrylates. <i>Tetrahedron</i> , 2017 , 73, 727-734	2.4	10
34	Infinite copper(II) coordination architectures from a resonative aminotriazine-derived tripodal ligand: synthesis, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2012 , 51, 12360-71	5.1	10
33	Vibrational characterization of a diiron bridging hydride complex - a model for hydrogen catalysis. <i>Chemical Science</i> , 2020 , 11, 5487-5493	9.4	9
32	Synthesis of Bimetallic Copper-Rich Nanoclusters Encapsulating a Linear Palladium Dihydride Unit. <i>Angewandte Chemie</i> , 2019 , 131, 4997-5001	3.6	9
31	A reversible proton relay process mediated by hydrogen-bonding interactions in [FeFe]hydrogenase modeling. <i>Chemistry - A European Journal</i> , 2015 , 21, 10978-82	4.8	8
30	Reduced thione ligation is preferred over neutral phosphine ligation in diiron biomimics regarding electronic functionality: a spectroscopic and computational investigation. <i>Chemical Communications</i> , 2016 , 53, 332-335	5.8	6
29	Polymerization of Columnar Mesogens Tethered with Diacetylenic Side Chains. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 248-255	4.3	6
28	Asymmetric tetranuclear nickel chains with unidirectionally ordered 2-(£5-phenyl)pyridylamino)-1,8-naphthyridine ligands. <i>Dalton Transactions</i> , 2016 , 45, 17281-17289	4.3	6
27	A Mn(iv)-peroxo complex in the reactions with proton donors. <i>Dalton Transactions</i> , 2019 , 48, 5203-5213	4.3	5
26	Bilayer Vesicles as a Noncovalent Immobilization Platform of Electrocatalysts for Energy Conversion in Neutral Aqueous Media. <i>ChemElectroChem</i> , 2018 , 5, 20-24	4.3	5
25	Redox communication within multinuclear iron-sulfur complexes related to electronic interplay in the active site of [FeFe]hydrogenase. <i>Chemistry - A European Journal</i> , 2015 , 21, 6852-61	4.8	5
24	Synthesis and Luminescence Properties of Two-Electron Bimetallic Cu-Ag and Cu-Au Nanoclusters via Copper Hydride Precursors. <i>Inorganic Chemistry</i> , 2021 , 60, 10799-10807	5.1	5
23	Anion-Directed Metallocages: A Study on the Tendency of Anion Templation. <i>Chemistry - A European Journal</i> , 2017 , 23, 15957-15965	4.8	4
22	Structures and paramagnetism of five heterometallic pentanuclear metal strings containing as many as four different metals: NiPtCoPd(tpda)Cl. <i>Dalton Transactions</i> , 2020 , 49, 7299-7303	4.3	4

21	Monodispersity of magnetic immuno-nanoprobes enhances the detection sensitivity of low abundance biomarkers in one drop of serum. <i>Analyst, The,</i> 2015 , 140, 7678-86	5	3
20	Structural diversity in polymeric and discrete complexes constructed by divalent transition metals and unsymmetrical quasi semirigid pyridinecarboxylate isomers. <i>Journal of Solid State Chemistry</i> , 2019 , 277, 701-712	3.3	3
19	Structural and Spectroscopic Characterization of a Monomeric Side-On Manganese(IV) Peroxo Complex. <i>Angewandte Chemie</i> , 2012 , 124, 5523-5526	3.6	3
18	Improved Oxygen Redox Activity by High-Valent Fe and Co3+ Sites in the Perovskite LaNi1NFe0.5xCo0.5xO3. <i>ACS Applied Energy Materials</i> , 2022 , 5, 343-354	6.1	3
17	Dioxygen activation by a dinuclear thiolate-ligated Fe(ii) complex. <i>Dalton Transactions</i> , 2019 , 48, 379-38	864.3	2
16	Diindeno-Fused Dibenzo[a,h]anthracene and Dibenzo[c,l]chrysene: Syntheses, Structural Analyses, and Properties. <i>Chemistry - A European Journal</i> , 2019 , 25, 7280-7284	4.8	2
15	Synthesis, crystal structure, and magnetic properties of a two-fold interpenetrated diamondoid open framework. <i>Journal of Solid State Chemistry</i> , 2016 , 242, 8-13	3.3	2
14	Adaptation of guest molecules: A simple system that amplifies the gentle perturbation of host lattices from nickel(II) to cobalt(II). <i>Inorganica Chimica Acta</i> , 2016 , 445, 96-102	2.7	2
13	Energy-Efficient Hydrogen Evolution by Fe-S Electrocatalysts: Mechanistic Investigations. <i>Inorganic Chemistry</i> , 2018 , 57, 7620-7630	5.1	2
12	Design of a Metal@rganic Framework-Derived Co9S8/S Material for Achieving High Durability and High Performance of LithiumBulfur Batteries. <i>ChemElectroChem</i> , 2021 , 8, 3040-3048	4.3	2
11	A Mononuclear Iron(II) Bis(guanidinate) Complex: Synthesis, Structure, and Reactivity. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 98-109	2.3	2
10	A new series of heteronuclear metal strings, MRhRh(dpa)Cl and MRhRhM(dpa)X, from the reactions of Rh(dpa) with metal ions of group 7 to group 12. <i>Dalton Transactions</i> , 2021 , 50, 520-534	4.3	2
9	Diindeno[2,1-:2',1'-]biphenylenes: Syntheses, Structural Analyses, and Properties. <i>Organic Letters</i> , 2021 , 23, 8794-8798	6.2	1
8	High-Frequency Fe-H and Fe-H Modes in a -Fe(EH)(H) Complex: A Speed Record for Nuclear Resonance Vibrational Spectroscopy. <i>Inorganic Chemistry</i> , 2021 , 60, 555-559	5.1	1
7	Organocatalytic asymmetric allylic alkylation of 2-methyl-3-nitroindoles: a route to direct enantioselective functionalization of indole C(sp)-H bonds. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 1503-1507	3.9	1
6	Water-assisted spin-flop antiferromagnetic behaviour of hydrophobic Cu-based metal-organic frameworks. <i>Dalton Transactions</i> , 2021 , 50, 5754-5758	4.3	1
5	Discrete Metal-Oxide Clusters with Organofunctionalization as High-Performance Anode Materials. <i>ACS Applied Energy Materials</i> , 2021 , 4, 643-654	6.1	О
4	Helical Homometallic Trinickel String Complexes with Mixed Hard Nitrogen and Sulfur Donors: Structural and Magnetic Studies. <i>Bulletin of the Chemical Society of Japan</i> , 2021 , 94, 2092-2099	5.1	O

Titelbild: Chinese Puzzle Molecule: A 15 Hydride, 28 Copper Atom Nanoball (Angew. Chem. 28/2014). *Angewandte Chemie*, **2014**, 126, 7217-7217

3.6

- In Situ Actinide X-ray Absorption Spectroelectrochemistry. *Materials Research Society Symposia*Proceedings, **2003**, 802, 146
- Changing Np Redox Speciation in the Synchrotron Beam. *Materials Research Society Symposia Proceedings*, **2003**, 802, 140