
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6051383/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	HIV self-testing for men who have sex with men: an implementation trial in Indonesia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2022, 34, 527-534.	1.2	5
2	The impact of removing financial incentives and/or audit and feedback on chlamydia testing in general practice: A cluster randomised controlled trial (ACCEPt-able). PLoS Medicine, 2022, 19, e1003858.	8.4	7
3	Towards the elimination of cervical cancer in low-income and lower-middle-income countries: modelled evaluation of the effectiveness and cost-effectiveness of point-of-care HPV self-collected screening and treatment in Papua New Guinea. BMJ Global Health, 2022, 7, e007380.	4.7	13
4	The response to COVID-19 among drug retail outlets in Indonesia: A cross-sectional survey of knowledge, attitudes, and practices. The Lancet Regional Health - Western Pacific, 2022, 22, 100420.	2.9	1
5	Surveillance systems for monitoring cervical cancer elimination efforts: Focus on HPV infection, cervical dysplasia, cervical screening and treatment. Preventive Medicine, 2021, 144, 106293.	3.4	10
6	High prevalence of pulmonary tuberculosis among female sex workers, men who have sex with men, and transgender women in Papua New Guinea. Tropical Medicine and Health, 2021, 49, 4.	2.8	8
7	Individual Efficacy and Community Impact of Ivermectin, Diethylcarbamazine, and Albendazole Mass Drug Administration for Lymphatic Filariasis Control in Fiji: A Cluster Randomized Trial. Clinical Infectious Diseases, 2021, 73, 994-1002.	5.8	5
8	Prevalence of scabies and impetigo in school-age children in Timor-Leste. Parasites and Vectors, 2021, 14, 156.	2.5	8
9	Human papillomavirus prevalence and risk factors among Australian women 9–12Âyears after vaccine program introduction. Vaccine, 2021, 39, 4856-4863.	3.8	6
10	Prevalence and determinants of inappropriate antibiotic dispensing at private drug retail outlets in urban and rural areas of Indonesia: a mixed methods study. BMJ Global Health, 2021, 6, e004993.	4.7	12
11	The longer-term effects of access to HIV self-tests on HIV testing frequency in high-risk gay and bisexual men: follow-up data from a randomised controlled trial. The Lancet Regional Health - Western Pacific, 2021, 14, 100214.	2.9	7
12	Effect of a School-Based Educational Intervention About the Human Papillomavirus Vaccine on Psychosocial Outcomes Among Adolescents. JAMA Network Open, 2021, 4, e2129057.	5.9	12
13	Community control strategies for scabies: A cluster randomised noninferiority trial. PLoS Medicine, 2021, 18, e1003849.	8.4	7
14	Prevalence of Scabies and Impetigo 3 Years After Mass Drug Administration With Ivermectin and Azithromycin. Clinical Infectious Diseases, 2020, 70, 1591-1595.	5.8	29
15	Population-level diagnosis and care cascade for chlamydia in Australia. Sexually Transmitted Infections, 2020, 96, 131-136.	1.9	12
16	Monitoring human papillomavirus prevalence among young Australian women undergoing routine chlamydia screening. Vaccine, 2020, 38, 1186-1193.	3.8	8
17	Evaluation of Commercially Available Viral Transport Medium (VTM) for SARS-CoV-2 Inactivation and Use in Point-of-Care (POC) Testing. Viruses, 2020, 12, 1208.	3.3	33
18	Young Aboriginal people's sexual health risk reduction strategies: a qualitative study in remote Australia. Sexual Health, 2020, 17, 303.	0.9	9

#	Article	IF	CITATIONS
19	Protocol for a cluster-randomised non-inferiority trial of one versus two doses of ivermectin for the control of scabies using a mass drug administration strategy (the RISE study). BMJ Open, 2020, 10, e037305.	1.9	11
20	Confidential, accessible point-of-care sexual health services to support the participation of key populations in biobehavioural surveys: Lessons for Papua New Guinea and other settings where reach of key populations is limited. PLoS ONE, 2020, 15, e0233026.	2.5	8
21	The safety of combined triple drug therapy with ivermectin, diethylcarbamazine and albendazole in the neglected tropical diseases co-endemic setting of Fiji: AÂcluster randomised trial. PLoS Neglected Tropical Diseases, 2020, 14, e0008106.	3.0	17
22	Community perspectives on scabies, impetigo and mass drug administration in Fiji: A qualitative study. PLoS Neglected Tropical Diseases, 2020, 14, e0008825.	3.0	12
23	Randomized Trial of Community Treatment With Azithromycin and Ivermectin Mass Drug Administration for Control of Scabies and Impetigo. Clinical Infectious Diseases, 2019, 68, 927-933.	5.8	58
24	Understanding the Social Influences on Engaging Key Populations With HIV Prevention: A Qualitative Study With Men Who Have Sex With Men in Three Indonesian Cities. AIDS Education and Prevention, 2019, 31, 206-223.	1.1	11
25	Incomplete recording of Indigenous identification status under-estimates the prevalence of Indigenous population attending Australian general practices: a cross sectional study. BMC Health Services Research, 2019, 19, 567.	2.2	4
26	Prevalence of human papillomavirus in teenage heterosexual males following the implementation of female and male school-based vaccination in Australia: 2014–2017. Vaccine, 2019, 37, 6907-6914.	3.8	18
27	HPV vaccination in Papua New Guinea to prevent cervical cancer in women: Gender, sexual morality, outsiders and the de-feminization of the HPV vaccine. Papillomavirus Research (Amsterdam,) Tj ETQq1 1 0.7843	144gBT/C	ove <b>r</b> lock 10 Tf
28	Mass Drug Administration for Scabies — 2 Years of Follow-up. New England Journal of Medicine, 2019, 381, 186-187.	27.0	37
29	The public health control of scabies: priorities for research and action. Lancet, The, 2019, 394, 81-92.	13.7	105
30	Azithromycin to Reduce Childhood Mortality. Clinical Infectious Diseases, 2019, 70, 581-582.	5.8	0
31	Efficacy of mass drug administration with ivermectin for control of scabies and impetigo, with coadministration of azithromycin: a single-arm community intervention trial. Lancet Infectious Diseases, The, 2019, 19, 510-518.	9.1	74
32	Kuantim mi tu ("Count me tooâ€): Using Multiple Methods to Estimate the Number of Female Sex Workers, Men Who Have Sex With Men, and Transgender Women in Papua New Guinea in 2016 and 2017. JMIR Public Health and Surveillance, 2019, 5, e11285.	2.6	14
33	Very Low Prevalence of Vaccine Human Papillomavirus Types Among 18- to 35-Year Old Australian Women 9 Years Following Implementation of Vaccination. Journal of Infectious Diseases, 2018, 217, 1590-1600.	4.0	110
34	High condom use but low HIV testing uptake reported by men who purchase sex in Bali, Indonesia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1215-1222.	1.2	11
35	Performance of clinical screening algorithms comprising point-of-care HPV-DNA testing using self-collected vaginal specimens, and visual inspection of the cervix with acetic acid, for the detection of underlying high-grade squamous intraepithelial lesions in Papua New Guinea. Papillomavirus Research (Amsterdam, Netherlands), 2018, 6, 70-76.	4.5	32
36	Youth-centred research to help prevent and mitigate the adverse health and social impacts of pregnancy amongst young Papua New Guineans. Reproductive Health Matters, 2018, 26, 5-12.	1.2	13

#	Article	IF	CITATIONS
37	Population effectiveness of opportunistic chlamydia testing in primary care in Australia: a cluster-randomised controlled trial. Lancet, The, 2018, 392, 1413-1422.	13.7	63
38	Enhanced surveillance during a public health emergency in a resource-limited setting: Experience from a large dengue outbreak in Solomon Islands, 2016-17. PLoS ONE, 2018, 13, e0198487.	2.5	20
39	The cascade of HIV care among key populations in Indonesia: a prospective cohort study. Lancet HIV,the, 2018, 5, e560-e568.	4.7	63
40	Decline in prevalence of human papillomavirus infection following vaccination among Australian Indigenous women, a population at higher risk of cervical cancer: The VIP-I study. Vaccine, 2018, 36, 4311-4316.	3.8	40
41	Assessing the Impacts of Integrated Decision Support Software on Sexual Orientation Recording, Comprehensive Sexual Health Testing, and Detection of Infections Among Gay and Bisexual Men Attending General Practice: Observational Study. JMIR Medical Informatics, 2018, 6, e10808.	2.6	2
42	Human papillomavirus prevalence in unvaccinated heterosexual males following a national female vaccination program. Journal of Infectious Diseases, 2017, 215, jiw530.	4.0	28
43	Wide variation in sexually transmitted infection testing and counselling at Aboriginal primary health care centres in Australia: analysis of longitudinal continuous quality improvement data. BMC Infectious Diseases, 2017, 17, 148.	2.9	17
44	Effect of availability of HIV self-testing on HIV testing frequency in gay and bisexual men at high risk of infection (FORTH): a waiting-list randomised controlled trial. Lancet HIV,the, 2017, 4, e241-e250.	4.7	120
45	HIV testing self-efficacy is associated with higher HIV testing frequency and perceived likelihood to self-test among gay and bisexual men. Sexual Health, 2017, 14, 170.	0.9	15
46	Costâ€effectiveness of screening for anal cancer using regular digital anoâ€rectal examinations in men who have sex with men living with HIV. Journal of the International AIDS Society, 2016, 19, 20514.	3.0	30
47	Evaluation of Chlamydia Partner Notification Practices and Use of the "Let Them Know―Website by Family Planning Clinicians in Australia: a Cross-Sectional Study. Journal of Medical Internet Research, 2016, 18, e173.	4.3	8
48	Attendance patterns and chlamydia and gonorrhoea testing among young people in Aboriginal primary health centres in New South Wales, Australia. Sexual Health, 2015, 12, 445.	0.9	8
49	Can preventive care activities in general practice be sustained when financial incentives and external audit plus feedback are removed? ACCEPt-able: a cluster randomised controlled trial protocol. Implementation Science, 2015, 11, 122.	6.9	4
50	Rationale and design of FORTH: a randomised controlled trial assessing the effectiveness of HIV self-testing in increasing HIV testing frequency among gay and bisexual men. BMC Infectious Diseases, 2015, 15, 561.	2.9	9
51	A sexual health quality improvement program (SHIMMER) triples chlamydia and gonorrhoea testing rates among young people attending Aboriginal primary health care services in Australia. BMC Infectious Diseases, 2015, 15, 370.	2.9	16
52	HPV.edu study protocol: a cluster randomised controlled evaluation of education, decisional support and logistical strategies in school-based human papillomavirus (HPV) vaccination of adolescents. BMC Public Health, 2015, 15, 896.	2.9	17
53	Incidence and predictors of annual chlamydia testing among 15–29 year olds attending Aboriginal primary health care services in New South Wales, Australia. BMC Health Services Research, 2015, 15, 437.	2.2	1
54	Mass Drug Administration for Scabies Control in a Population with Endemic Disease. New England Journal of Medicine, 2015, 373, 2305-2313.	27.0	211

#	Article	IF	CITATIONS
55	Recording the sexual orientation of male patients attending general practice. Family Practice, 2015, 32, 35-40.	1.9	12
56	Incidence of curable sexually transmissible infections among adolescents and young adults in remote Australian Aboriginal communities: analysis of longitudinal clinical service data. Sexually Transmitted Infections, 2015, 91, 135-141.	1.9	35
57	Scabies and Impetigo Prevalence and Risk Factors in Fiji: A National Survey. PLoS Neglected Tropical Diseases, 2015, 9, e0003452.	3.0	103
58	Do Australian general practitioners believe practice nurses can take a role in chlamydia testing? A qualitative study of attitudes and opinions. BMC Infectious Diseases, 2015, 15, 31.	2.9	9
59	Chlamydia prevalence in young attenders of rural and regional primary care services in Australia: a crossâ€sectional survey. Medical Journal of Australia, 2014, 200, 170-175.	1.7	31
60	Building social currency with foreskin cuts: a coping mechanism of Papua New Guinea health workers and the implications for new programmes. Health Policy and Planning, 2014, 29, 902-911.	2.7	2
61	Genital warts and chlamydia in Australian women: comparison of national population-based surveys in 2001 and 2011. Sexually Transmitted Infections, 2014, 90, 532-537.	1.9	9
62	Assessment of herd immunity and cross-protection after a human papillomavirus vaccination programme in Australia: a repeat cross-sectional study. Lancet Infectious Diseases, The, 2014, 14, 958-966.	9.1	243
63	Chlamydia among Australian Aboriginal and/or Torres Strait Islander people attending sexual health services, general practices and Aboriginal community controlled health services. BMC Health Services Research, 2014, 14, 285.	2.2	14
64	Human papillomavirus (HPV) vaccination coverage in young Australian women is higher than previously estimated: Independent estimates from a nationally representative mobile phone survey. Vaccine, 2014, 32, 592-597.	3.8	58
65	STI in remote communities: improved and enhanced primary health care (STRIVE) study protocol: a cluster randomised controlled trial comparing â€~usual practice' STI care to enhanced care in remote primary health care services in Australia. BMC Infectious Diseases, 2013, 13, 425.	2.9	26
66	The chlamydia knowledge, awareness and testing practices of Australian general practitioners and practice nurses: survey findings from the Australian Chlamydia Control Effectiveness Pilot (ACCEPt). BMC Family Practice, 2013, 14, 169.	2.9	14
67	The potential impact of new generation molecular point-of-care tests on gonorrhoea and chlamydia in a setting of high endemic prevalence. Sexual Health, 2013, 10, 348.	0.9	34
68	Fall in Human Papillomavirus Prevalence Following a National Vaccination Program. Journal of Infectious Diseases, 2012, 206, 1645-1651.	4.0	218
69	Authors' reply to: Sun exposure may increase risk of prostate cancer in the high UV environment of New South Wales, Australia: A case-control study. International Journal of Cancer, 2012, 131, 2206-2207.	5.1	0
70	Chlamydia trachomatis Incidence and Re-Infection among Young Women – Behavioural and Microbiological Characteristics. PLoS ONE, 2012, 7, e37778.	2.5	102
71	Mobile phones are a viable option for surveying young Australian women: a comparison of two telephone survey methods. BMC Medical Research Methodology, 2011, 11, 159.	3.1	22
72	Efficacy of interventions to increase the uptake of chlamydia screening in primary care: a systematic review. BMC Infectious Diseases, 2011, 11, 211.	2.9	50

#	Article	IF	CITATIONS
73	Achieving control of cervical cancer in Papua New Guinea: what are the research and program priorities?. Papua and New Guinea Medical Journal, 2011, 54, 83-90.	1.0	3
74	The Prevalence of Sexually Transmitted Infections in Papua New Guinea: A Systematic Review and Meta-Analysis. PLoS ONE, 2010, 5, e15586.	2.5	65
75	A new national Chlamydia Sentinel Surveillance System in Australia: evaluation of the first stage of implementation. Communicable Diseases Intelligence Quarterly Report, 2010, 34, 319-28.	0.5	24
76	Reemergence of the HIV Epidemic Among Men Who Have Sex With Men in North America, Western Europe, and Australia, 1996–2005. Annals of Epidemiology, 2009, 19, 423-431.	1.9	304
77	A New, Clinically-Based Algorithm for the Diagnosis of HIV in African Tuberculosis Patients: Cross-Sectional Analysis from Mzuzu, Malawi. International Journal of STD and AIDS, 1999, 10, 231-236.	1.1	6
78	Antenatal HIV antibody testing in Australia. Medical Journal of Australia, 1995, 163, 183-185.	1.7	13
79	Reporting of occupational exposures to bloodâ€borne pathogens in Australian teaching hospitals. Medical Journal of Australia, 1995, 163, 121-123.	1.7	7
80	Nonâ€melanoma skin cancer: Ten years of cancerâ€registryâ€based surveillance. International Journal of Cancer, 1993, 53, 886-891.	5.1	80
81	HIV risk factors and seroprevalence in surgical patients. Medical Journal of Australia, 1993, 158, 21-23.	1.7	6