

Tanja N Williamson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6051567/publications.pdf>

Version: 2024-02-01

19
papers

262
citations

1039880

9
h-index

996849

15
g-index

25
all docs

25
docs citations

25
times ranked

324
citing authors

#	ARTICLE	IF	CITATIONS
1	Phosphorus sources, forms, and abundance as a function of streamflow and field conditions in a Maumee River tributary, 2016–2019. <i>Journal of Environmental Quality</i> , 2023, 52, 492-507.	1.0	5
2	The Robinson Forest environmental monitoring network: Long-term evaluation of streamflow and precipitation quantity and streamwater and bulk deposition chemistry in eastern Kentucky watersheds. <i>Hydrological Processes</i> , 2021, 35, e14133.	1.1	3
3	Nutrient and suspended-sediment concentrations in the Maumee River and tributaries during 2019 rain-induced fallow conditions. <i>Journal of Great Lakes Research</i> , 2021, 47, 1726-1736.	0.8	7
4	Hydrologic modeling to examine the influence of the forestry reclamation approach and climate change on inland hydrology. <i>Science of the Total Environment</i> , 2020, 743, 140605.	3.9	7
5	Monthly suspended-sediment apportionment for a western Lake Erie agricultural tributary. <i>Journal of Great Lakes Research</i> , 2020, 46, 1307-1320.	0.8	12
6	Overall results and key findings on the use of UAV visible-color, multispectral, and thermal infrared imagery to map agricultural drainage pipes. <i>Agricultural Water Management</i> , 2020, 232, 106036.	2.4	37
7	Reduced Soil Macropores and Forest Cover Reduce Warm-Season Baseflow below Ecological Thresholds in the Upper Delaware River Basin. <i>Journal of the American Water Resources Association</i> , 2019, 55, 1268-1287.	1.0	4
8	Sensitivity of streamflow simulation in the Delaware River Basin to forecasted land-cover change for 2030 and 2060. <i>Hydrological Processes</i> , 2019, 33, 115-129.	1.1	6
9	Water Quality and Natural Resources in the Green River Basin. , 2017, , .		0
10	Sensitivity of the projected hydroclimatic environment of the Delaware River basin to formulation of potential evapotranspiration. <i>Climatic Change</i> , 2016, 139, 215-228.	1.7	12
11	Classification of Ephemeral, Intermittent, and Perennial Stream Reaches Using a TOPMODEL-Based Approach. <i>Journal of the American Water Resources Association</i> , 2015, 51, 1739-1759.	1.0	24
12	Stream Sediment Sources in Midwest Agricultural Basins with Land Retirement along Channel. <i>Journal of Environmental Quality</i> , 2014, 43, 1624-1634.	1.0	17
13	Simulating Soil-Water Movement through Loess-Veneered Landscapes Using Nonconsilient Saturated Hydraulic Conductivity Measurements. <i>Soil Science Society of America Journal</i> , 2014, 78, 1320-1331.	1.2	5
14	Significance of Exchanging SSURGO and STATSGO Data When Modeling Hydrology in Diverse Physiographic Terranes. <i>Soil Science Society of America Journal</i> , 2013, 77, 877-889.	1.2	13
15	Estimation of Suspended-Sediment Concentration From Total Suspended Solids and Turbidity Data for Kentucky, 1978-19951. <i>Journal of the American Water Resources Association</i> , 2011, 47, 739-749.	1.0	28
16	Pedogenesis–Terrain Links in Zero-Order Watersheds after Chaparral to Grass Vegetation Conversion. <i>Soil Science Society of America Journal</i> , 2006, 70, 2065-2074.	1.2	3
17	Regolith Water in Zero-Order Chaparral and Perennial Grass Watersheds Four Decades after Vegetation Conversion. <i>Vadose Zone Journal</i> , 2004, 3, 1007-1016.	1.3	20
18	Effects of a chaparral-to-grass conversion on soil physical and hydrologic properties after four decades. <i>Geoderma</i> , 2004, 123, 99-114.	2.3	26

#	ARTICLE	IF	CITATIONS
19	Identification of Stolen Rare Palm Trees by Soil Morphological and Mineralogical Properties. Journal of Forensic Sciences, 2002, 47, 190-194.	0.9	6