

JosÃ© MarÃ­a Navas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6053977/publications.pdf>

Version: 2024-02-01

98
papers

3,692
citations

117453
34
h-index

138251
58
g-index

104
all docs

104
docs citations

104
times ranked

5447
citing authors

#	ARTICLE	IF	CITATIONS
1	Internalization and cytotoxicity of graphene oxide and carboxyl graphene nanoplatelets in the human hepatocellular carcinoma cell line Hep G2. <i>Particle and Fibre Toxicology</i> , 2013, 10, 27.	2.8	342
2	Effects of broodstock dietary lipid on fatty acid compositions of eggs from sea bass (<i>Dicentrarchus labrax</i>). <i>Journal of the World Aquaculture Society</i> , 2010, 41, 167-174.	1.7	167
3	A European perspective on alternatives to animal testing for environmental hazard identification and risk assessment. <i>Regulatory Toxicology and Pharmacology</i> , 2013, 67, 506-530.	1.3	139
4	Antiestrogenicity of 1 ^β -naphthoflavone and PAHs in cultured rainbow trout hepatocytes: evidence for a role of the arylhydrocarbon receptor. <i>Aquatic Toxicology</i> , 2000, 51, 79-92.	1.9	133
5	Estrogen-mediated suppression of cytochrome P4501A (CYP1A) expression in rainbow trout hepatocytes: role of estrogen receptor. <i>Chemico-Biological Interactions</i> , 2001, 138, 285-298.	1.7	120
6	Potencies of estrogenic compounds in in vitro screening assays and in life cycle tests with zebrafish in vivo. <i>Ecotoxicology and Environmental Safety</i> , 2003, 54, 315-322.	2.9	119
7	The impact of seasonal alteration in the lipid composition of broodstock diets on egg quality in the European sea bass. <i>Journal of Fish Biology</i> , 1997, 51, 760-773.	0.7	117
8	Regulatory ecotoxicity testing of nanomaterials – proposed modifications of OECD test guidelines based on laboratory experience with silver and titanium dioxide nanoparticles. <i>Nanotoxicology</i> , 2016, 10, 1442-1447.	1.6	103
9	Tissue distribution of zinc and subtle oxidative stress effects after dietary administration of ZnO nanoparticles to rainbow trout. <i>Science of the Total Environment</i> , 2016, 551-552, 334-343.	3.9	93
10	Species-specific toxicity of copper nanoparticles among mammalian and piscine cell lines. <i>Nanotoxicology</i> , 2014, 8, 383-393.	1.6	91
11	Do gonadotrophin-releasing hormone neurons express estrogen receptors in the rainbow trout? A double immunohistochemical study. <i>Journal of Comparative Neurology</i> , 1995, 363, 461-474.	0.9	86
12	Estrogen Receptors Are Expressed in a Subset of Tyrosine Hydroxylase-Positive Neurons of the Anterior Preoptic Region in the Rainbow Trout. <i>Neuroendocrinology</i> , 1996, 63, 156-165.	1.2	86
13	Vitellogenin synthesis in primary cultures of fish liver cells as endpoint for in vitro screening of the (anti)estrogenic activity of chemical substances. <i>Aquatic Toxicology</i> , 2006, 80, 1-22.	1.9	84
14	Toward sustainable environmental quality: Identifying priority research questions for Latin America. <i>Integrated Environmental Assessment and Management</i> , 2018, 14, 344-357.	1.6	79
15	Toxic effects of an oil spill on fish early life stages may not be exclusively associated to PAHs: Studies with Prestige oil and medaka (<i>Oryzias latipes</i>). <i>Aquatic Toxicology</i> , 2008, 87, 280-288.	1.9	73
16	Oxidative stress effects of titanium dioxide nanoparticle aggregates in zebrafish embryos. <i>Science of the Total Environment</i> , 2014, 470-471, 379-389.	3.9	68
17	Towards FAIR nanosafety data. <i>Nature Nanotechnology</i> , 2021, 16, 644-654.	15.6	61
18	Effect of dietary lipid composition on vitellogenin, 17 β -estradiol and gonadotropin plasma levels and spawning performance in captive sea bass (<i>Dicentrarchus labrax</i> L.). <i>Aquaculture</i> , 1998, 165, 65-79.	1.7	59

#	ARTICLE	IF	CITATIONS
19	Effects of nanoparticles of TiO ₂ on food depletion and life-history responses of <i>Daphnia magna</i> . <i>Aquatic Toxicology</i> , 2013, 130-131, 174-183.	1.9	57
20	Comparative Cytotoxicity Study of Silver Nanoparticles (AgNPs) in a Variety of Rainbow Trout Cell Lines (RTL-W1, RTH-149, RTG-2) and Primary Hepatocytes. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 5386-5405.	1.2	57
21	Antiestrogenic activity of anthropogenic and natural chemicals. <i>Environmental Science and Pollution Research</i> , 1998, 5, 75-82.	2.7	56
22	Comparative cytotoxicity induced by bulk and nanoparticulated ZnO in the fish and human hepatoma cell lines PLHC-1 and Hep G2. <i>Nanotoxicology</i> , 2013, 7, 935-952.	1.6	53
23	Graphene nanoplatelets spontaneously translocate into the cytosol and physically interact with cellular organelles in the fish cell line PLHC-1. <i>Aquatic Toxicology</i> , 2014, 150, 55-65.	1.9	52
24	The potentiation effect makes the difference: Non-toxic concentrations of ZnO nanoparticles enhance Cu nanoparticle toxicity in vitro. <i>Science of the Total Environment</i> , 2015, 505, 253-260.	3.9	52
25	Effects of aflatoxin B ₁ , fumonisin B ₁ and their mixture on the aryl hydrocarbon receptor and cytochrome P450 1A induction. <i>Food and Chemical Toxicology</i> , 2015, 75, 104-111.	1.8	51
26	Analysis of synthetic endocrine-disrupting chemicals in food: A review. <i>Talanta</i> , 2012, 100, 90-106.	2.9	50
27	Identification of water soluble and particle bound compounds causing sublethal toxic effects. A field study on sediments affected by a chlor-alkali industry. <i>Aquatic Toxicology</i> , 2009, 94, 16-27.	1.9	49
28	Modulation of trout 7-ethoxyresorufin-O-deethylase (EROD) activity by estradiol and octylphenol. <i>Marine Environmental Research</i> , 2000, 50, 157-162.	1.1	48
29	Quality evaluation of human and environmental toxicity studies performed with nanomaterials â€” the GUIDEnano approach. <i>Environmental Science: Nano</i> , 2018, 5, 381-397.	2.2	48
30	Determining the presence of chemicals with suspected endocrine activity in drinking water from the Madrid region (Spain) and assessment of their estrogenic, androgenic and thyroidal activities. <i>Chemosphere</i> , 2018, 201, 388-398.	4.2	44
31	Nanomaterial grouping: Existing approaches and future recommendations. <i>NanoImpact</i> , 2019, 16, 100182.	2.4	42
32	17 β -Naphthoflavone alters normal plasma levels of vitellogenin, 17 β -estradiol and luteinizing hormone in sea bass broodstock. <i>Aquatic Toxicology</i> , 2004, 67, 337-345.	1.9	41
33	Usefulness of fish cell lines for the initial characterization of toxicity and cellular fate of graphene-related materials (carbon nanofibers and graphene oxide). <i>Chemosphere</i> , 2019, 218, 347-358.	4.2	38
34	Environmental Impacts by Fragments Released from Nanoenabled Products: A Multiassay, Multimaterial Exploration by the SUN Approach. <i>Environmental Science & Technology</i> , 2018, 52, 1514-1524.	4.6	36
35	Cytochrome P4501A induction caused by the imidazole derivative Prochloraz in a rainbow trout cell line. <i>Toxicology in Vitro</i> , 2005, 19, 899-902.	1.1	35
36	Effects of cerium oxide nanoparticles to fish and mammalian cell lines: An assessment of cytotoxicity and methodology. <i>Toxicology in Vitro</i> , 2012, 26, 888-896.	1.1	33

#	ARTICLE	IF	CITATIONS
37	Induction of cytochrome P4501A (CYP1A) by clotrimazole, a non-planar aromatic compound. Computational studies on structural features of clotrimazole and related imidazole derivatives. Life Sciences, 2004, 76, 699-714.	2.0	32
38	Thyroid signaling in immune organs and cells of the teleost fish rainbow trout (<i>Oncorhynchus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	1.6	32
39	The Prestige oil spill: A laboratory study about the toxicity of the water-soluble fraction of the fuel oil. Marine Environmental Research, 2006, 62, S352-S355.	1.1	31
40	Negligible cytotoxicity induced by different titanium dioxide nanoparticles in fish cell lines. Ecotoxicology and Environmental Safety, 2017, 138, 309-319.	2.9	30
41	Endocrine disruption caused by oral administration of atrazine in European quail (<i>Coturnix coturnix</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 159-165.	1.3	28
42	Potentiating effect of graphene nanomaterials on aromatic environmental pollutant-induced cytochrome P450 1A expression in the topminnow fish hepatoma cell line PLHC-1. Environmental Toxicology, 2015, 30, 1192-1204.	2.1	24
43	Ecotoxicological assessment of soils polluted with chemical waste from lindane production: Use of bacterial communities and earthworms as bioremediation tools. Ecotoxicology and Environmental Safety, 2017, 145, 539-548.	2.9	24
44	Use of a novel battery of bioassays for the biological characterisation of hazardous wastes. Ecotoxicology and Environmental Safety, 2009, 72, 1594-1600.	2.9	23
45	Proposal for a tiered dietary bioaccumulation testing strategy for engineered nanomaterials using fish. Environmental Science: Nano, 2018, 5, 2030-2046.	2.2	23
46	Differences in the induction of <i>cyp1A</i> and related genes in cultured rainbow trout <i>Oncorhynchus mykiss</i> . Additional considerations for the use of EROD activity as a biomarker. Journal of Fish Biology, 2012, 81, 270-287.	0.7	22
47	Transcriptomic response of zebrafish embryos to polyaminoamine (PAMAM) dendrimers. Nanotoxicology, 2014, 8, 92-99.	1.6	22
48	Safe(r) by design implementation in the nanotechnology industry. NanolImpact, 2020, 20, 100267.	2.4	22
49	Studies on aromatic compounds: inhibition of calpain I by biphenyl derivatives and peptide-biphenyl hybrids. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 2753-2757.	1.0	21
50	Fish cell lines as a tool for the ecotoxicity assessment and ranking of engineered nanomaterials. Regulatory Toxicology and Pharmacology, 2017, 90, 297-307.	1.3	21
51	Nanomaterials to microplastics: Swings and roundabouts. Nano Today, 2017, 17, 7-10.	6.2	21
52	Induction of CYP1A by the <i>N</i> -imidazole derivative, ϵ -benzylimidazole. Environmental Toxicology and Chemistry, 2003, 22, 830-836.	2.2	20
53	Modulation of aryl hydrocarbon receptor transactivation by carbaryl, a nonconventional ligand. FEBS Journal, 2007, 274, 3327-3339.	2.2	20
54	Use of fish farms to assess river contamination: Combining biomarker responses, active biomonitoring, and chemical analysis. Aquatic Toxicology, 2013, 140-141, 439-448.	1.9	20

#	ARTICLE	IF	CITATIONS
55	Cytotoxicity against fish and mammalian cell lines and endocrine activity of the mycotoxins beauvericin, deoxynivalenol and ochratoxin-A. <i>Food and Chemical Toxicology</i> , 2019, 127, 288-297.	1.8	20
56	Decabromobiphenyl (PBB-209) Activates the Aryl Hydrocarbon Receptor While Decachlorobiphenyl (PCB-209) Is Inactive: Experimental Evidence and Computational Rationalization of the Different Behavior of Some Halogenated Biphenyls. <i>Chemical Research in Toxicology</i> , 2008, 21, 643-658.	1.7	19
57	Assessment of estrogenic and thyrogenic activities in fish feeds. <i>Aquaculture</i> , 2012, 338-341, 172-180.	1.7	19
58	Cytological, immunocytochemical, ultrastructural and growth characterization of the rainbow trout liver cell line RTL-W1. <i>Tissue and Cell</i> , 2013, 45, 159-174.	1.0	18
59	Linear Alkylbenzene Sulfonates and Intermediate Products from their Degradation are not Estrogenic. <i>Marine Pollution Bulletin</i> , 1999, 38, 880-884.	2.3	17
60	ACTIVATION OF THE ARYL HYDROCARBON RECEPTOR BY CARBARYL: COMPUTATIONAL EVIDENCE OF THE ABILITY OF CARBARYL TO ASSUME A PLANAR CONFORMATION. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 3141.	2.2	16
61	Effects of a silver nanomaterial on cellular organelles and time course of oxidative stress in a fish cell line (PLHC-1). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2016, 190, 54-65.	1.3	16
62	Acute toxic effects caused by the co-exposure of nanoparticles of ZnO and Cu in rainbow trout. <i>Science of the Total Environment</i> , 2019, 687, 24-33.	3.9	15
63	Biological and chemical studies on aryl hydrocarbon receptor induction by the p53 inhibitor pifithrin- $\hat{1}$ and its condensation product pifithrin- $\hat{2}$. <i>Life Sciences</i> , 2011, 88, 774-783.	2.0	14
64	In vitro assessment of thyroidal and estrogenic activities in poultry and broiler manure. <i>Science of the Total Environment</i> , 2014, 472, 630-641.	3.9	14
65	Development of a new tool for the long term in vitro ecotoxicity testing of nanomaterials using a rainbow-trout cell line (RTL-W1). <i>Toxicology in Vitro</i> , 2018, 50, 305-317.	1.1	14
66	Total lipid in the broodstock diet did not affect fatty acid composition and quality of eggs of sea bass (<i>Dicentrarchus labrax</i> L.). <i>Scientia Marina</i> , 2001, 65, 11-19.	0.3	14
67	In vitro toxicity of reuterin, a potential food biopreservative. <i>Food and Chemical Toxicology</i> , 2016, 96, 155-159.	1.8	13
68	Thyroid active agents T3 and PTU differentially affect immune gene transcripts in the head kidney of rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Aquatic Toxicology</i> , 2016, 174, 159-168.	1.9	13
69	In vitro dose-response effects of poly(amidoamine) dendrimers [amino-terminated and surface-modified with N-(2-hydroxydodecyl) groups] and quantitative determination by a liquid chromatography-hybrid quadrupole/time-of-flight mass spectrometry based method. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2749-2763.	1.9	12
70	Dissolution and aggregation of Cu nanoparticles in culture media: effects of incubation temperature and particles size. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	12
71	Mechanisms underlying the enhancement of toxicity caused by the coincubation of zinc oxide and copper nanoparticles in a fish hepatoma cell line. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 2562-2570.	2.2	11
72	The impact of seasonal alteration in the lipid composition of broodstock diets on egg quality in the European sea bass. , 1997, 51, 760.		11

#	ARTICLE	IF	CITATIONS
73	INDUCTION OF CYP1A BY THE N-IMIDAZOLE DERIVATIVE, 1-BENZYLIMIDAZOLE. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 830.	2.2	11
74	Investigating the Impact of Manufacturing Processes on the Ecotoxicity of Carbon Nanofibers: A Multi-âAquatic Species Comparison. <i>Environmental Toxicology and Chemistry</i> , 2019, 38, 2314-2325.	2.2	9
75	Title is missing!. <i>Scientia Marina</i> , 1998, 62, .	0.3	9
76	Fish cell lines as screening tools to predict acute toxicity to fish of biocidal active substances and their relevant environmental metabolites. <i>Aquatic Toxicology</i> , 2022, 242, 106020.	1.9	9
77	Organochlorine compounds in liver and concentrations of vitellogenin and 17Î²-estradiol in plasma of sea bass fed with a commercial or with a natural diet. <i>Aquatic Toxicology</i> , 2005, 75, 306-15.	1.9	8
78	Detection of Effects Caused by Very Low Levels of Contaminants in Riverine Sediments Through a Combination of Chemical Analysis, In Vitro Bioassays, and Farmed Fish as Sentinel. <i>Archives of Environmental Contamination and Toxicology</i> , 2015, 68, 663-677.	2.1	7
79	Remediation efficiency of three treatments on water polluted with endocrine disruptors: Assessment by means of inÂvitro techniques. <i>Chemosphere</i> , 2017, 173, 267-274.	4.2	7
80	Cytotoxicity of three graphene-related materials in rainbow trout primary hepatocytes is not associated to cellular internalization. <i>Ecotoxicology and Environmental Safety</i> , 2022, 231, 113227.	2.9	7
81	Induction of EROD activity by 1-phenylimidazole and Î²-naphthoflavone in rainbow trout cultured hepatocytes: A comparative study. <i>Toxicology in Vitro</i> , 2007, 21, 1307-1310.	1.1	6
82	Induction of EROD and BFCOD activities in tissues of barbel (<i>Barbus callensis</i>) from a water reservoir in Algeria. <i>Ecotoxicology and Environmental Safety</i> , 2017, 142, 129-138.	2.9	6
83	Chlorotriazines Do Not Activate the Aryl Hydrocarbon Receptor, the Oestrogen Receptor or the Thyroid Receptor in In Vitro Assays. <i>ATLA Alternatives To Laboratory Animals</i> , 2014, 42, 25-30.	0.7	5
84	Recovery of redox homeostasis altered by CuNPs in H4IIE liver cells does not reduce the cytotoxic effects of these NPs: An investigation using aryl hydrocarbon receptor (AhR) dependent antioxidant activity. <i>Chemico-Biological Interactions</i> , 2015, 228, 57-68.	1.7	5
85	Liver biomarkers response of the neotropical fish <i>Aequidens metae</i> to environmental stressors associated with the oil industry. <i>Heliyon</i> , 2021, 7, e07458.	1.4	5
86	Non-destructive Multibiomarker Approach in European Quail (<i>Coturnix coturnix coturnix</i>) Exposed to the Herbicide Atrazine. <i>Archives of Environmental Contamination and Toxicology</i> , 2013, 65, 567-574.	2.1	4
87	Androgens and androgenic activity in broiler manure assessed by means of chemical analyses and in vitro bioassays. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 1746-1754.	2.2	4
88	<i>Populus alba</i> L., an Autochthonous Species of Spain: A Source for Cellulose Nanofibers by Chemical Pretreatment. <i>Polymers</i> , 2022, 14, 68.	2.0	4
89	<i>In-vitro</i> screening of the antiestrogenic activity of chemicals. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2008, 4, 605-617.	1.5	3
90	Peptide-biphenyl hybrid-capped AuNPs: stability and biocompatibility under cell culture conditions. <i>Nanoscale Research Letters</i> , 2013, 8, 315.	3.1	3

#	ARTICLE	IF	CITATIONS
91	Experimental and Theoretical Studies in the EU FP7 Marie Curie Initial Training Network Project, Environmental ChemOinformatics (ECO). ATLA Alternatives To Laboratory Animals, 2014, 42, 7-11.	0.7	3
92	Toxicity characterization of surface sediments from a Mediterranean coastal lagoon. Chemosphere, 2020, 253, 126710.	4.2	3
93	Evaluation of Xenoestrogenic Effects in Fish on Different Organization Levels. Advances in Experimental Medicine and Biology, 1998, 444, 207-214.	0.8	3
94	Luteinizing hormone plasma levels in male European sea bass (<i>Dicentrarchus labrax</i> L.) feeding diets with different fatty acid composition. Ciencias Marinas, 2004, 30, 527-536.	0.4	3
95	Exocrine pancreatic response to intraduodenal fatty acids and fats in rabbits. Comparative Biochemistry and Physiology A, Comparative Physiology, 1993, 105, 141-145.	0.7	2
96	Aryl hydrocarbon receptor induction by alpha- and ss-pifithrin. Toxicology Letters, 2010, 196, S258.	0.4	0
97	Induction of detoxification processes in <i>Oncorhynchus mykiss</i> by trace levels of contaminants. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2012, 163, S13.	0.8	0
98	Summary of the special issue. Science of the Total Environment, 2020, 706, 134934.	3.9	0