

Stig Wergeland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6054409/publications.pdf>

Version: 2024-02-01

27
papers

687
citations

623734

14
h-index

580821

25
g-index

28
all docs

28
docs citations

28
times ranked

1275
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Neurofilament light chain predicts disease activity in relapsing-remitting MS. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2018, 5, e422. | 6.0 | 107 |
| 2 | Dietary Vitamin D3 Supplements Reduce Demyelination in the Cuprizone Model. <i>PLoS ONE</i> , 2011, 6, e26262. | 2.5 | 74 |
| 3 | Antibodies to Epstein-Barr virus and MRI disease activity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1833-1840. | 3.0 | 57 |
| 4 | Body mass index influence interferon-beta treatment response in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 288, 92-97. | 2.3 | 56 |
| 5 | Deep Gray Matter Demyelination Detected by Magnetization Transfer Ratio in the Cuprizone Model. <i>PLoS ONE</i> , 2013, 8, e84162. | 2.5 | 48 |
| 6 | Humoral immunity to SARS-CoV-2 mRNA vaccination in multiple sclerosis: the relevance of time since last rituximab infusion and first experience from sporadic revaccinations. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2023, 94, 19-22. | 1.9 | 39 |
| 7 | The cuprizone model: regional heterogeneity of pathology. <i>Apmis</i> , 2012, 120, 648-657. | 2.0 | 36 |
| 8 | Magnetization transfer ratio does not correlate to myelin content in the brain in the MOG-EAE mouse model. <i>Neurochemistry International</i> , 2015, 83-84, 28-40. | 3.8 | 28 |
| 9 | Increasing serum levels of vitamin A, D and E are associated with alterations of different inflammation markers in patients with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2014, 271, 60-65. | 2.3 | 25 |
| 10 | Fingolimod does not enhance cerebellar remyelination in the cuprizone model. <i>Journal of Neuroimmunology</i> , 2015, 285, 180-186. | 2.3 | 22 |
| 11 | No association of tobacco use and disease activity in multiple sclerosis. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016, 3, e260. | 6.0 | 21 |
| 12 | Vitamin D status and effect of interferon- β 1a treatment on MRI activity and serum inflammation markers in relapsing-remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 280, 21-28. | 2.3 | 19 |
| 13 | Fingolimod downregulates brain sphingosine-1-phosphate receptor 1 levels but does not promote remyelination or neuroprotection in the cuprizone model. <i>Journal of Neuroimmunology</i> , 2020, 339, 577091. | 2.3 | 18 |
| 14 | Cuprizone and EAE mouse frontal cortex proteomics revealed proteins altered in multiple sclerosis. <i>Scientific Reports</i> , 2021, 11, 7174. | 3.3 | 17 |
| 15 | $\hat{\pm}$ -Linolenic acid is associated with MRI activity in a prospective cohort of multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2019, 25, 987-993. | 3.0 | 16 |
| 16 | Perinatal Depression and Anxiety in Women With Multiple Sclerosis. <i>Neurology</i> , 2021, 96, e2789-e2800. | 1.1 | 14 |
| 17 | 1,25-Dihydroxyvitamin-D3 induces brain proteomic changes in cuprizone mice during remyelination involving calcium proteins. <i>Neurochemistry International</i> , 2018, 112, 267-277. | 3.8 | 13 |
| 18 | Serum levels of leptin and adiponectin are not associated with disease activity or treatment response in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2018, 323, 73-77. | 2.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Low vitamin D, but not tobacco use or high BMI, is associated with long-term disability progression in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 50, 102801. | 2.0 | 13 |
| 20 | Effects of vitamin D on axonal damage during de- and remyelination in the cuprizone model. <i>Journal of Neuroimmunology</i> , 2018, 321, 61-65. | 2.3 | 12 |
| 21 | Safety and efficacy of rituximab as first- and second line treatment in multiple sclerosis – A cohort study. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732097304. | 1.0 | 10 |
| 22 | The Brain Proteome of the Ubiquitin Ligase Peli1 Knock-Out Mouse during Experimental Autoimmune Encephalomyelitis. <i>Journal of Proteomics and Bioinformatics</i> , 2016, 9, 209-219. | 0.4 | 9 |
| 23 | Treatment-resistant immune thrombocytopenic purpura associated with LDN use in a patient with MS. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2014, 1, e25. | 6.0 | 6 |
| 24 | Association of adverse childhood experiences with the development of multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 645-650. | 1.9 | 4 |
| 25 | A higher proportion of ermin-immunopositive oligodendrocytes in areas of remyelination. <i>PLoS ONE</i> , 2021, 16, e0256155. | 2.5 | 2 |
| 26 | Real-world discontinuation rate of teriflunomide and dimethyl fumarate in multiple sclerosis. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732110220. | 1.0 | 1 |
| 27 | Abuse and revictimization in adulthood in multiple sclerosis: a cross-sectional study during pregnancy. <i>Journal of Neurology</i> , 2022, 269, 5901-5909. | 3.6 | 1 |