

Tatsuo Suzutani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6054784/publications.pdf>

Version: 2024-02-01

59
papers

2,082
citations

318942

23
h-index

274796

44
g-index

59
all docs

59
docs citations

59
times ranked

2706
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Antiviral cytotoxic T lymphocyte responses for long term prognosis of corneal infection by cytomegalovirus in immunocompetent subjects. <i>Scientific Reports</i> , 2022, 12, 5419. | 1.6 | 1 |
| 2 | Protection of Fatty Liver by the Intake of Fermented Soybean Paste, Miso, and Its Pre-Fermented Mixture. <i>Foods</i> , 2021, 10, 291. | 1.9 | 2 |
| 3 | Characteristics of Helicase-Primase Inhibitor Amenamevir-Resistant Herpes Simplex Virus. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, e0049421. | 1.4 | 4 |
| 4 | Draft Genome Sequence of the <i>Lactococcus lactis</i> 11/19-B1 Strain, Isolated from Kiwifruit. <i>Microbiology Resource Announcements</i> , 2020, 9, . | 0.3 | 1 |
| 5 | Blueberry Prevents the Bladder Dysfunction in Bladder Outlet Obstruction Rats by Attenuating Oxidative Stress and Suppressing Bladder Remodeling. <i>Nutrients</i> , 2020, 12, 1285. | 1.7 | 5 |
| 6 | Effect of the <i>Lactococcus Lactis</i> 11/19-B1 Strain on Atopic Dermatitis in a Clinical Test and Mouse Model. <i>Nutrients</i> , 2020, 12, 763. | 1.7 | 15 |
| 7 | Effect of sucroferic oxyhydroxide on gastrointestinal microbiome and uremic toxins in patients with chronic kidney disease undergoing hemodialysis. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 725-733. | 0.7 | 12 |
| 8 | Identification of the Components in a <i>Vaccinium oldhamii</i> Extract Showing Inhibitory Activity against Influenza Virus Adsorption. <i>Foods</i> , 2019, 8, 172. | 1.9 | 8 |
| 9 | Evaluation of the indirect and IgM capture anti-human cytomegalovirus IgM ELISA methods as confirmed by cytomegalovirus IgG avidity. <i>Microbiology and Immunology</i> , 2019, 63, 172-178. | 0.7 | 5 |
| 10 | Detection of engraftment of donor-derived antibody producing cells in a lung transplant recipient by anti-cytomegalovirus IgG avidity test. <i>Transplant Immunology</i> , 2019, 53, 34-37. | 0.6 | 5 |
| 11 | Obesity and mental health improvement following nutritional education focusing on gut microbiota composition in Japanese women: a randomised controlled trial. <i>European Journal of Nutrition</i> , 2019, 58, 3291-3302. | 1.8 | 31 |
| 12 | Congenital cytomegalovirus in Japan: More than 2 year follow up of infected newborns. <i>Pediatrics International</i> , 2018, 60, 57-62. | 0.2 | 19 |
| 13 | Human Î²-defensin-2 as a biochemical indicator of vaginal environment in pregnant women. <i>Hypertension Research in Pregnancy</i> , 2018, 6, 68-72. | 0.1 | 2 |
| 14 | A Double-Blind Controlled Study to Evaluate the Effects of Yogurt Enriched with <i>Lactococcus lactis</i> 11/19-B1 and <i>Bifidobacterium lactis</i> on Serum Low-Density Lipoprotein Level and Antigen-Specific Interferon-Î³ Releasing Ability. <i>Nutrients</i> , 2018, 10, 1778. | 1.7 | 14 |
| 15 | Intake of <i>Bifidobacterium longum</i> and Fructooligosaccharides prevents Colorectal Carcinogenesis. <i>Euroasian Journal of Hepato-gastroenterology</i> , 2018, 8, 11-17. | 0.1 | 26 |
| 16 | Congenital cytomegalovirus infection via a re-infected mother with original antigenic sin: A case report. <i>International Journal of Infectious Diseases</i> , 2018, 77, 87-89. | 1.5 | 2 |
| 17 | Involvement of herpes simplex virus type 1 UL13 protein kinase in induction of SOCS genes, the negative regulators of cytokine signaling. <i>Microbiology and Immunology</i> , 2017, 61, 159-167. | 0.7 | 19 |
| 18 | Limbic Encephalitis Associated with Human Herpesvirus-7 (HHV-7) in an Immunocompetent Adult: The First Reported Case in Japan. <i>Internal Medicine</i> , 2017, 56, 1919-1923. | 0.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Modification of the HCMV-specific IFN- β release test (QuantiFERON-CMV) and a novel proposal for its application. Fukushima Journal of Medical Sciences, 2017, 63, 64-74. | 0.1 | 3 |
| 20 | Presence of cytomegalovirus in the perilymphatic fluid of patients with profound sensorineural hearing loss caused by congenital cytomegalovirus infection. Acta Oto-Laryngologica, 2016, 136, 132-135. | 0.3 | 8 |
| 21 | A case of chromoblastomycosis caused by <i>Fonsecaea pedrosoi</i> in a patient with rheumatoid arthritis. International Journal of Rheumatic Diseases, 2015, 18, 580-581. | 0.9 | 2 |
| 22 | Cytomegalovirus (CMV) glycoprotein H-based serological analysis in Japanese healthy pregnant women, and in neonates with congenital CMV infection and their mothers. Journal of Clinical Virology, 2013, 58, 474-478. | 1.6 | 17 |
| 23 | Herpes simplex virus type 1 virion-derived US11 inhibits type 1 interferon-induced protein kinase R phosphorylation. Microbiology and Immunology, 2013, 57, 426-436. | 0.7 | 8 |
| 24 | Relationship between polyphenol content and anti-influenza viral effects of berries. Journal of the Science of Food and Agriculture, 2013, 93, 2239-2241. | 1.7 | 30 |
| 25 | ANTI-INFLUENZA VIRUS ACTIVITY OF TWO EXTRACTS OF THE BLACKCURRANT (RIBES NIGRUM L.) FROM NEW ZEALAND AND POLAND. Fukushima Journal of Medical Sciences, 2013, 59, 35-38. | 0.1 | 15 |
| 26 | Characterization of DNA Polymerase-Associated Acyclovir-Resistant Herpes Simplex Virus Type 1: Mutations, Sensitivity to Antiviral Compounds, Neurovirulence, and In-Vivo Sensitivity to Treatment. Japanese Journal of Infectious Diseases, 2013, 66, 404-410. | 0.5 | 15 |
| 27 | A Novel Real-Time PCR Method for Determination and Quantification of Each Cytomegalovirus Glycoprotein H Subtype in Clinical Samples. Journal of Clinical Microbiology, 2012, 50, 499-501. | 1.8 | 9 |
| 28 | Anti-viral and anti-bacterial activities of an extract of blackcurrants (<i>Ribes nigrum</i> L.). Microbiology and Immunology, 2012, 56, 805-809. | 0.7 | 44 |
| 29 | REPLY FROM AUTHORS. Fukushima Journal of Medical Sciences, 2012, 58, 89-89. | 0.1 | 0 |
| 30 | Screening for congenital cytomegalovirus infection using newborn urine samples collected on filter paper: feasibility and outcomes from a multicentre study. BMJ Open, 2011, 1, e000118-e000118. | 0.8 | 105 |
| 31 | RSV replication is attenuated by counteracting expression of the suppressor of cytokine signaling (SOCS) molecules. Virology, 2009, 391, 162-170. | 1.1 | 41 |
| 32 | Strain-specific seroepidemiology and reinfection of cytomegalovirus. Microbes and Infection, 2008, 10, 1363-1369. | 1.0 | 16 |
| 33 | Identification of a highly conserved region in the human cytomegalovirus glycoprotein H gene and design of molecular diagnostic methods targeting the region. Journal of Virological Methods, 2008, 151, 55-60. | 1.0 | 13 |
| 34 | Genetic linkage among human cytomegalovirus glycoprotein N (gN) and gO genes, with evidence for recombination from congenitally and post-natally infected Japanese infants. Journal of General Virology, 2008, 89, 2275-2279. | 1.3 | 34 |
| 35 | Association of the Outcome of Renal Transplantation with Antibody Response to Cytomegalovirus Strain-Specific Glycoprotein H Epitopes. Clinical Infectious Diseases, 2007, 45, 60-67. | 2.9 | 66 |
| 36 | Tolerance of loop-mediated isothermal amplification to a culture medium and biological substances. Journal of Proteomics, 2007, 70, 499-501. | 2.4 | 564 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Induction of suppressor of cytokine signaling-3 by herpes simplex virus type 1 confers efficient viral replication. <i>Virology</i> , 2005, 338, 173-181. | 1.1 | 64 |
| 38 | Sensitive and Rapid Detection of Herpes Simplex Virus and Varicella-Zoster Virus DNA by Loop-Mediated Isothermal Amplification. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3290-3296. | 1.8 | 80 |
| 39 | Genotypic Characterization of the DNA Polymerase and Sensitivity to Antiviral Compounds of Foscarnet-Resistant Herpes Simplex Virus Type 1 (HSV-1) Derived from a Foscarnet-Sensitive HSV-1 Strain. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 606-611. | 1.4 | 35 |
| 40 | Induction of Suppressor of Cytokine Signaling-3 by Herpes Simplex Virus Type 1 Contributes to Inhibition of the Interferon Signaling Pathway. <i>Journal of Virology</i> , 2004, 78, 6282-6286. | 1.5 | 147 |
| 41 | Anti-influenza virus activity of crude extract of <i>Ribes nigrum</i> L.. <i>Phytotherapy Research</i> , 2003, 17, 120-122. | 2.8 | 54 |
| 42 | Anti-herpesvirus activity of an extract of <i>Ribes nigrum</i> L.. <i>Phytotherapy Research</i> , 2003, 17, 609-613. | 2.8 | 47 |
| 43 | Differential Mutation Patterns in Thymidine Kinase and DNA Polymerase Genes of Herpes Simplex Virus Type 1 Clones Passaged in the Presence of Acyclovir or Penciclovir. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1707-1713. | 1.4 | 44 |
| 44 | Genotypic and phenotypic characterization of the thymidine kinase of ACV-resistant HSV-1 derived from an acyclovir-sensitive herpes simplex virus type 1 strain1. <i>Antiviral Research</i> , 2002, 56, 253-262. | 1.9 | 36 |
| 45 | Bone marrow transplantation in a child with Wiskott-Aldrich syndrome latently infected with acyclovir-resistant (ACVr) herpes simplex virus type 1: Emergence of foscarnet-resistant virus originating from the ACVr virus. <i>Journal of Medical Virology</i> , 2002, 68, 99-104. | 2.5 | 33 |
| 46 | Direct and mononuclear cell mediated effects on interleukin 6 production by glioma cells in infection with herpes simplex virus type 1. <i>Journal of Medical Virology</i> , 2001, 63, 252-258. | 2.5 | 17 |
| 47 | Herpes Simplex Virus Type 1 Suppresses the Interferon Signaling Pathway by Inhibiting Phosphorylation of STATs and Janus Kinases during an Early Infection Stage. <i>Virology</i> , 2001, 286, 119-124. | 1.1 | 88 |
| 48 | Participation of Type I Interferon in the Decreased Virulence of the UL13 Gene-Deleted Mutant of Herpes Simplex Virus Type 1. <i>Journal of Interferon and Cytokine Research</i> , 2001, 21, 279-285. | 0.5 | 29 |
| 49 | Herpesvirus Alkaline Deoxyribonuclease; a Possible Candidate as a Novel Target for Anti-Herpesvirus Therapy. <i>Tohoku Journal of Experimental Medicine</i> , 2000, 192, 141-149. | 0.5 | 2 |
| 50 | The role of the UL41 gene of herpes simplex virus type 1 in evasion of non-specific host defence mechanisms during primary infection. <i>Microbiology (United Kingdom)</i> , 2000, 81, 1763-1771. | 0.7 | 85 |
| 51 | Rapid Phenotypic Characterization Method for Herpes Simplex Virus and Varicella-Zoster Virus Thymidine Kinases To Screen for Acyclovir-Resistant Viral Infection. <i>Journal of Clinical Microbiology</i> , 2000, 38, 1839-1844. | 1.8 | 33 |
| 52 | Nucleotide sequence of thymidine kinase gene of sequential acyclovir-resistant herpes simplex virus type 1 isolates recovered from a child with Wiskott-Aldrich syndrome: Evidence for reactivation of acyclovir-resistant herpes simplex virus. <i>Journal of Medical Virology</i> , 1999, 58, 387-393. | 2.5 | 38 |
| 53 | Insufficient Resistance of Trehalose- α -D-mannopyranoside-Treated T Cell Receptor γ Gene Mutant (TCR) Tj ETQq1 1 0.784314 rgB / 491-493. | 0.7 | 3 |
| 54 | Analysis of the Relationship between Cellular Thymidine Kinase Activity and Virulence of Thymidine Kinase-Negative Herpes Simplex Virus Types 1 and 2. <i>Microbiology and Immunology</i> , 1995, 39, 787-794. | 0.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Antiviral Activity of 1-β-D-Arabinofuranosyl-5-(2-Bromovinyl)Uracil against Thymidine Kinase Negative Strains of Varicella-Zoster Virus. <i>Microbiology and Immunology</i> , 1993, 37, 877-882. | 0.7 | 6 |
| 56 | Effects of Acyclovir, Oxetanocin-G, and Carbocyclic Oxetanocin-G in Combinations on the Replications of Herpes Simplex Virus Type 1 and Type 2 in Vero Cells.. <i>Tohoku Journal of Experimental Medicine</i> , 1992, 167, 57-68. | 0.5 | 12 |
| 57 | Analysis of toxic and mutagenic activities of antiherpesvirus nucleosides against HeLa cells and herpes simplex virus type 1. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1992, 267, 125-131. | 0.4 | 4 |
| 58 | Different Antiviral Potencies of BV-araU and Related Nucleoside Analogues against Herpes Simplex Virus Type 1 in Human Cell Lines and Vero Cells. <i>Microbiology and Immunology</i> , 1991, 35, 963-973. | 0.7 | 17 |
| 59 | Study on the apparent resistant strains of herpes simplex virus type 1 against 9-BETA.-D-arabinofuranosyladenine.. <i>Tohoku Journal of Experimental Medicine</i> , 1988, 156, 279-290. | 0.5 | 5 |