

# Christina Weisheit

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6055078/publications.pdf>

Version: 2024-02-01

19  
papers

741  
citations

840585

11  
h-index

839398

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

1652  
citing authors

#	ARTICLE	IF	CITATIONS
1	Crosstalk between Sentinel and Helper Macrophages Permits Neutrophil Migration into Infected Uroepithelium. <i>Cell</i> , 2014, 156, 456-468.	13.5	203
2	CCR2 Mediates Homeostatic and Inflammatory Release of Gr1 <sup>high</sup> Monocytes from the Bone Marrow, but Is Dispensable for Bladder Infiltration in Bacterial Urinary Tract Infection. <i>Journal of Immunology</i> , 2008, 181, 5579-5586.	0.4	86
3	Exclusive CX3CR1 dependence of kidney DCs impacts glomerulonephritis progression. <i>Journal of Clinical Investigation</i> , 2013, 123, 4242-4254.	3.9	84
4	Ly6C <sup>low</sup> and Not Ly6C <sup>high</sup> Macrophages Accumulate First in the Heart in a Model of Murine Pressure-Overload. <i>PLoS ONE</i> , 2014, 9, e112710.	1.1	77
5	Antibiotics regulate the immune response in both presence and absence of lipopolysaccharide through modulation of Toll-like receptors, cytokine production and phagocytosis in vitro. <i>International Immunopharmacology</i> , 2014, 18, 27-34.	1.7	69
6	A high-salt diet compromises antibacterial neutrophil responses through hormonal perturbation. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	45
7	Linezolid, vancomycin and daptomycin modulate cytokine production, Toll-like receptors and phagocytosis in a human in vitro model of sepsis. <i>Journal of Antibiotics</i> , 2015, 68, 485-490.	1.0	34
8	Optimized Ki-67 staining in murine cells: a tool to determine cell proliferation. <i>Molecular Biology Reports</i> , 2019, 46, 4631-4643.	1.0	31
9	Myocardial maladaptation to pressure overload in CB2 receptor-deficient mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 133, 86-98.	0.9	16
10	Tlr4 Deficiency Protects against Cardiac Pressure Overload Induced Hyperinflammation. <i>PLoS ONE</i> , 2015, 10, e0142921.	1.1	16
11	Synergistic Stimulation with Different TLR7 Ligands Modulates Gene Expression Patterns in the Human Plasmacytoid Dendritic Cell Line CAL-1. <i>Mediators of Inflammation</i> , 2015, 2015, 1-13.	1.4	13
12	A Closed-chest Model to Induce Transverse Aortic Constriction in Mice. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	13
13	CX3CR1 is a prerequisite for the development of cardiac hypertrophy and left ventricular dysfunction in mice upon transverse aortic constriction. <i>PLoS ONE</i> , 2021, 16, e0243788.	1.1	12
14	Beta2-Adrenoceptor Stimulation Suppresses TLR9-Dependent IFNA1 Secretion in Human Peripheral Blood Mononuclear Cells. <i>PLoS ONE</i> , 2013, 8, e65024.	1.1	12
15	Antifungal antibiotics modulate the pro-inflammatory cytokine production and phagocytic activity of human monocytes in an in vitro sepsis model. <i>Life Sciences</i> , 2015, 141, 128-136.	2.0	11
16	CpG postconditioning after reperfused myocardial infarction is associated with modulated inflammation, less apoptosis, and better left ventricular function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H995-H1007.	1.5	10
17	Experimental murine acute lung injury induces increase of pulmonary TIE2-expressing macrophages. <i>Journal of Inflammation</i> , 2018, 15, 12.	1.5	5
18	Vancomycin and daptomycin modulate the innate immune response in a murine model of LPS-induced sepsis. <i>International Journal of Immunopathology and Pharmacology</i> , 2021, 35, 205873842110313.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Characterization of Transverse Aortic Constriction in Mice Based on the Specific Recruitment of Leukocytes to the Hypertrophic Myocardium and the Aorta Ascendens. Mediators of Inflammation, 2021, 2021, 1-11.	1.4	1