

Christina Weisheit

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6055078/publications.pdf>

Version: 2024-02-01

19
papers

741
citations

840585

11
h-index

839398

18
g-index

19
all docs

19
docs citations

19
times ranked

1652
citing authors

#	ARTICLE	IF	CITATIONS
1	CX3CR1 is a prerequisite for the development of cardiac hypertrophy and left ventricular dysfunction in mice upon transverse aortic constriction. <i>PLoS ONE</i> , 2021, 16, e0243788.	1.1	12
2	Vancomycin and daptomycin modulate the innate immune response in a murine model of LPS-induced sepsis. <i>International Journal of Immunopathology and Pharmacology</i> , 2021, 35, 205873842110313.	1.0	3
3	Characterization of Transverse Aortic Constriction in Mice Based on the Specific Recruitment of Leukocytes to the Hypertrophic Myocardium and the Aorta Ascendens. <i>Mediators of Inflammation</i> , 2021, 2021, 1-11.	1.4	1
4	CpG postconditioning after reperfused myocardial infarction is associated with modulated inflammation, less apoptosis, and better left ventricular function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H995-H1007.	1.5	10
5	A high-salt diet compromises antibacterial neutrophil responses through hormonal perturbation. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	45
6	Myocardial maladaptation to pressure overload in CB2 receptor-deficient mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 133, 86-98.	0.9	16
7	Optimized Ki-67 staining in murine cells: a tool to determine cell proliferation. <i>Molecular Biology Reports</i> , 2019, 46, 4631-4643.	1.0	31
8	A Closed-chest Model to Induce Transverse Aortic Constriction in Mice. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	13
9	Experimental murine acute lung injury induces increase of pulmonary TIE2-expressing macrophages. <i>Journal of Inflammation</i> , 2018, 15, 12.	1.5	5
10	Synergistic Stimulation with Different TLR7 Ligands Modulates Gene Expression Patterns in the Human Plasmacytoid Dendritic Cell Line CAL-1. <i>Mediators of Inflammation</i> , 2015, 2015, 1-13.	1.4	13
11	Linezolid, vancomycin and daptomycin modulate cytokine production, Toll-like receptors and phagocytosis in a human in vitro model of sepsis. <i>Journal of Antibiotics</i> , 2015, 68, 485-490.	1.0	34
12	Antifungal antibiotics modulate the pro-inflammatory cytokine production and phagocytic activity of human monocytes in an in vitro sepsis model. <i>Life Sciences</i> , 2015, 141, 128-136.	2.0	11
13	Tlr4 Deficiency Protects against Cardiac Pressure Overload Induced Hyperinflammation. <i>PLoS ONE</i> , 2015, 10, e0142921.	1.1	16
14	Ly6Clow and Not Ly6Chigh Macrophages Accumulate First in the Heart in a Model of Murine Pressure-Overload. <i>PLoS ONE</i> , 2014, 9, e112710.	1.1	77
15	Crosstalk between Sentinel and Helper Macrophages Permits Neutrophil Migration into Infected Uroepithelium. <i>Cell</i> , 2014, 156, 456-468.	13.5	203
16	Antibiotics regulate the immune response in both presence and absence of lipopolysaccharide through modulation of Toll-like receptors, cytokine production and phagocytosis in vitro. <i>International Immunopharmacology</i> , 2014, 18, 27-34.	1.7	69
17	Exclusive CX3CR1 dependence of kidney DCs impacts glomerulonephritis progression. <i>Journal of Clinical Investigation</i> , 2013, 123, 4242-4254.	3.9	84
18	Beta2-Adrenoceptor Stimulation Suppresses TLR9-Dependent IFNA1 Secretion in Human Peripheral Blood Mononuclear Cells. <i>PLoS ONE</i> , 2013, 8, e65024.	1.1	12

#	ARTICLE	IF	CITATIONS
19	CCR2 Mediates Homeostatic and Inflammatory Release of Gr1 ^{high} Monocytes from the Bone Marrow, but Is Dispensable for Bladder Infiltration in Bacterial Urinary Tract Infection. <i>Journal of Immunology</i> , 2008, 181, 5579-5586.	0.4	86