Eduardo Collantes Estévez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6055322/publications.pdf

Version: 2024-02-01

245 papers

11,314 citations

45 h-index 30922 102 g-index

260 all docs

260 docs citations

260 times ranked 8378 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Splicing machinery is impaired in rheumatoid arthritis, associated with disease activity and modulated by anti-TNF therapy. Annals of the Rheumatic Diseases, 2022, 81, 56-67. | 0.9 | 18 |
| 2 | Subclinical Atherosclerosis Measure by Carotid Ultrasound and Inflammatory Activity in Patients with Rheumatoid Arthritis and Spondylarthritis. Journal of Clinical Medicine, 2022, 11, 662. | 2.4 | 3 |
| 3 | Sustained low disease activity measured by ASDAS slow radiographic spinal progression in axial spondyloarthritis patients treated with TNF-inhibitors: data from REGISPONSERBIO. Arthritis Research and Therapy, 2022, 24, 30. | 3.5 | 6 |
| 4 | Impact of the number of comorbidities on the outcome measures and on the retention rate of the first anti-TNF in patients with Ankylosing Spondylitis. Two-year follow-up in REGISPONSER-AS. Seminars in Arthritis and Rheumatism, 2022, 52, 151938. | 3.4 | 1 |
| 5 | Similarities and differences between non-radiographic and radiographic axial spondyloarthritis: The patient perspective from the Spanish atlas. ReumatologÃa ClÃnica (English Edition), 2022, 18, 169-176. | 0.3 | O |
| 6 | The clinical and molecular cardiometabolic fingerprint of an exploratory psoriatic arthritis cohort is associated with the disease activity and differentially modulated by methotrexate and apremilast. Journal of Internal Medicine, 2022, 291, 676-693. | 6.0 | 11 |
| 7 | Understanding the Disease Burden of Unemployed Patients With Axial Spondyloarthritis: Results From the Spanish Atlas 2017. Journal of Rheumatology, 2022, 49, 373-379. | 2.0 | 2 |
| 8 | Association between Carotid Intima-Media Thickness and the Use of Biological or Small Molecule Therapies in Patients with Rheumatoid Arthritis. Diagnostics, 2022, 12, 64. | 2.6 | 1 |
| 9 | COVID-19 pandemic: an opportunity to assess the utility of telemedicine in patients with rheumatic diseases. Annals of the Rheumatic Diseases, 2021, 80, e50-e50. | 0.9 | 32 |
| 10 | Effectiveness and safety of 12-month certolizumab pegol treatment for axial spondyloarthritis in real-world clinical practice in Europe. Rheumatology, 2021, 60, 113-124. | 1.9 | 3 |
| 11 | Integrative Analysis Reveals a Molecular Stratification of Systemic Autoimmune Diseases. Arthritis and Rheumatology, 2021, 73, 1073-1085. | 5.6 | 81 |
| 12 | Treatment adherence during the COVID-19 pandemic and the impact of confinement on disease activity and emotional status: A survey in 644 rheumatic patients. Joint Bone Spine, 2021, 88, 105085. | 1.6 | 23 |
| 13 | Axial and peripheral spondyloarthritis: does psoriasis influence the clinical expression and disease burden? Data from REGISPONSER registry. Rheumatology, 2021, 60, 1125-1136. | 1.9 | 8 |
| 14 | Characterization of Antiphospholipid Syndrome Atherothrombotic Risk by Unsupervised Integrated Transcriptomic Analyses. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 865-877. | 2.4 | 11 |
| 15 | Integrative Clinical, Molecular, and Computational Analysis Identify Novel Biomarkers and Differential Profiles of Anti-TNF Response in Rheumatoid Arthritis. Frontiers in Immunology, 2021, 12, 631662. | 4.8 | 13 |
| 16 | Patients with Axial Spondyloarthritis Show an Altered Flexion/Relaxation Phenomenon. Diagnostics, 2021, 11, 810. | 2.6 | 2 |
| 17 | Uveitis as the first symptom in spondyloarthritis and its association with the evolution of the disease. Results from the REGISPONSER registry. Joint Bone Spine, 2021, 88, 105136. | 1.6 | 2 |
| 18 | Prevalence and Associated Factors of Low Bone Mineral Density in the Femoral Neck and Total Hip in Axial Spondyloarthritis: Data from the CASTRO Cohort. Journal of Clinical Medicine, 2021, 10, 2664. | 2.4 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Potential Role and Impact of Peripheral Blood Mononuclear Cells in Radiographic Axial Spondyloarthritis-Associated Endothelial Dysfunction. Diagnostics, 2021, 11, 1037. | 2.6 | 1 |
| 20 | A Benchmarking Study Evaluating Axial Spondyloarthritis Burden in Spain and Other European Countries. Results from the Spanish Atlas and the European Map of Axial Spondyloarthritis (EMAS) Studies. International Journal of Rheumatic Diseases, 2021, 24, 1127-1136. | 1.9 | 2 |
| 21 | Expression of DDX11 and DNM1L at the 12p11 Locus Modulates Systemic Lupus Erythematosus Susceptibility. International Journal of Molecular Sciences, 2021, 22, 7624. | 4.1 | 2 |
| 22 | Remission in axial spondyloarthritis: Developing a consensus definition. ReumatologÃa ClÃnica, 2021, 17, 380-387. | 0.5 | 6 |
| 23 | Future Challenges and Critical Approach to Metrology in Patients with Axial Spondyloarthritis. Diagnostics, 2021, 11, 1533. | 2.6 | 1 |
| 24 | Which factors explain the patient global assessment in patients with ankylosing spondylitis? A hierarchical cluster analysis on REGISPONSER-AS. Seminars in Arthritis and Rheumatism, 2021, 51, 875-879. | 3.4 | 3 |
| 25 | Remission in axial spondyloarthritis: Developing a consensus definition. ReumatologÃa ClÃnica (English Edition), 2021, 17, 380-387. | 0.3 | 1 |
| 26 | Assessment of Subclinical Psychotic Symptoms in Patients with Rheumatoid Arthritis and Spondyloarthritis. Journal of Clinical Medicine, 2021, 10, 3461. | 2.4 | 1 |
| 27 | Mechanical Properties of Lumbar and Cervical Paravertebral Muscles in Patients with Axial Spondyloarthritis: A Case-Control Study. Diagnostics, 2021, 11, 1662. | 2.6 | 9 |
| 28 | Anti-dsDNA Antibodies Increase the Cardiovascular Risk in Systemic Lupus Erythematosus Promoting a Distinctive Immune and Vascular Activation. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 2417-2430. | 2.4 | 29 |
| 29 | Genetic Polymorphisms of GGH and ABCC2 Are Associated with Methotrexate Intolerance in Patients with Rheumatoid Arthritis. Journal of Clinical Medicine, 2021, 10, 4070. | 2.4 | 2 |
| 30 | Distribution of comorbidities in spondyloarthritis with regard to the phenotype and psoriasis: data from the ASAS-COMOSPA study. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110452. | 2.7 | 7 |
| 31 | Molecular Changes in the Adipose Tissue Induced by Rheumatoid Arthritis: Effects of Disease-Modifying Anti-Rheumatic Drugs. Frontiers in Immunology, 2021, 12, 744022. | 4.8 | 4 |
| 32 | ASAS Health Index in patients with spondyloarthritis and its association with disease activity and disease burden including fibromyalgia. Clinical and Experimental Rheumatology, 2021, 39, 82-88. | 0.8 | 7 |
| 33 | Consenso ASAS en nomenclatura en español para las espondiloartritis. ReumatologÃa ClÃnica, 2020, 16, 333-338. | 0.5 | 4 |
| 34 | Assessment of SpondyloArthritis International Society (ASAS) consensus on Spanish nomenclature for spondyloarthritis. ReumatologÃa ClÃnica (English Edition), 2020, 16, 333-338. | 0.3 | 2 |
| 35 | Subclinical cardiovascular risk signs in adults with juvenile idiopathic arthritis in sustained remission. Pediatric Rheumatology, 2020, 18, 59. | 2.1 | 14 |
| 36 | Similarities and differences between non-radiographic and radiographic axial spondyloarthritis: The patient perspective from the Spanish atlas. ReumatologÃa ClÃnica, 2020, , . | 0.5 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of Biological Therapies on Molecular Features of Rheumatoid Arthritis. International Journal of Molecular Sciences, 2020, 21, 9067. | 4.1 | 22 |
| 38 | Hip and Shoulder Involvement and Their Management in Axial Spondyloarthritis: a Current Review. Current Rheumatology Reports, 2020, 22, 53. | 4.7 | 7 |
| 39 | Measuring Spinal Mobility Using an Inertial Measurement Unit System: A Validation Study in Axial Spondyloarthritis. Diagnostics, 2020, 10, 426. | 2.6 | 20 |
| 40 | O31â€Integrative analysis reveals a molecular stratification of systemic autoimmune diseases. , 2020, , . | | 1 |
| 41 | Complement component 3 as biomarker of disease activity and cardiometabolic risk factor in rheumatoid arthritis and spondyloarthritis. Therapeutic Advances in Chronic Disease, 2020, 11, 204062232096506. | 2.5 | 12 |
| 42 | Does Belonging to a Patient Association Is of Help for Patients with Axial Spondyloarthritis? Results from the Atlas Survey. Current Rheumatology Reports, 2020, 22, 22. | 4.7 | 4 |
| 43 | Role of microRNAs in the Development of Cardiovascular Disease in Systemic Autoimmune Disorders. International Journal of Molecular Sciences, 2020, 21, 2012. | 4.1 | 20 |
| 44 | Impaired microRNA processing in neutrophils from rheumatoid arthritis patients confers their pathogenic profile. Modulation by biological therapies. Haematologica, 2020, 105, 2250-2261. | 3.5 | 20 |
| 45 | Role of HLA-B27 in the comorbidities observed in Axial Spondyloarthritis: Data from COMOSPA. Joint Bone Spine, 2020, 87, 445-448. | 1.6 | 14 |
| 46 | Enhanced NETosis generation in radiographic axial spondyloarthritis: utility as biomarker for disease activity and anti-TNF-1± therapy effectiveness. Journal of Biomedical Science, 2020, 27, 54. | 7.0 | 18 |
| 47 | Assessment of the relationship between estimated cardiovascular risk and structural damage in patients with axial spondyloarthritis. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2098283. | 2.7 | 13 |
| 48 | Steroid hormone-related polymorphisms associate with the development of bone erosions in rheumatoid arthritis and help to predict disease progression: Results from the REPAIR consortium. Scientific Reports, 2019, 9, 14812. | 3.3 | 7 |
| 49 | Cardiovascular risk factors in psoriatic disease: psoriasis versus psoriatic arthritis. Therapeutic Advances in Musculoskeletal Disease, 2019, 11, 1759720X1988074. | 2.7 | 7 |
| 50 | Molecular Characterization of Monocyte Subsets Reveals Specific and Distinctive Molecular Signatures Associated With Cardiovascular Disease in Rheumatoid Arthritis. Frontiers in Immunology, 2019, 10, 1111. | 4.8 | 20 |
| 51 | Atlas of axial spondyloarthritis in Spain 2017: Study design and population. ReumatologÃa ClÃnica (English Edition), 2019, 15, 127-132. | 0.3 | 4 |
| 52 | New Biomarkers for Atherothrombosis in Antiphospholipid Syndrome: Genomics and Epigenetics Approaches. Frontiers in Immunology, 2019, 10, 764. | 4.8 | 30 |
| 53 | Atlas of axial spondyloarthritis in Spain 2017: Study design and population. ReumatologÃa ClÃnica, 2019, 15, 127-132. | 0.5 | 22 |
| 54 | AB0698â€EFFECTIVENESS AND SAFETY OF CERTOLIZUMAB PEGOL FOR THE TREATMENT OF AXIAL SPONDYLOARTHRITIS IN REAL-WORLD CLINICAL PRACTICE IN EUROPE: RESULTS FROM A PROSPECTIVE NON-INTERVENTIONAL 12-MONTH COHORT STUDY., 2019,,. | | 0 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | AB0734Câ€REMISSION IN AXIAL SPONDYLOARTHRITIS: A DELPHI-METHOD QUESTIONNAIRE AMONG EXPERTS EVALUATE THE AVAILABLE ASSESSMENT TOOLS TO MEASURE DISEASE ACTIVITY AND TO DEVELOP A CONSENSUS DEFINITION OF REMISSION. , 2019, , . | ТО | O |
| 56 | AB0725â€ASSOCIATION BETWEEN RADIOGRAPHIC PROGRESSION AND CARDIOVASCULAR RISK IN SPONDYLOARTHRITIS: DATA FROM COSPAR REGISTRY. , 2019, , . | | 0 |
| 57 | Non-inferiority of dose reduction versus standard dosing of TNF-inhibitors in axial spondyloarthritis. Arthritis Research and Therapy, 2019, 21, 11. | 3.5 | 42 |
| 58 | Efficacy and Safety of Ixekizumab in the Treatment of Radiographic Axial Spondyloarthritis: Sixteenâ€Week ResultsÂFrom a Phase ⟨scp⟩III⟨/scp⟩ Randomized, Doubleâ€Blind, Placebo ontrolled Trial in Patients With Prior Inadequate Response to or Intolerance of Tumor Necrosis Factor Inhibitors. Arthritis and Rheumatology, 2019, 71, 599-611. | 5.6 | 142 |
| 59 | Recommendations for the Prescription of Physical Exercise for Patients With Spondyloarthritis. ReumatologÃa ClÃnica (English Edition), 2019, 15, 77-83. | 0.3 | 2 |
| 60 | Polymorphisms at phase I-metabolizing enzyme and hormone receptor loci influence the response to anti-TNF therapy in rheumatoid arthritis patients. Pharmacogenomics Journal, 2019, 19, 83-96. | 2.0 | 10 |
| 61 | Recomendaciones para la prescripción de ejercicio fÃsico en pacientes con espondiloartritis. ReumatologÃa ClÃnica, 2019, 15, 77-83. | 0.5 | 9 |
| 62 | Facteurs de risque cardiovasculaire chez des patients atteints de spondyloarthrite originaires du nord de l'Europe et des pays méditerranéensÂ: une étude dérivée du projet Asas-Comospa. Revue Rhumatisme (Edition Francaise), 2019, 86, 63-69. | Douo | 0 |
| 63 | Adherence to recommendations for the use of anti–tumour necrosis factor and its impact over 5 years of follow-up in axial spondyloarthritis. Rheumatology, 2018, 57, 880-890. | 1.9 | 8 |
| 64 | Evaluation of quality of life in patients with axial spondyloarthritis and its association with disease activity, functionality, mobility, and structural damage. Clinical Rheumatology, 2018, 37, 1581-1588. | 2.2 | 38 |
| 65 | Circulating microRNAs as potential biomarkers of disease activity and structural damage in ankylosing spondylitis patients. Human Molecular Genetics, 2018, 27, 875-890. | 2.9 | 58 |
| 66 | Defective glucose and lipid metabolism in rheumatoid arthritis is determined by chronic inflammation in metabolic tissues. Journal of Internal Medicine, 2018, 284, 61-77. | 6.0 | 34 |
| 67 | Circulating microRNAs as biomarkers of disease and typification of the atherothrombotic status in antiphospholipid syndrome. Haematologica, 2018, 103, 908-918. | 3.5 | 30 |
| 68 | Desarrollo de un cuadro de actuación para la evaluación de pacientes con espondiloartritis axial y artritis psoriásica en la práctica diaria: proyecto ONLY TOOLS. ReumatologÃa ClÃnica, 2018, 14, 155-159. | 0.5 | 10 |
| 69 | Recomendaciones para el manejo de la comorbilidad en la práctica clÃnica en pacientes con espondiloartritis axial. ReumatologÃa ClÃnica, 2018, 14, 346-359. | 0.5 | 7 |
| 70 | Cardiovascular risk factors in patients with spondyloarthritis from Northern European and Mediterranean countries: An ancillary study of the ASAS-COMOSPA project. Joint Bone Spine, 2018, 85, 447-453. | 1.6 | 21 |
| 71 | AB0867â€Axial spondyloarthritis posture assessment using inertial sensors. , 2018, , . | | 1 |
| 72 | AB0353â€Genetically predisposition and pro-inflammatory dysregulations – connecting rheumatoid arthritis and mental disorders. , 2018, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | SAT0331â€Inflammatory markers and adipokines related to cardiovascular risk and metabolic comorbidities in psoriatic arthritis. in vivo effects of apremilast. , 2018, , . | | 0 |
| 74 | Influence of HLA-B27 on the Ankylosing Spondylitis phenotype: results from the REGISPONSER database. Arthritis Research and Therapy, 2018, 20, 221. | 3.5 | 62 |
| 75 | Neutrophils: Novel key players in Rheumatoid Arthritis. Current and future therapeutic targets. Autoimmunity Reviews, 2018, 17, 1138-1149. | 5.8 | 88 |
| 76 | Development of a Checklist for Patients With Axial Spondyloarthritis and Psoriatic Arthritis in Daily Practice: ONLY TOOLS Project. ReumatologÃa ClÃnica (English Edition), 2018, 14, 155-159. | 0.3 | 2 |
| 77 | High Reproducibility of an Automated Measurement of Mobility for Patients with Axial Spondyloarthritis. Journal of Rheumatology, 2018, 45, 1383-1388. | 2.0 | 6 |
| 78 | FRIO215â€Asas consensus on spanish nomenclature for spondyloarthritis. , 2018, , . | | 0 |
| 79 | THU0297â€Evaluation of cardiovascular risk factors among patients with psoriasis, psoriatic arthritis and peripheral spondyloarthritis. , 2018, , . | | O |
| 80 | THU0076â€Antibodies to citrullinated protein antigens (ACPAS) induce adipose tissue dysfunction impairing adipocyte differentiation, lipid accumulation and promoting macrophage polarisation. in vitro effect of biologic dmards. , 2018, , . | | 0 |
| 81 | AB0394â€Observational study of the incidence of cardiovascular events and associated comorbidities in a cohort of patients with recent onset rheumatoid arthritis. , 2018, , . | | 0 |
| 82 | THU0576â€Cardiovascular risk in long-term juvenile idiopathic arthritis. , 2018, , . | | 0 |
| 83 | Disease Activity As a Major Determinant of Quality of Life and Physical Function in Patients With Early Axial Spondyloarthritis. Arthritis Care and Research, 2017, 69, 150-155. | 3.4 | 22 |
| 84 | Identification and management of comorbidity in psoriatic arthritis: evidence- and expert-based recommendations from a multidisciplinary panel from Spain. Rheumatology International, 2017, 37, 1239-1248. | 3.0 | 24 |
| 85 | Diagnostic potential of NETosis-derived products for disease activity, atherosclerosis and therapeutic effectiveness in Rheumatoid Arthritis patients. Journal of Autoimmunity, 2017, 82, 31-40. | 6.5 | 82 |
| 86 | Optimization of biological therapy in rheumatoid arthritis patients: outcomes from the CREATE registry after 2 years of follow-up. Rheumatology International, 2017, 37, 1701-1708. | 3.0 | 2 |
| 87 | Tocilizumab improves the proatherothrombotic profile of rheumatoid arthritis patients modulating endothelial dysfunction, NETosis, and inflammation. Translational Research, 2017, 183, 87-103. | 5.0 | 80 |
| 88 | FRIO429â€Dysregulation of the splicing machinery in leukocytes from ankylosing spondylitis patients is associated to disease pathogenesis. , 2017, , . | | 0 |
| 89 | OP0238â€Measurement of spinal mobility in axial spondyloarthritis using inertial sensors: reliability and validation preliminary results. , 2017, , . | | 0 |
| 90 | Clinical utility of the ASDAS index in comparison with BASDAI in patients with ankylosing spondylitis (Axis Study). Rheumatology International, 2017, 37, 1817-1823. | 3.0 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | AB0127â€ANTI-DS-DNA antibodies regulate atherothrombosis in systemic lupus erythematosus through the induction of netosis, inflammation and endothelial activation. , 2017, , . | | О |
| 92 | Ubiquinol Effects on Antiphospholipid Syndrome Prothrombotic Profile. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1923-1932. | 2.4 | 60 |
| 93 | THU0218â€Circulating micrornas as biomarkers for diagnosis and typifying the atherothrombotic status in antiphospholipid syndrome. , 2017, , . | | О |
| 94 | PARE0020â€25 years of patients' associations of ankylosing spondylitis in spain: aceade. , 2017, , . | | 0 |
| 95 | FRIOO48â€The ANTI-CD20 antibody rituximab reduces the inflammatory and prothrombotic profile of leukocytes from rheumatoid arthritis patients and modulates the activity of endothelial cells. , 2017, , . | | O |
| 96 | FRIO452â€Impact of a training program and early referral on diagnostic delay in patients with axial spondyloarthritis: results from the spanish atlas. , 2017, , . | | 0 |
| 97 | THU0380â€Results of a real life dose-reduction strategy for anti-tnfalpha inhibitors in a cohort of patients with spondyloarthritis. , 2017, , . | | O |
| 98 | FRIO360â€Analysis of endocannabinoid system elements and related inflammatory molecules in peripheral blood leukocytes of patients with systemic sclerosis., 2017,,. | | 0 |
| 99 | AB0619â€Connective tissue disease-associated interstitial lung disease treated with cyclophosphamide or rituximab: a unicentre, open-label and comparative study. , 2017, , . | | O |
| 100 | FRIO434â€Poor quality of life in patients with spondyloarthritis is not explained by structural damage. data from regisponser. , 2017, , . | | 0 |
| 101 | THU0624â€Asessment of psychic experiences in patients with rheumatic diseases. , 2017, , . | | 1 |
| 102 | SAT0412â€Association between smoking with spinal level of stiffness and functional limitation in patients with axial spondyloarthritis: results from the spanish atlas. , 2017, , . | | О |
| 103 | SAT0391 Lumbar flexion/relaxation phenomenon in patients with axial spondyloarthritis., 2017,,. | | O |
| 104 | SAT0447â€Prevalence of radiographic sacroiliitis in patients with psoriatic arthritis and the clinical, analytical and demographic factors associated to its appearance. , 2017, , . | | 0 |
| 105 | FRIO431â€Altered expression of circulating micrornas is related to disease activity and structural damage in ankylosing spondylitis patients. , 2017, , . | | O |
| 106 | AB0694â€Inertial Sensor for The Assessment of Cervical Range of Movement in Axial Spondyloarthritis. Annals of the Rheumatic Diseases, 2016, 75, 1141.4-1142. | 0.9 | 1 |
| 107 | â€~Atherothrombosis-associated microRNAs in Antiphospholipid syndrome and Systemic Lupus Erythematosus patients'. Scientific Reports, 2016, 6, 31375. | 3.3 | 44 |
| 108 | THU0243â€Integrated Analysis of Microrna and MRNA Expression Profiles Related To Cardiovascular Disease in Monocytes from Systemic Lupus Erythematosus Patients. Annals of the Rheumatic Diseases, 2016, 75, 276.1-276. | 0.9 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | THU0254â€In Vivo Ubiquinol (COQ10) Supplementation Reduces The Atherothrombotic Status of Antiphospholipid Syndrome Patients. Annals of the Rheumatic Diseases, 2016, 75, 280.1-280. | 0.9 | 0 |
| 110 | OPO310â€Association of Neutrophil Extracellular Traps with Atherosclerosis in Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 175.1-175. | 0.9 | 0 |
| 111 | AB0104â€Role of CD14+ and CD16+ Monocyte Subtypes in The Atherothrombosis Associated with Rheumatoid Arthritis: Epigenetic Mechanisms Involved. Annals of the Rheumatic Diseases, 2016, 75, 932.1-932. | 0.9 | 0 |
| 112 | FRIOO46â€TCZ Attenuates Atherothrombosis through The Specific Inhibition of Netosis and Monocyte-Mediated Proinflammatory Activity. Annals of the Rheumatic Diseases, 2016, 75, 442.3-443. | 0.9 | 0 |
| 113 | FRIOO56â€Altered Microrna Expression Pattern in Synovial and Blood Neutrophils in Rheumatoid Arthritis Reveals The Pathogenic Profile of These Cells. Annals of the Rheumatic Diseases, 2016, 75, 446.1-446. | 0.9 | 0 |
| 114 | AB0116â€Induction of Netosis-Mediated Cell Death in Ankylosing Spondylitis Patients. Annals of the Rheumatic Diseases, 2016, 75, 936.2-936. | 0.9 | 0 |
| 115 | AB0124â€Peripheral Blood Mononuclear Cells from Ankylosing Spondylitis Patients Display An Atherogenic Profile Associated with Disease Activity and Endothelial Dysfunction. Annals of the Rheumatic Diseases, 2016, 75, 939.1-939. | 0.9 | 0 |
| 116 | THU0255â€Identification of Novel Regulatory Networks Related To Atherothrombosis in Monocytes from Antiphospholipid Syndrome through Integrated Analysis of Microrna/mrna/protein Expression Profiles. Annals of the Rheumatic Diseases, 2016, 75, 280.2-280. | 0.9 | 0 |
| 117 | Oxidative stress in the pathogenesis of atherothrombosis associated with anti-phospholipid syndrome and systemic lupus erythematosus: new therapeutic approaches. Rheumatology, 2016, 55, 2096-2108. | 1.9 | 59 |
| 118 | Cost-effectiveness of clinical remission by treat to target strategy in established rheumatoid arthritis: results of the CREATE registry. Rheumatology International, 2016, 36, 1627-1632. | 3.0 | 5 |
| 119 | THUO400 Relationship between Health Quality of Life and Other Indicators in Patients with Axial Spondyloarthritis: Table 1. Annals of the Rheumatic Diseases, 2016, 75, 333.1-333. | 0.9 | 0 |
| 120 | FRIO394â€Assessment of Cardiovascular Risk Factors in Patients with Spondyloarthritis and Their Association with Disease Features and Its Activity. A Comparison between Two Population Groups from Asas-Comospa. Annals of the Rheumatic Diseases, 2016, 75, 577.2-578. | 0.9 | 0 |
| 121 | Inter-rater reliability of clinical mobility measures in ankylosing spondylitis. BMC Musculoskeletal Disorders, 2016, 17, 382. | 1.9 | 16 |
| 122 | Gender differences among patients with primary ankylosing spondylitis and spondylitis associated with psoriasis and inflammatory bowel disease in an iberoamerican spondyloarthritis cohort. Medicine (United States), 2016, 95, e5652. | 1.0 | 72 |
| 123 | Upswings in Cheerful Mood and Disease Activity in Patients with Rheumatoid Arthritis. International Journal of Behavioral Medicine, 2016, 23, 606-610. | 1.7 | 13 |
| 124 | Predictive validity of the ASAS classification criteria for axial and peripheral spondyloarthritis after follow-up in the ASAS cohort: a final analysis. Annals of the Rheumatic Diseases, 2016, 75, 1034-1042. | 0.9 | 53 |
| 125 | Assessment of Fatigue in Spondyloarthritis and Its Association with Disease Activity. Journal of Rheumatology, 2016, 43, 751-757. | 2.0 | 20 |
| 126 | Real-world cost-effectiveness of infliximab, etanercept and adalimumab in rheumatoid arthritis patients: results of the CREATE registry. Rheumatology International, 2016, 36, 231-241. | 3.0 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Prevalence of comorbidities and evaluation of their screening in spondyloarthritis: results of the international cross-sectional ASAS-COMOSPA study. Annals of the Rheumatic Diseases, 2016, 75, 1016-1023. | 0.9 | 188 |
| 128 | ABO133â€Role of Monocytes Subsets in the Atherothrombosis and Endothelial Dysfunction Associated with Rheumatoid Arthritis: Beneficial Effects of Tocilizumab. Annals of the Rheumatic Diseases, 2015, 74, 935.2-935. | 0.9 | 0 |
| 129 | Genetic variants within immune-modulating genes influence the risk of developing rheumatoid arthritis and anti-TNF drug response. Pharmacogenetics and Genomics, 2015, 25, 432-443. | 1.5 | 14 |
| 130 | THU0398â€Beneficial Effects of in Vivo Ubiquinol Supplementation on Athero-Thrombosis Prevention in Antiphospholipid Syndrome Patients. Preliminary Results of a Clinical Trial. Annals of the Rheumatic Diseases, 2015, 74, 340.3-341. | 0.9 | 2 |
| 131 | FRIO190â€Role of Leukocyte Subsets in the Inflammation, Oxidative Stress and Bone Turnover in Ankylosing Spondylitis Patients. Annals of the Rheumatic Diseases, 2015, 74, 493.2-493. | 0.9 | O |
| 132 | FRIO218â€Structural Damage Distribution at Vertebral Level in Patients with Axial Spondyloarthritis. Annals of the Rheumatic Diseases, 2015, 74, 503.2-504. | 0.9 | 0 |
| 133 | AB0165â€Regulation of Atherothrombosis in Systemic Lupus Erythematosus. Role of Different Monocyte Subsets, Netosis Involvement, and Effects of Anti-Dsdna Antibodies. Annals of the Rheumatic Diseases, 2015, 74, 945.3-946. | 0.9 | 0 |
| 134 | ABO134â€Role of Macrophages in the Cardiovascular Disease Associated to Rheumatoid Arthritis: Effects of Anti-CCPS in the Phenotypic Switching and the Insulin Signalling. Annals of the Rheumatic Diseases, 2015, 74, 935.3-936. | 0.9 | 0 |
| 135 | Genetic variants within the TNFRSF1B gene and susceptibility to rheumatoid arthritis and response to anti-TNF drugs. Pharmacogenetics and Genomics, 2015, 25, 323-333. | 1.5 | 17 |
| 136 | Is Spinal Mobility in Patients With Spondylitis Determined By Age, Structural Damage, and Inflammation?. Arthritis Care and Research, 2015, 67, 74-79. | 3.4 | 29 |
| 137 | Recomendaciones para la detección, investigación y derivación del dolor lumbar inflamatorio en Atención Primaria. ReumatologÃa ClÃnica, 2015, 11, 90-98. | 0.5 | 13 |
| 138 | Reccomendations for the Detection, Study and Referral of Inflammatory Low-back Pain in Primary Care. ReumatologÃa ClÃnica (English Edition), 2015, 11, 90-98. | 0.3 | 5 |
| 139 | Nonradiographic axial spondyloarthritis. What brings the new concept?. Clinical Rheumatology, 2015, 34, 195-197. | 2.2 | 1 |
| 140 | Circulating miRNAs as potential biomarkers of therapy effectiveness in rheumatoid arthritis patients treated with anti-TNF \hat{l}_{\pm} . Arthritis Research and Therapy, 2015, 17, 49. | 3.5 | 158 |
| 141 | Polymorphisms of HLAâ€A, â€B, w and DRB1 antigens in Moroccan patients with ankylosing spondylitis and a comparison of clinical features with frequencies of <i>HLAâ€B*27</i> . Tissue Antigens, 2015, 85, 108-116. | 1.0 | 10 |
| 142 | OP0156â€In Vitro Treatment with Anti-Cardiolipin and Anti-DSDNA Antibodies Modifies the Expression of Micrornas Related to Cardiovascular Disease in Patients with Antiphospholipid Syndrome and Systemic Lupus Erythematosus. Annals of the Rheumatic Diseases, 2015, 74, 128.1-128. | 0.9 | 0 |
| 143 | Positive and negative affective states and disease activity in ankylosing spondylitis. Rheumatology International, 2015, 35, 519-524. | 3.0 | 11 |
| 144 | Gene profiling reveals specific molecular pathways in the pathogenesis of atherosclerosis and cardiovascular disease in antiphospholipid syndrome, systemic lupus erythematosus and antiphospholipid syndrome with lupus. Annals of the Rheumatic Diseases, 2015, 74, 1441-1449. | 0.9 | 76 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Atherosclerosis and cardiovascular disease in systemic lupus erythematosus: effects of in vivo statin treatment. Annals of the Rheumatic Diseases, 2015, 74, 1450-1458. | 0.9 | 49 |
| 146 | AB0733â€Which Chronic Back Pain (CBP) Characteristics Are Associated with A Positive HLA-B27 in Patients with Suspected Axial Spondyloarthritis (AXSPA)? Results from the Esperanza Cohort: Table 1. Annals of the Rheumatic Diseases, 2014, 73, 1045.2-1046. | 0.9 | 0 |
| 147 | Anticyclic Citrullinated Protein Antibodies Are Implicated in the Development of Cardiovascular Disease in Rheumatoid Arthritis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 2706-2716. | 2.4 | 52 |
| 148 | AB0188â€Atherosclerosis and Cardiovascular Disease in Systemic Lupus Erythematosus. Effects of Statins Treatment. Annals of the Rheumatic Diseases, 2014, 73, 865.2-865. | 0.9 | 0 |
| 149 | SAT0420â€Ground Reaction Forces in Patients with Knee Osteoarthritis after Intra-Articular Treatments:. Annals of the Rheumatic Diseases, 2014, 73, 746.3-747. | 0.9 | 0 |
| 150 | Candidate's single-nucleotide polymorphism predictors of treatment nonresponse to the first anti-TNF inhibitor in ankylosing spondylitis. Rheumatology International, 2014, 34, 793-801. | 3.0 | 12 |
| 151 | Validation of a new objective index to measure spinal mobility: the University of Cordoba Ankylosing Spondylitis Metrology Index (UCOASMI). Rheumatology International, 2014, 34, 401-406. | 3.0 | 18 |
| 152 | Performance of the Assessment of Spondyloarthritis International Society criteria for the classification of spondyloarthritis in early spondyloarthritis clinics participating in the ESPERANZA programme. Rheumatology, 2014, 53, 353-360. | 1.9 | 35 |
| 153 | Ankylosing Spondylitis without Axial Progression: Analysis of Associated Factors. Journal of Rheumatology, 2014, 41, 2409-2412. | 2.0 | 5 |
| 154 | ASDAS high disease activity versus BASDAI elevation in patients with ankylosing spondylitis as selection criterion for anti-TNF therapy. ReumatologÃa ClÃnica (English Edition), 2014, 10, 204-209. | 0.3 | 1 |
| 155 | Development and Validation of a New Instrument to Measure Health-related Quality of Life in Patients with Psoriatic Arthritis: The VITACORA-19. Journal of Rheumatology, 2014, 41, 2008-2017. | 2.0 | 14 |
| 156 | Validity of the Ankylosing Spondylitis Disease Activity Score (ASDAS) in patients with early spondyloarthritis from the Esperanza programme. Annals of the Rheumatic Diseases, 2014, 73, 1350-1355. | 0.9 | 46 |
| 157 | Treating spondyloarthritis, including ankylosing spondylitis and psoriatic arthritis, to target: recommendations of an international task force. Annals of the Rheumatic Diseases, 2014, 73, 6-16. | 0.9 | 397 |
| 158 | ASDAS high disease activity versus BASDAI elevation in patients with ankylosing spondylitis as selection criterion for anti-TNF therapy. ReumatologÃa ClÃnica, 2014, 10, 204-209. | 0.5 | 24 |
| 159 | OP0188â€Circulating Mirnas as Potential Biomarkers of Therapy Effectiveness in Rheumatoid Arthritis Patients Treated with Anti-TNF. Annals of the Rheumatic Diseases, 2014, 73, 133.3-134. | 0.9 | 1 |
| 160 | ABO164â€Analysis of Jak-Stat-Socs Signal Pathway MRNA Expression in Ankylosing Spondylitis (AS) Patients with Peripheral Arthritis (PA). Annals of the Rheumatic Diseases, 2014, 73, 857.1-857. | 0.9 | 0 |
| 161 | FRIO129â€Similarities and Differences between Axial and Peripheral Predominant Forms in Patients with Early Spondyloathritis: Results from the Esperanza Cohort:. Annals of the Rheumatic Diseases, 2014, 73, 428.2-429. | 0.9 | 0 |
| 162 | Nuevos paradigmas en el diagnóstico y la clasificación de las espondiloartritis. ReumatologÃa ClÃnica, 2013, 9, 199-200. | 0.5 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Comparación de 2 estrategias de derivación en el diagnóstico de la espondiloartritis axial en España. Estudio RADAR. ReumatologÃa ClÃnica, 2013, 9, 348-352. | 0.5 | 6 |
| 164 | Diferente expresión clÃnica de los pacientes con espondilitis anquilosante según el sexo en función del tiempo de evolución. Datos de REGISPONSER. ReumatologÃa ClÃnica, 2013, 9, 221-225. | 0.5 | 23 |
| 165 | Modelo de excelencia en el Hospital de DÃa de ReumatologÃa en España: proyecto HD-Reumatolex. ReumatologÃa ClÃnica, 2013, 9, 142-147. | 0.5 | 9 |
| 166 | New Paradigms in the Diagnosis and Classification of the Spondylarthritis. ReumatologÃa ClÃnica (English Edition), 2013, 9, 199-200. | 0.3 | 1 |
| 167 | Different Clinical Expression of Patients With Ankylosing Spondylitis According to Gender in Relation to Time Since Onset of Disease. Data From REGISPONSER. ReumatologÃa ClÂnica (English Edition), 2013, 9, 221-225. | 0.3 | 7 |
| 168 | Recent updates on the recommendations for the management of ankylosing spondylitis: what and why?. International Journal of Clinical Rheumatology, 2013, 8, 361-371. | 0.3 | 1 |
| 169 | Hip disease in ankylosing spondylitis. Current Opinion in Rheumatology, 2013, 25, 448-454. | 4.3 | 69 |
| 170 | SAT0044â€Anti-cyclic citrullinated protein antibodies induce inflammation and oxidative stress in monocytes and neutrophils of rheumatoid arthritis patients. Annals of the Rheumatic Diseases, 2013, 71, 485.3-485. | 0.9 | 0 |
| 171 | SAT0161â€Fluvastatin treatment prevents the inflammatory/oxidative status linked to the clinical activity of the disease in systemic lupus erythematosus patients. Annals of the Rheumatic Diseases, 2013, 71, 526.2-526. | 0.9 | 0 |
| 172 | THU0411â€Utility of ultrasound scores in assessment enthesitis on anti-TNF therapy of spondyloarthritis patients:. Annals of the Rheumatic Diseases, 2013, 71, 294.1-294. | 0.9 | 0 |
| 173 | Gender-Specific Effects of Genetic Variants within Th1 and Th17 Cell-Mediated Immune Response Genes on the Risk of Developing Rheumatoid Arthritis. PLoS ONE, 2013, 8, e72732. | 2.5 | 20 |
| 174 | An analysis of 372 patients with anterior uveitis in a large Ibero-American cohort of spondyloarthritis: the RESPONDIA Group. Clinical and Experimental Rheumatology, 2013, 31, 484-9. | 0.8 | 20 |
| 175 | A high density SNP genotyping approach within the 19q13 chromosome region identifies an association of a CNOT3 polymorphism with ankylosing spondylitis. Annals of the Rheumatic Diseases, 2012, 71, 714-717. | 0.9 | 14 |
| 176 | Genetic polymorphisms inside and outside the MHC improve prediction of AS radiographic severity in addition to clinical variables. Rheumatology, 2012, 51, 1471-1478. | 1.9 | 18 |
| 177 | Mitochondrial dysfunction in antiphospholipid syndrome: implications in the pathogenesis of the disease and effects of coenzyme Q10 treatment. Blood, 2012, 119, 5859-5870. | 1.4 | 82 |
| 178 | Comparison of the Clinical Expression of Patients with Ankylosing Spondylitis from Europe and Latin America. Journal of Rheumatology, 2012, 39, 2315-2320. | 2.0 | 44 |
| 179 | Assessment of spinal mobility in ankylosing spondylitis using a video-based motion capture system. Manual Therapy, 2012, 17, 422-426. | 1.6 | 30 |
| 180 | Clinical Features of Late-onset Ankylosing Spondylitis: Comparison with Early-onset Disease. Journal of Rheumatology, 2012, 39, 1008-1012. | 2.0 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Both Baseline Clinical Factors and Genetic Polymorphisms Influence the Development of Severe Functional Status in Ankylosing Spondylitis. PLoS ONE, 2012, 7, e43428. | 2.5 | 9 |
| 182 | Prevalence of Vertebral Fractures by Semiautomated Morphometry in Patients with Ankylosing Spondylitis. Journal of Rheumatology, 2011, 38, 893-897. | 2.0 | 57 |
| 183 | A 40-month multicentre, randomised placebo-controlled study to assess the efficacy and carry-over effect of repeated intra-articular injections of hyaluronic acid in knee osteoarthritis: the AMELIA project. Annals of the Rheumatic Diseases, 2011, 70, 1957-1962. | 0.9 | 159 |
| 184 | Consensus Statement of the Spanish Society of Rheumatology on the management of biologic therapies in Spondyloarthritis except for Psoriatic Arthritis. ReumatologÃa ClĀnica (English Edition), 2011, 7, 113-123. | 0.3 | 10 |
| 185 | Consensus Statement of the Spanish Society of Rheumatology on Risk Management of Biologic Therapy in Rheumatic Patients. ReumatologÃa ClÃnica (English Edition), 2011, 7, 284-298. | 0.3 | 21 |
| 186 | 2010 update of the ASAS/EULAR recommendations for the management of ankylosing spondylitis. Annals of the Rheumatic Diseases, 2011, 70, 896-904. | 0.9 | 831 |
| 187 | 311 INFLAMMATION, LEUKOCYTE ACTIVATION, AND SURROGATE ATHEROSCLEROSIS MARKERS IN RHEUMATOID ARTHRITIS PATIENTS ARE RELATED TO MITOCHONDRIAL DEPOLARISATION AND OXIDATIVE STRESS. Atherosclerosis Supplements, 2011, 12, 67. | 1.2 | 0 |
| 188 | 414 OXIDATIVE STRESS MEDIATES APL-INDUCED THROMBOSIS AND ATHEROSCLEROSIS DEVELOPMENT IN ANTIPHOSPHOLIPID SYNDROME. Atherosclerosis Supplements, 2011, 12, 89. | 1.2 | 0 |
| 189 | Relative value of the lumbar spine and hip bone mineral density and bone turnover markers in men with ankylosing spondylitis. Clinical Rheumatology, 2011, 30, 691-695. | 2.2 | 31 |
| 190 | Fine mapping of a major histocompatibility complex in ankylosing spondylitis: Association of the <i>HLA–DPA1</i> and <i>HLA–DPB1</i> regions. Arthritis and Rheumatism, 2011, 63, 3305-3312. | 6.7 | 17 |
| 191 | Predicting the outcome of ankylosing spondylitis therapy. Annals of the Rheumatic Diseases, 2011, 70, 973-981. | 0.9 | 158 |
| 192 | A model for the development and implementation of a national plan for the optimal management of early spondyloarthritis: the Esperanza Program. Annals of the Rheumatic Diseases, 2011, 70, 827-830. | 0.9 | 37 |
| 193 | Global effects of fluvastatin on the prothrombotic status of patients with antiphospholipid syndrome. Annals of the Rheumatic Diseases, 2011, 70, 675-682. | 0.9 | 82 |
| 194 | Differential Features Between Primary Ankylosing Spondylitis and Spondylitis Associated with Psoriasis and Inflammatory Bowel Disease. Journal of Rheumatology, 2011, 38, 1656-1660. | 2.0 | 77 |
| 195 | High-dose etanercept in ankylosing spondylitis: results of a 12-week randomized, double blind, controlled multicentre study (LOADET study). Rheumatology, 2011, 50, 1828-1837. | 1.9 | 38 |
| 196 | Usefulness of a centralized system of data collection for the development of an international multicentre registry of spondyloarthritis. Rheumatology, 2011, 50, 132-136. | 1.9 | 10 |
| 197 | Differential expression of proteaseâ€activated receptors in monocytes from patients with primary antiphospholipid syndrome. Arthritis and Rheumatism, 2010, 62, 869-877. | 6.7 | 52 |
| 198 | Association of the KIR3DS1*013 and KIR3DL1*004 alleles with susceptibility to ankylosing spondylitis. Arthritis and Rheumatism, 2010, 62, 1000-1006. | 6.7 | 51 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 199 | Current Controversies in Spondyloarthritis: SPARTAN. Journal of Rheumatology, 2010, 37, 2617-2623. | 2.0 | 11 |
| 200 | Association of the Intergenic Single-Nucleotide Polymorphism rs10865331 (2p15) with Ankylosing Spondylitis in a Spanish Population. Journal of Rheumatology, 2010, 37, 2345-2347. | 2.0 | 7 |
| 201 | Infliximab Reduces Myeloperoxidase Concentration in Chronic Inflammatory Joint Diseases. Pharmacology, 2009, 83, 211-216. | 2.2 | 18 |
| 202 | First signs and symptoms of spondyloarthritis-data from an inception cohort with a disease course of two years or less (REGISPONSER-Early). Rheumatology, 2009, 48, 404-409. | 1.9 | 77 |
| 203 | Fast detection of marker pixels in video-based motion capture systems. Pattern Recognition Letters, 2009, 30, 432-439. | 4.2 | 3 |
| 204 | New criteria for inflammatory back pain in patients with chronic back pain: a real patient exercise by experts from the Assessment of SpondyloArthritis international Society (ASAS). Annals of the Rheumatic Diseases, 2009, 68, 784-788. | 0.9 | 498 |
| 205 | The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part I): classification of paper patients by expert opinion including uncertainty appraisal. Annals of the Rheumatic Diseases, 2009, 68, 770-776. | 0.9 | 731 |
| 206 | The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection. Annals of the Rheumatic Diseases, 2009, 68, 777-783. | 0.9 | 2,713 |
| 207 | Work Disability in Patients with Ankylosing Spondylitis. Journal of Rheumatology, 2009, 36, 2512-2516. | 2.0 | 48 |
| 208 | First Acute Gout Attacks Commonly Precede Features of the Metabolic Syndrome. Journal of Clinical Rheumatology, 2009, 15, 65-67. | 0.9 | 21 |
| 209 | The Burden of Ankylosing Spondylitis in Spain. Value in Health, 2008, 11, 408-415. | 0.3 | 37 |
| 210 | Fat overload aggravates oxidative stress in patients with the metabolic syndrome. European Journal of Clinical Investigation, 2008, 38, 510-515. | 3.4 | 50 |
| 211 | Anakinra: New therapeutic approach in children with Familial Mediterranean Fever resistant to colchicine. Joint Bone Spine, 2008, 75, 504-505. | 1.6 | 114 |
| 212 | Chondrocalcinosis and Hypomagnesemia: Clinical and Radiological Progression. ReumatologÃa ClÃnica (English Edition), 2008, 4, 37-39. | 0.3 | 2 |
| 213 | Evidence-based recommendations for the management of ankylosing spondylitis: systematic literature search of the 3E Initiative in Rheumatology involving a broad panel of experts and practising rheumatologists. Rheumatology, 2008, 47, 355-361. | 1.9 | 96 |
| 214 | The costâ€effectiveness of infliximab in the treatment of ankylosing spondylitis in Spain. Comparison of clinical trial and clinical practice data. Scandinavian Journal of Rheumatology, 2008, 37, 62-71. | 1.1 | 18 |
| 215 | Ankylosing spondylitis and other spondyloarthropathies: extra-articular manifestations and their management. Future Rheumatology, 2008, 3, 457-473. | 0.2 | 0 |
| 216 | Dissemination and evaluation of the ASAS/EULAR recommendations for the management of ankylosing spondylitis: results of a study among 1507 rheumatologists. Annals of the Rheumatic Diseases, 2008, 67, 782-788. | 0.9 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Decreased levels of uric acid after oral glucose challenge is associated with triacylglycerol levels and degree of insulin resistance. British Journal of Nutrition, 2008, 99, 44-48. | 2.3 | 12 |
| 218 | Circulating antioxidant defences are decreased in healthy people after a high-fat meal. British Journal of Nutrition, 2008, 100, 312-316. | 2.3 | 24 |
| 219 | The effect of infliximab on oxidative stress in chronic inflammatory joint disease. Current Medical Research and Opinion, 2007, 23, 1259-1267. | 1.9 | 30 |
| 220 | Disease pattern of spondyloarthropathies in Spain: description of the first national registry (REGISPONSER) extended report. Rheumatology, 2007, 46, 1309-1315. | 1.9 | 160 |
| 221 | Adalimumab effectively reduces the signs and symptoms of active ankylosing spondylitis in patients with total spinal ankylosis. Annals of the Rheumatic Diseases, 2007, 67, 1218-1221. | 0.9 | 50 |
| 222 | Update on the clinical pharmacology of etoricoxib, a potent cyclooxygenase-2 inhibitor. Future Rheumatology, 2007, 2, 545-565. | 0.2 | 7 |
| 223 | Digital Densitometry for Evaluation of Osteoporosis in Spondyloartropathy Patients. Journal of Clinical Rheumatology, 2007, 13, 111-112. | 0.9 | 0 |
| 224 | L'association auÂméthotrexate améliore l'efficacité deÂl'infliximab dansÂlaÂspondylarthrite ankylosante. Revue Du Rhumatisme (Edition Francaise), 2007, 74, 470-474. | 0.0 | 0 |
| 225 | Increased efficacy of infliximab associated with methotrexate in ankylosing spondylitis. Joint Bone Spine, 2007, 74, 254-258. | 1.6 | 31 |
| 226 | ASAS/EULAR recommendations for the management of ankylosing spondylitis. Annals of the Rheumatic Diseases, 2006, 65, 442-452. | 0.9 | 571 |
| 227 | An international study on starting tumour necrosis factor-blocking agents in ankylosing spondylitis. Annals of the Rheumatic Diseases, 2006, 65, 1620-1625. | 0.9 | 43 |
| 228 | Contribution of polymorphisms in the apolipoprotein Al-CIII-AIV cluster to hyperlipidaemia in patients with gout. Annals of the Rheumatic Diseases, 2005, 64, 85-88. | 0.9 | 46 |
| 229 | Effectiveness of reducing infliximab dose interval in non-responder patients with refractory spondyloarthropathies. An open extension of a multicentre study. Rheumatology, 2005, 44, 1555-1558. | 1.9 | 23 |
| 230 | Infliximab does not activate replication of lymphotropic herpesviruses in patients with refractory rheumatoid arthritis. Rheumatology, 2005, 44, 1132-1135. | 1.9 | 55 |
| 231 | Assessment of the efficacy of joint lavage versus joint lavage plus corticoids in patients with osteoarthritis of the knee. Current Medical Research and Opinion, 2004, 20, 861-867. | 1.9 | 25 |
| 232 | Tumour necrosis factor-alpha levels in aqueous humour and serum from patients with uveitis: the involvement of HLA-B27. Current Medical Research and Opinion, 2004, 20, 155-157. | 1.9 | 114 |
| 233 | Infliximab in refractory spondyloarthropathies: a multicentre 38 week open study. Annals of the Rheumatic Diseases, 2003, 62, 1239-1240. | 0.9 | 32 |
| 234 | Improved control of osteoarthritis pain and self-reported health status in non-responders to celecoxib switched to rofecoxib: results of PAVIA, an open-label post-marketing survey in Spain. Current Medical Research and Opinion, 2003, 19, 402-410. | 1.9 | 51 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|--------------------|
| 235 | ICAM-1 Expression on the Surface of TÂLymphocytes in Patients with Uveitis: A Comparative Study between the Eye and Peripheral Blood. Ophthalmologica, 2002, 216, 203-208. | 1.9 | 6 |
| 236 | Distribution of HLA-DRB1 genes in patients with sporadic ankylosing spondylitis in the south of Spain. Joint Bone Spine, 2002, 69, 458-462. | 1.6 | 8 |
| 237 | Distribution du gÃ"ne HLA-DRB1 dans une population de patients atteints de spondylarthrite ankylosante sporadique du sud de l'Espagne. Revue Du Rhumatisme (Edition Francaise), 2002, 69, 886-891. | 0.0 | 0 |
| 238 | Design and performance of a multi-centre randomised controlled trial and economic evaluation of joint tele-consultations [ISRCTN54264250]. BMC Family Practice, 2002, 3, 1. | 2.9 | 42 |
| 239 | The potential of ESSG spondyloarthropathy classification criteria as a diagnostic aid in rheumatological practice. Journal of Rheumatology, 2002, 29, 326-30. | 2.0 | 19 |
| 240 | Aqueous Humor and Serum Tumor Necrosis Factor-α in Clinical Uveitis. Ophthalmic Research, 2001, 33, 251-255. | 1.9 | 287 |
| 241 | Can some cases of †possible†spondyloarthropathy be classified as †definite†or †undifferentiated†spondyloarthropathy? Value of criteria for spondyloarthropathies. Joint Bone Spine, 2000, 67, 516-520. | тм 1.6 | 63 |
| 242 | Osteonecrosis of the tibial plateau. Clinical Rheumatology, 1998, 17, 95-98. | 2.2 | 6 |
| 243 | Dietary Alterations in Plasma Very Low Density Lipoprotein Levels Modify Renal Excretion of Urates in Hyperuricemic-Hypertriglyceridemic Patients. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 1188-1191. | 3.6 | 31 |
| 244 | Quantification of Joint Laxity. †The Non-Dominant(Spanish) Modification'. Rheumatology, 1995, 34, 795-796. | 1.9 | 4 |
| 245 | Assessment of 2 systems of spondyloarthropathy diagnostic and classification criteria (Amor and) Tj ETQq1 1 0.78 Rheumatology, 1995, 22, 246-51. | 34314 rgE 2.0 | 3T /Overlock 52 |